PART I.

DEFINITIONS.

9 VAC 20-60-14. Definitions derived from incorporations of reference texts.

A. These regulations contain the text herein and several incorporated texts from Title 40 of the Code of Federal Regulations (cited as 40 CFR followed by a part number, section number and subsection reference numbers). These incorporated texts are fully a part of these regulations; however, definitions, additions, modifications and exemptions stated in the text written herein direct how the incorporated text shall be interpreted, and they take precedence over the verbatim interpretation of the incorporated text. These incorporated texts include definitions that are fully a part of these regulations and generally applicable throughout all incorporated text and all text written herein; however, stated in the text written herein are directions as to how the incorporated text shall be interpreted, and these directions take precedence over the verbatim interpretation of the incorporated text.

B. Unless a specific direction regarding the substitution of terms is given elsewhere, the following terms, where they appear in the Code of Federal Regulations shall, for the purpose of these regulations, have the following meanings or interpretations:

- 1. "Director" shall supplant the "Administrator," "Assistant Administrator," "Assistant Administrator for Solid Waste and Emergency Response" and the "Regional Administrator," wherever they appear.
- 2. "Department of Environmental Quality" shall supplant the "United States Environmental Protection Agency," "Environmental Protection Agency," "EPA," "EPA Headquarters," "EPA Region(s)" or "Regional Office," wherever they appear. The use of "EPA" as an adjective in "EPA Acknowledgment of Consent," "EPA document," "EPA form," "EPA identification number," "EPA number," "EPA Publication," or similar phrase shall not be supplanted with "Department of Environmental Quality" and shall remain as in the original text cited.
- [3. "EPA Environmental Appeals Board" or "Environmental Appeals Board" shall be supplanted with the appointed hearing officer at a formal hearing, the court of appropriate jurisdiction, or others as required by the Administrative Process Act, Title 2.2, Chapter 40, §§ 2.2-4000 through 2.2-4033, Code of Virginia.]

Page 2 of 94

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Final Regulation As Adopted 1/14/02

[4 3]. "Qualified engineer" or "engineer" means an engineer licensed as a certified professional

engineer <u>certified to practice</u> in the Commonwealth of Virginia.

[5 4]. "State," "authorized state," and "approved state" means the Commonwealth of Virginia.

[6 5]. "Approved program" means the Virginia regulatory program for the Virginia Hazardous Waste

Management Regulations.

C. If a part of 40 CFR (as in 40 CFR Part 260) is cited, it shall mean the entire part (in this case, all of Part

260) including all subdivisions. If a section or subsection of a part of 40 CFR (as in 40 CFR 260.10) is

cited, it shall mean the entire section (Section 10 of Part 260) and its subdivisions, but it does not include

other sections or subsections of the same part.

D. The text of federal regulations incorporated by reference in these regulations includes dates that

occurred before the effective date of the incorporation of those requirements into these regulations. Such

dates shall not be construed as creating a retroactive right or obligation under the Virginia Hazardous

Waste Management Regulations when that right or obligation did not exist in these regulations prior to the

incorporation of the federal regulations by reference. In such cases, the effective date under Virginia

Hazardous Waste Management Regulations is the earliest date the requirement was incorporated into

these regulations or is as otherwise specified in these regulations. If a right or obligation existed under

federal regulations based on a date in federal regulations and there is a period from the date cited in the

incorporated text until the date they took effect in these regulations, nothing is in these regulations shall

contravene or countermand the legal application of the federal regulation for that period.

E. The text of federal regulations incorporated by reference in these regulations includes references to

"RCRA," the "Resource Conservation and Recovery Act," sections of "RCRA," "Subtitle C of RCRA," the

"Act," and other citations of enabling federal statutes. These statutes provide authority for actions by the

United States Environmental Protection Agency, the administrator, and authorized states to regulate solid

and hazardous waste management. The Virginia Waste Management Act (§ 10.1-1400 et seq.) of Title

10.1 of the Code of Virginia provides authority to the Virginia Waste Management Board, the director and

the department analogous to many of those found in the federal statutes. See Part II (9 VAC 20-60-20 et

seq.) of this chapter. Wherever in the incorporation by reference in these regulations of text from the

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Code of Federal Regulations there is a citation of authority from federal statutes, the authority and power

of the analogous or related portions of the Virginia Waste Management Act shall be considered to apply

in addition to the federal statutory citation and to support enforcement of the requirement.

9 VAC 20-60-17. Definitions created by these regulations.

A. The following words and terms when used in this chapter shall have the following meanings unless the

context clearly indicates otherwise:

"Administrator" means the Administrator of the United States Environmental Protection Agency or his

designee. See 9 VAC 20-60-14 B 1.

"Another regulation of the Virginia Administrative Code" means any regulation that is not in 9VAC

20-60-12 et seq., the Virginia Hazardous Waste Management Regulations.

"Application, Part A" means that part of the application which that a permit applicant shall complete to

qualify for interim status under § 3005(e) of RCRA or this chapter and for consideration for a permit.

"Application, Part B" means that part of the application which that a permit applicant shall complete to be

considered for a permit as required by 9 VAC 20-60-1010.

"Approved program" means a state program which that has been approved by the U.S. EPA. An

"approved state" is one administering an "approved program" under the hazardous waste management

provisions of RCRA.

"Authorization (authorized program)" means a state hazardous waste program which that has been

approved under the authorities of [the]Resource Conservation and Recovery Act RCRA.

"Authorized representative" means the manager, superintendent, or person of equivalent responsibility

responsible for the overall operation of a facility or an operational unit (i.e., part of a facility).

"Board" means the Virginia Waste Management Board.

"Commonwealth" means the Commonwealth of Virginia.

"Department" means the Virginia Department of Environmental Quality.

"Director" means the Director of the Department of Environmental Quality.

Virginia Waste Management Board

Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Page 4 of 94 Final Regulation As Adopted

1/14/02

"Emergency permit" means a permit issued where an imminent and substantial endangerment to human

health or the environment is determined to exist by the director. See 9 VAC 20-60-1050 A.

"EPA" means the U.S. Environmental Protection Agency. See 9 VAC 20-60-14 B 2.

"EPA identification number" means the number assigned by EPA or the director to each hazardous waste

generator, hazardous waste transporter, or hazardous waste facility.

"EPA hazardous waste number" means the number assigned by EPA to each waste listed in Subpart D of

40 CFR Part 261 and to each waste exhibiting a characteristic identified in Subpart C of 40 CFR Part 261.

"Hazardous material" means a substance or material which has been determined by the Secretary of

Transportation to be capable of posing an unreasonable risk to health, safety, and property when

transported in commerce, and which has been so designated under 49 CFR Parts 171 and 173.

"HSWA" means the Hazardous and Solid Waste Amendments of 1984 (P.L. 98-616).

"HSWA drip pad" means a drip pad where F032 wastes are handled.

"HSWA tank" means a tank owned or operated by a small quantity generator or an underground tank for

which construction commences commenced after July 14, 1986, or an underground tank that cannot be

entered for inspection.

"HWM" means hazardous waste management.

"Non-HSWA tank" means any tank that is not a HSWA tank.

"Non-HSWA drip pad" means a drip pad where F034 or F035 wastes are handled.

"Permit" means a control document issued by the Commonwealth pursuant to this chapter, or by the EPA

administrator pursuant to applicable federal regulations. The term "permit" includes any functional

equivalent such as an authorization, license, emergency permit, or permit by rule. It does not include

interim status under RCRA or this chapter, nor does it include draft permits.

"Permitted hazardous waste management facility" or "permitted facility" means a hazardous waste

treatment, storage, or disposal facility that has received an EPA or Commonwealth permit in accordance

with the requirements of this chapter or a permit from an authorized state program.

Virginia Waste Management Board

Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Page 5 of 94 Final Regulation As Adopted 1/14/02

"Qualified engineer" or "engineer" means a professional engineer certified to practice in the

Commonwealth of Virginia.

"RCRA" means the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery

Act of 1976 (42 USC § 6901 et seq.).

"Regulation" means the control, direction and governance of solid and hazardous waste activities by

means of the adoption and enforcement of laws, ordinances, rules and regulations.

"Responsible individual" means an individual authorized to sign official documents for and act on behalf of

a company or organization. See also "authorized representative."

"Signature" means the name of a person written with his own hand.

"These regulations" means 9 VAC 20-60-12 et seq., the Virginia Hazardous Waste Management

Regulations.

"VHWMR" means 9 VAC 20-60-12 et seq., the Virginia Hazardous Waste Management Regulations.

B. Terms used in liability insurance requirements. In the liability insurance requirements, the terms "bodily

injury" and "property damage" shall have the meanings given these terms by the case law of the Virginia

court system. However, these terms do not include those liabilities which, consistent with standard

industry practices, are excluded from coverage in liability policies for bodily injury and property damage.

The department intends the meanings of other terms used in the liability insurance requirements to be

consistent with their common meanings within the insurance industry.9 VAC 20-60-18. Applicability of

incorporated references based on the dates on which they became effective.

9 VAC 20-60-18. Applicability of incorporated references based on the dates on which they

became effective.

[Except as noted, when a regulation of the United States Environmental Protection Agency set forth in

Title 40 of the Code of Federal Regulations is adopted herein and incorporated by reference, that

regulation shall be as it exists and is in effect on July 1, 2000 unless an exception or an alternate date is

specified. Except as noted, when a regulation of the United States Environmental Protection Agency set

forth in Title 40 of the Code of Federal Regulations is adopted herein and incorporated by reference, that

July 1, 2001, with the effective date as published in the *Federal Register* notice or November 21, 2001, whichever is later.]

PART II.

GENERAL INFORMATION AND LEGISLATIVE AUTHORITY.

9 VAC 20-60-20. Authority for chapter.

A. This chapter is issued under Chapter 11.1 (§ 10.1-1182 et seq.) of Title 10.1 of the Code of Virginia and the Virginia Waste Management Act, Chapter 14 (§ 10.1-1400 et seq.) of Title 10.1 of the Code of Virginia.

B. Section 10.1-1402 of the Code of Virginia, assigns the Virginia Waste Management Board the responsibility for carrying out the purposes and provisions of the chapter and compatible provisions of federal acts.

C. The board is authorized to:

- 1. Exercise general supervision and control over waste management activities in the Commonwealth.
- 2. To consult, advise and coordinate with the Governor, the Secretary, the General Assembly, other state agencies and federal agencies for the purpose of implementing the chapter and the federal acts.
- 3. Provide technical assistance and advice concerning all aspects of waste management.
- 4. Develop and keep current a state solid and hazardous waste management plan and provide technical assistance and advice or other aid for the development and implementation of local or regional solid and hazardous waste management.
- 5. Promote the development of resource conservation and resource recovery systems and provide technical assistance and advice on esource conservation, resource recovery, and resource recovery systems.

Page 7 of 94 Final Regulation As Adopted 1/14/02

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

6. Collect such data and information as may be necessary to conduct the state programs, including data on the identification of and amounts of waste generated, transported, stored, treated, or disposed, and resource recovery.

- 7. Require any person who generates, collects, transports, stores, or provides treatment or disposal of a hazardous waste to maintain such records, manifest and reporting system as may be required pursuant to federal statute or regulations.
- 8. Designate, in accordance with criteria and listings identified under federal statute or regulation, classes, types or lists of waste which it deems to be hazardous.
- 9. Consult and coordinate with the heads of any other appropriate state and federal agencies, any appropriate independent regulatory agencies and any other appropriate governmental instrumentalities for the purpose of achieving maximum effectiveness and enforcement of this article while imposing the least burden of duplicative requirements on those persons subject to the provisions of this article.
- 10. Make application for such funds as may become available under federal acts and to transmit such funds when applicable to any appropriate person.
- 11. Promulgate and enforce such regulations as may be necessary to carry out its powers and duties and the intent of this chapter and the federal acts.
- 12. Subject to the approval of the governor, acquire by purchase, exercise of the right of eminent domain in accordance with Chapter 1.1 (§ 25-46.1 et seq.) of Title 25 of the Code of Virginia, grant, gift, devise or otherwise, the fee simple title to any lands, selected in the discretion of the board as constituting necessary and appropriate sites to be used for the purpose of the management of hazardous waste as defined in the chapter, including any and all lands adjacent to the site as the board may deem necessary or suitable for restricted areas. In all instances the board shall dedicate lands so acquired in perpetuity to such purposes. In its selection of a site pursuant to this paragraph, the board shall consider the appropriateness of any state-owned property for a disposal site in accordance with the criteria for selection of a hazardous waste management site.

Page 8 of 94

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seg.

Final Regulation As Adopted 1/14/02

13. Assume responsibility for the perpetual custody and maintenance of any hazardous waste

management facilities.

44. Collect, from any person operating or using a hazardous waste management facility, fees sufficient

to finance such perpetual custody and maintenance due to that facility as may be necessary. All fees

received by the board pursuant to this part shall be used exclusively to satisfy the responsibilities

assumed by the board for the perpetual custody and maintenance of hazardous waste management

facilities.

15. Collect, from any person operating or proposing to operate a hazardous waste treatment, storage,

or disposal facility or any person transporting hazardous wastes, permit application fees sufficient to

defray only costs related to the issuance of permits as required by the Code in accordance with

regulations promulgated by the board, but such fees shall not exceed the cost necessary to implement

this paragraph. All fees received shall be used exclusively for the hazardous waste management

program set forth herein.

16. To issue, deny, amend, and revoke certification of site suitability for hazardous waste facilities.

17. To make separate orders and regulations it deems necessary to meet any emergency to protect

public health, natural resources, and the environment from the release or imminent release of waste.

18. Take actions to contain or clean up sites where solid or hazardous waste has been improperly

managed and to institute legal proceedings to recover the costs of the containment or clean-up

activities from the responsible parties.

19. Collect, hold, manage and disburse funds received for violations of solid and hazardous waste laws

and regulations or court orders pertaining to them for the purpose of responding to solid or hazardous

waste incidents and clean-ups of sites which have been improperly managed, including sites eligible for

a joint federal and state remedial project under the federal Comprehensive Environmental Response,

Compensation, and Liability Act of 1980, Public Law 96-510.

Page 9 of 94

Final Regulation As Adopted 1/14/02

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

20. To abate hazards and nuisances dangerous to public health, safety or the environment, bothemergency and otherwise, created by the improper disposal, treatment, storage, transportation or

management of substances within the jurisdiction of the board.

21. Notwithstanding any other provision of law to the contrary, regulate the management of mixed

low-level radioactive waste.

D. The department has the following general powers, all of which, with the approval of the director, may

be exercised by a unit, board or division of the department with respect to matters assigned to that

organizational entity:

1. Administer the policies, rules, and regulations established by the Board pursuant to the Act.

2. Employ such personnel as may be required.

3. Make and enter into all contracts and agreements necessary or incidental to the performance of its

duties and the execution of its powers under the Act, including, but not limited to, contracts with the

United States, other state agencies, and governmental subdivisions of the Commonwealth.

4. Other powers designated by the Act.

E. The director shall:

1. Under direction and control of the Secretary of Natural Resources, exercise such powers and

perform such duties as are conferred or imposed upon him by law and any other duties required of him

by the governor or the board.

2. In addition to other responsibilities set forth in the Act, carry out management and supervisory

responsibilities in accordance with the rules, regulations and policies of the board. In no event shall the

director have the authority to promulgate any final regulations.

3. Be vested with all the authority of the board when it is not in session, subject to such rules and

regulations as may be prescribed by the board.

Page 10 of 94

9 VAC 20-60-30. Purpose of chapter.

A. The purpose of this chapter is to provide for the control of all hazardous wastes that are generated

within, or transported to, the Commonwealth for the purposes of storage, treatment, or disposal or for the

purposes of resource conservation or recovery.

B. This chapter establishes a management control system which that assures the safe and acceptable

management of a hazardous waste from the moment of its generation through each step of management

until the ultimate destruction or disposal.

C. This chapter is promulgated to meet the requirements of the Commonwealth legislative authority

referenced in 9 VAC 20-60-20 A and will provide for a state hazardous waste program that will meet the

requirements of the federal Resource Conservation and Recovery Act, Public Law 94-580, 42 USC 6901

RCRA.

9 VAC 20-60-50. Application of chapter.

A. This chapter applies to any person that generates, transports, stores, treats, or disposes of a

hazardous waste.

B. All persons who notify the U.S. Environmental Protection Agency under the authorities of § 3010 of the

Resource Conservation and Recovery Act RCRA are subject to the provisions of this chapter.

C. All persons who did not notify the U.S. Environmental Protection Agency under the authorities of

§ 3010 of the Resource Conservation and Recovery Act RCRA, but that generate, transport, store, treat,

or dispose of a hazardous waste shall also comply with the provisions of this chapter.

9 VAC 20-60-60. Regulatory evaluation. (Repealed.)

A. Within three years after the effective date of this chapter, the department shall perform analysis on this

chapter and provide the Waste Management Board with a report on the results. The analysis shall

include:

1. The purpose and need for the chapter;

2. Alternatives which would achieve the stated purpose of this chapter in a less burdensome and intrusive manner:

3. An assessment of the effectiveness of this chapter:

4. The results of a regulatory review of current state and federal statutory and regulatory requirements,

including identification and justification of this chapter's requirements which exceed federal

requirements; and

5. The results of a review as to whether this chapter is clearly written and easily understandable by

affected parties.

B. Upon review of the department's analysis, the Waste Management Board shall confirm the need to:

1. Continue this chapter without amendment;

2. Repeal this chapter; or

3. Amend this chapter.

The Waste Management Board will authorize the department to initiate the applicable regulatory process, and to carry out the decision of the Waste Management Board, if amendment or repeal of this chapter is warranted.

9 VAC 20-60-70. Public participation.

A. All regulations developed under the provisions of Title 10.1 of the Code of Virginia for hazardous waste

management shall be developed in accordance with the provisions of the Commonwealth of Virginia

Administrative Process Act ([§ 9-6.14:1§ 2.2-4000] et seq. of the Code of Virginia) and the Virginia Waste

Management Board Public Participation Guidelines, 9 VAC 20-10-10 et seq.

B. All permits for hazardous waste management facilities, including permits by rule, will be the subject of

a public hearing, as specified in 9 VAC 20-60-1220 9 VAC 20-60-270.

C. Modifications and revisions to all hazardous waste management facility permits, except changes to

interim status, shall be subject to public participation in accordance with Part XI (9 VAC 20-60-960 et

seq.) of this chapter 9 VAC 20-60-270.

D. Modifications and revisions to this chapter shall be the subject of public participation as specified by

the Virginia Administrative Process Act and the public participation guidelines of the department board.

E. Dockets of all permitting actions, enforcement actions, and administrative actions relative to this

chapter shall be available to the public for review, consistent with the Commonwealth of Virginia

Administrative Process Act, Virginia Freedom of Information Act ([§ 2.1-340§2.2-3700] et seq. of the

Code of Virginia), and the provisions of this chapter.

F. All reports and related materials received from hazardous waste generators, transporters and facilities,

as required by this chapter, shall be open to the public for review.

G. Public participation in the compliance evaluation and enforcement programs is encouraged. The

department will:

1. Investigate and provide written responses to all citizen complaints addressed to the department;

2. Not oppose intervention by any citizen in a suit brought before a court by the department as a result

of the enforcement action; and

3. Publish a notice in major daily or weekly newspaper of general circulation in the area [and broadcast

over local radio stations, and provide at least 30 days of public comment on proposed settlements of

civil enforcement actions except where the settlement requires some immediate action.

H. Appropriate segments of the public will be provided information relative to the planning and

implementation of this chapter on a routine and continuing basis.

9 VAC 20-60-80. Enforcement and appeal procedures; offenses and penalties.

A. All administrative enforcement and appeals taken from actions of the director relative to the provisions

of this chapter shall be governed by the Virginia Administrative Process Act.

B. Inspections, right of entry.

1. In addition to the provisions of 9 VAC 20-60-1060 L upon presentation of appropriate credentials and

upon consent of the owner or custodian, the director or his designee shall have the right to enter at any

reasonable time onto any property to include but not limited to conveyance, vehicle, facility or premises,

to inspect, investigate, evaluate, conduct tests or take samples for testing in order to determine whether

the provisions of this chapter are being complied with.

2. If the director or his designee is denied entry, he may apply to an appropriate circuit court for an

inspection warrant authorizing such investigation, evaluation, inspection, testing or taking of samples for

testing as provided in Chapter 24 (§ 19.2-393 et seq.) of Title 19.2, Code of Virginia.

C. Orders.

1. The board is authorized to issue orders to require any person to comply with the provisions of this

chapter. Any such order shall be issued only after a hearing with at least thirty days notice to the

affected person of the time, place, and purpose of it. Such order shall become effective not less than 15

days after mailing a copy of it by certified mail to the last known address of such person.

2. The provisions of 9 VAC 20-60-80 C 1, shall not affect the authority of the board to issue separate

orders and regulations to meet any emergency to protect public health, natural resources, and the

environment from the release or imminent threat of release of waste.

D. Penalties, injunctions, civil penalties and charges for violations.

1. In addition to penalties provided below, any person who knowingly transports any hazardous waste

to an unpermitted facility; who knowingly transports, treats, stores, or disposes of hazardous waste-

without a permit or in violation of a permit; or who knowingly makes any false statement or

representation in any application, label, manifest, record, permit, or other document filed, maintained, or

used for purposes of hazardous waste program compliance shall be guilty of a felony punishable by a

term of imprisonment of not less than one year nor more than five years and a fine of not more than

twenty-five thousand dollars for each day of violation, either or both. The provisions of this subsection

(9 VAC 20-60-80 D 1) shall be deemed to constitute a lesser included offense of the violation set forth

under 9VAC 20-60-80 D 6. Each day of violation of each requirement shall constitute a separate

offense.

2. In addition to the other provisions of this part, any person who violates any provisions of this chapter

shall, upon such finding by an appropriate circuit court, be assessed a civil penalty of not more than

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

twenty-five thousand dollars for each day of such violation. All penalties under this part shall be

recovered in a civil action brought by the attorney general in the name of the Commonwealth.

3. Any person violating, or failing, neglecting, or refusing to obey any lawful regulation or order of the

board or director, any condition of a permit, or certification or any provision of the Act may be

compelled, in a proceeding instituted in an appropriate court by the board or the director, to obey such

regulation, permit, certification, order, or provision of the Act and to comply with it by injunction,

mandamus, or other appropriate remedy.

4. Without limiting the remedies which may be obtained in 9 VAC 20-60-80 D 3, any person violating, or

failing, neglecting, or refusing to obey any injunction, mandamus or other remedy obtained pursuant to

9 VAC 20-60-80 D 3, shall be subject, in the discretion of the court, to a civil penalty not to exceed

twenty-five thousand dollars for each violation. Each day of violation shall constitute a separate offense.

5. With the consent of any person who has violated or failed, neglected or refused to obey any

regulation or order of the board or the director, or any provisions of this Act, the board may provide, in

an order issued by the board against such person, for the payment of civil charges for past violations in

specific sums, not to exceed the limits specified in 9VAC 20-60-80 D. Such civil charges shall be

instead of any appropriate civil penalty which could be imposed under 9 VAC 20-60-80 D.

6. Any person who knowingly transports, treats, stores, disposes of, or exports any hazardous waste in

violation of this chapter and who knows at the time that he thereby places another person in imminent

danger of death or serious bodily injury, shall, upon conviction, be guilty of a felony punishable by a

term of imprisonment of not less than two years nor more than fifteen years and a fine of not more than

\$250,000, either or both. A defendant that is not an individual shall, upon conviction of violating 9 VAC

20-60-80 be subject to a fine not exceeding the greater of \$1,000,000 or an amount that is three times

the economic benefit realized by the defendant as a result of the offense. The maximum penalty shall

be doubled with respect to both fine and imprisonment for any subsequent conviction of the same

person.

7. Prosecution under 9VAC 20-60-80 shall be commenced within three years after discovery of the

offense, notwithstanding the provisions of any other statute.

Page 15 of 94

by the board under 9 VAC 20-60-80 D in which it substantially prevails on the merits of the case, unless special circumstances would make an award unjust.

E. Legal representation.

- 1. The attorney general shall represent the board and the director in all actions and proceedings for the enforcement of this chapter except actions or proceedings to which the Commonwealth or any of its agencies or institutions is a party defendant.
- 2. Upon approval by the governor, the board is authorized to employ special counsel in actions or proceedings where the Commonwealth or any of its agencies or institutions is a party defendant.

F. If the director, any board member or any officer or employee of the department is arrested, indicted or otherwise prosecuted on any criminal charge arising out of any act committed in the discharge of his duties related to the regulations, the director may employ an attorney approved by the attorney general to defend such person. The compensation for such attorney shall, subject to the approval of the attorney general, be paid out of the funds appropriated for the administration of the department.

B. Sections 10.1-1455 through 10.1-1457 of the Code of Virginia provide for penalties, enforcement and judicial review. These sections describe the right of entry for inspections, the issuance of orders, penalties, injunctions, and other provisions and procedures for enforcement of these regulations.

9 VAC 20-60-90. (Reserved.) (Repealed.)

PART III.

INCORPORATION OF FEDERAL REGULATIONS BY REFERENCE.

9 VAC 20-60-124. Adoption of 40 CFR Part 124 by reference.

A. Except as otherwise provided, those regulations of the United States Environmental Protection Agency set forth in Subpart Subparts A and B of 40 CFR Part 124 that are required for state, wherein they relate to RCRA programs (Resource Conservation and Recovery Act) by 40 CFR 271.14, are hereby incorporated as part of the Virginia Hazardous Waste Management Regulations VHWMR. Except as otherwise provided, all material definitions, reference materials and other ancillaries that are a part of

Page 16 of 94

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

incorporated sections of 40 CFR Part 124 are also hereby incorporated as part of the Virginia Hazardous

Waste Management Regulations.

B. In all locations in these regulations where text from 40 CFR Part 124 is incorporated by reference, the

following additions, modifications and exceptions shall amend the incorporated text for the purpose of its

incorporation into these regulations:

1. Other sections of these regulations, particularly in Parts XI (9 VAC 20-60-960 et seq.) 9 VAC

20-60-270 and Part XIV (9 VAC 20-60-1370 et seq.) of this chapter, describe processes or procedures

wherein items from 40 CFR Part 124 are applied as a part of more complete and detailed requirements.

The incorporations of portions of 40 CFR Part 124 in this part shall not be construed so as to contradict

or interfere with the operations of other parts of these regulations.

2. In addition to the citations in 40 CFR 124.5(a), permits may be modified, revoked and reissued, or

terminated for reasons stated in 9VAC 20-60-270 B and Part XIV (9 VAC 20-60-1370 et seq.) of this

chapter.

3. Text of 40 CFR 124.5(b) is not incorporated into these regulations. Administrative appeal shall be

conducted in accordance with the Virginia Administrative Process Act ([§ 9-6.14:1§ 2.2-4000] et seq. of

the Code of Virginia).

2. 4. In 40 CFR 124.5(d), 40 CFR 124.6(e), and 40 CFR 124.10(b), the term "Regional Administrator"

shall mean the regional administrator of Region III of the United States Environmental Protection

Agency or his designee.

3. 5. In 40 CFR 124.5(d), 40 CFR 124.6(e), and 40 CFR 124.10(b), the term "EPA" shall mean the

United States Environmental Protection Agency.

4. 6. In 40 CFR 124.10(c)(1)(ii), the term "EPA" shall mean the United States Environmental Protection

Agency.

15. 7. In Subpart A of 40 CFR Part 124, there are several references to elements of 40 CFR Part 270.

These regulations do not incorporate 40 CFR Part 270 in its entirety, but do contain requirements in

Parts XI 9 VAC 20-60-270 B and Part XIV (9 VAC 20-60-1370 et seg.) of this chapter that are

analogous to many of the subelements of 40 CFR Part 270 that are not incorporated by reference.

Where a reference to a subelement of 40 CFR Part 270 is included in text of the Code of Federal

Regulations incorporated in these regulations, those analogous requirements of these regulations shall

be substituted for the subelement of 40 CFR Part 270.]

[7. In 40 CFR 124.19 an appeal process is established which includes certain appeals procedures that

apply to the federal hazardous waste program, including the establishment of an EPA Environmental

Appeals Board. These Virginia regulations do not incorporate this federal process. Appeals under

these regulations will be in accordance with the Administrative Process Act, Title 2.2, Chapter 40, §§

2.2-4000 through 2.2-4033, Code of Virginia. All federal regulatory references to the appeal process or

the EPA Environmental Appeals Board, such as in 40 CFR 124.5, shall be construed to mean the

administrative processes and appeals processes as specified by Virginia's Administrative Process Act.]

9 VAC 20-60-260. Adoption of 40 CFR Part 260 by reference.

A. Except as otherwise provided, the regulations of the United States Environmental Protection Agency

set forth in 40 CFR Part 260 are hereby incorporated as part of the Virginia Hazardous Waste

Management Regulations. Except as otherwise provided, all material definitions, reference materials and

other ancillaries that are a part of 40 CFR Part 260 are also hereby incorporated as part of the Virginia

Hazardous Waste Management Regulations.

B. In all locations in these regulations where 40 CFR Part 260 is incorporated by reference, the following

additions, modifications and exceptions shall amend the incorporated text for the purpose of its

incorporation into these regulations:

1. In 40 CFR 260.10, the term "Administrator" shall mean the administrator of the United States

Environmental Protection Agency or his designee.

2. In 40 CFR 260.10, the term "EPA" shall mean the United States Environmental Protection Agency.

3. In 40 CFR 260.10 the term "new tank system" and "existing tank system," the reference to July 14,

1986, applies only to tank regulations promulgated pursuant to federal Hazardous and Solid Waste

Amendment (HSWA) requirements. HSWA requirement categories include:

- a. Interim status and permitting requirements applicable to tank systems owned and operated by small quantity generators;
- b. Leak detection requirements for all underground tank systems for which construction [commences commenced]after July 14, 1986; and
- c. Permitting standards for underground tanks that cannot be entered for inspection.

For non-HSWA regulations, the reference date shall be January 1, 1998.

- 4. In 40 CFR 260.10, the term "Regional Administrator" shall mean the regional administrator of Region III of the United States Environmental Protection Agency or his designee.
- 5. In 40 CFR 260.10 definitions of the terms "Person," "State," and "United States," the term "state" shall have the meaning originally intended by the Code of Federal Regulations and not be supplanted by "Commonwealth of Virginia."
- 6. In 40 CFR 260.10 and wherever elsewhere in Title 40 of the Code of Federal Regulations the term "universal waste" appears, it shall be amended by addition of the following sentence: "In addition to the hazardous wastes listed herein, the term "universal waste" shall include those hazardous wastes listed in Part XVI (9 VAC 20-60-1495 et seq.) of the Virginia Hazardous Waste Management Regulations as universal wastes, under such terms and requirements as shall therein be ascribed."
- 7. Throughout 40 CFR 260.11(a), the terms "EPA" and "U.S. Environmental Protection Agency" shall not be supplanted with the term "Commonwealth of Virginia."
- 8. In Part XIV (9 VAC 20-60-1370 et seq.), the Virginia Hazardous Waste Management Regulations contain analogous provisions analogous to 40 CFR 260.23, 40 CFR 260.30, 40 CFR 260.31, 40 CFR 260.32, 40 CFR 260.33, 40 CFR 260.40, and 40 CFR 260.41. These sections of 40 CFR Part 260 are not incorporated by reference and are not a part of the Virginia Hazardous Waste Management Regulations.
- 9. Sections 40 CFR 260.2, 40 CFR 260.20, 40 CFR 260.21 and, 40 CFR 260.22 and 40 CFR 260.23 are not included in the incorporation of 40 CFR Part 260 by reference and are not a part of the Virginia Hazardous Waste Management Regulations.

10. Appendix I to 40 CFR Part 260 is not incorporated by reference and is not a part of the Virginia

Hazardous Waste Management Regulations.

9 VAC 20-60-261. Adoption of 40 CFR Part 261 by reference.

A. Except as otherwise provided, the regulations of the United States Environmental Protection Agency

set forth in 40 CFR Part 261 are hereby incorporated as part of the Virginia Hazardous Waste

Management Regulations. Except as otherwise provided, all material definitions, reference materials and

other ancillaries that are a part of 40 CFR Part 261 are also hereby incorporated as part of the Virginia

Hazardous Waste Management Regulations.

B. In all locations in these regulations where 40 CFR Part 261 is incorporated by reference, the following

additions, modifications and exceptions shall amend the incorporated text for the purpose of its

incorporation into these regulations:

1. Any agreements required by 40 CFR 261.4(b)(11)(ii) shall be sent to the United States

Environmental Protection Agency at the address shown and to the director (Department of

Environmental Quality, Post Office Box 10009, Richmond, Virginia 23240-0009).

2. In 40 CFR 261.4(e)(3)(iii), the text "in the Region where the sample is collected" shall be deleted.

3. In 40 CFR 261.4(f)(1), the term "Regional Administrator" shall mean the regional administrator of

Region III of the United States Environmental Protection Agency or his designee.

4. In 40 CFR 261.6(a)(2), recyclable materials shall be subject to the requirements of Parts XI (9 VAC

20-60-960 et seq.) 9 VAC 20-60-270 and Part XII (9 VAC 20-60-1260 et seq.) of these regulations this

chapter.

5. No hazardous waste from a conditionally exempt small quantity generator shall be disposed

managed as described in 40 CFR 261.5(g)(3)(iv) or 40 CFR 261.5(g)(3)(v) unless the solid waste

management facility had written permission from the department to receive such waste management is

in full compliance with all requirements of the Solid Waste Management Regulations (9 VAC 20-80-10

et seq.).

listing of universal wastes or a listing of hazardous wastes that are the subject of provisions set out in

40 CFR Part 273 as universal wastes, it shall be amended by addition of the following sentence: "In

addition to the hazardous wastes listed herein, the term "universal waste" and all lists of universal

waste or waste subject to provisions of 40 CFR Part 273 shall include those hazardous wastes listed in

Part XVI (9 VAC 20-60-1495 et seq.) of the Virginia Hazardous Waste Management Regulations as

universal wastes, under such terms and requirements as shall therein be ascribed."

7. In Subparts B and D of 40 CFR Part 261, the term "Administrator" shall mean the administrator of the

United States Environmental Protection Agency, and the term "Director" shall not supplant "Administrator"

throughout Subparts B and D.

8. All radioactive wastes classified as low-level radioactive material by the United States Nuclear

Regulatory Commission shall be a hazardous waste. NOTE: A waste may be a hazardous waste as-

defined by 40 CFR Part 261 and a low-level radioactive waste. These "mixed wastes" are required to

comply with the requirements of these regulations and all regulations of the United States Nuclear

Regulatory Commission that apply.

9 VAC 20-60-262. Adoption of 40 CFR Part 262 by reference.

A. Except as otherwise provided, the regulations of the United States Environmental Protection Agency

set forth in 40 CFR Part 262 are hereby incorporated as part of the Virginia Hazardous Waste

Management Regulations. Except as otherwise provided, all material definitions, reference materials and

other ancillaries that are a part of 40 CFR Part 262 are also hereby incorporated as part of the Virginia

Hazardous Waste Management Regulations.

B. In all locations in these regulations where 40 CFR Part 262 is incorporated by reference, the following

additions, modifications and exceptions shall amend the incorporated text for the purpose of its

incorporation into these regulations:

1. In 40 CFR 262.42(a)(2), the words "for the Region in which the generator is located" is deleted from

the incorporated text and is not a part of these regulations.

2. In 40 CFR 262.12, 40 CFR 262.53, 40 CFR 262.54, 40 CFR 262.55, 40 CFR 262.56 and 40 CFR 262.57, the term "Administrator" shall mean the administrator of the United States Environmental

Protection Agency or his designee.

3. In 40 CFR 262.12, 40 CFR 262.53, 40 CFR 262.54, 40 CFR 262.55, 40 CFR 262.56 and 40 CFR

262.57, the term "Regional Administrator" shall mean the regional administrator of Region III of the

United States Environmental Protection Agency or his designee.

4. For accumulation areas established before March 1, 1988, [the a] generator[, who is not otherwise

exempted by 40 CFR 261.5,] shall notify the director [that he accumulates of each location where he

accumulates] hazardous waste in accordance with 40 CFR 262.34 by March 1, 1988. For accumulation

areas established after March 1, 1988, he shall notify the director least 15 days and document in the

operating record that he intends to accumulate hazardous waste in accordance with 40 CFR 262.34

prior to or immediately upon the establishment of the each accumulation areas that he intends to

accumulate hazardous waste in accordance with 40 CFR 262.34 area. In the case of a new generator

who creates such accumulation areas after March 1, 1988, he shall notify the director at the time the

generator files the Notification of Hazardous Waste Activity that he intends to accumulate hazardous

waste in[_accord_accordance] with 40 CFR 262.34. This notification shall specify the exact location of

the accumulation area at the site.

5. In addition to the requirements in 40 CFR Part 262, management of hazardous wastes is required to

comply with the Regulations Governing the Transportation of Hazardous Materials (9 VAC 20-110-10 et

seq.), including packaging and labeling for transport.

6. [In addition to the requirements of 40 CFR Part 262, the] A generator shall designate on the manifest

all subsequent transporters of the hazard waste shipment not offer his hazardous waste to a transporter

or to a facility that has not received a permit and an EPA identification number.

[7. In 40 CFR 262 Subpart H, the terms "EPA and "Environmental Protection Agency" shall mean the

United States Environmental Protection Agency.]

A. Except as otherwise provided, the regulations of the United States Environmental Protection Agency

set forth in 40 CFR Part 264 are hereby incorporated as part of the Virginia Hazardous Waste

Management Regulations. Except as otherwise provided, all material definitions, reference materials and

other ancillaries that are a part of 40 CFR Part 264 are also hereby incorporated as part of the Virginia

Hazardous Waste Management Regulations.

B. In all locations in these regulations where 40 CFR Part 264 is incorporated by reference, the following

additions, modifications and exceptions shall amend the incorporated text for the purpose of its

incorporation into these regulations:

1. Sections 40 CFR 264.1(d), 40 CFR 264.1(f), 40 CFR 264.149, 40 CFR 264.150, 40 CFR 264.301(l),

and Appendix VI are not included in the incorporation of 40 CFR Part 264 by reference and are not a

part of the Virginia Hazardous Waste Management Regulations.

2. In 40 CFR 264.1(g)(11) and wherever elsewhere in Title 40 of the Code of Federal Regulations there

is a listing of universal wastes or a listing of hazardous wastes that are the subject of provisions set out

in 40 CFR Part 273 as universal wastes, it shall be amended by addition of the following sentence: "In

addition to the hazardous wastes listed herein, the term "universal waste" and all lists of universal

waste or waste subject to provisions of 40 CFR Part 273 shall include those hazardous wastes listed in

Part XVI (9 VAC 20-60-1495 et seq.) of the Virginia Hazardous Waste Management Regulations as

universal wastes, under such terms and requirements as shall therein be ascribed."

3. In 40 CFR 264.12(a), the term "Regional Administrator" shall mean the regional administrator of

Region III of the United States Environmental Protection Agency or his designee.

4. In 40 CFR 264.33, the following sentence shall be added to the end of the paragraph: "A record of

tests or inspections will be maintained on a log at that facility or other reasonably accessible and

convenient location."

5. In addition to the notifications required by 40 CFR 264.56(d)(2), notification shall be made to the on-

scene coordinator, the National Response Center and the Commonwealth Emergency Response Team

<u>Virginia Department of Emergency Management, Emergency Operations Center</u>. In the associated report filed under 40 CFR 264.56(j), the owner or operator shall include such other information

specifically requested by the director, which is reasonably necessary and relevant to the purpose of an

operating record.

6. In 40 CFR 264.143(h), 40 CFR 264.145(h), and 40 CFR 264.151, an owner or operator may use the

same financial mechanism for multiple facilities. If the facilities covered by the mechanism are located

in more than one state, identical evidence of financial assurance must be submitted to and maintained

with all RCRA authorized state agencies where facilities covered by the financial mechanism are

located or with the regional administrators where facilities are located in states without RCRA

authorization.

7. In 40 CFR 264.147(a)(1)(ii), 40 CFR 264.147(b)(1)(ii), 40 CFR 264.147(q)(2), and 40 CFR

264.147(i)(4), the term "Virginia" shall not be substituted for the term "State" or "States."

8. In 40 CFR 264.191(a), the compliance date of January 12, 1988, applies only for HSWA tanks. For

non-HSWA tanks, the compliance date is November 2, 1997, instead of January 12, 1997.

9. In 40 CFR 264.191(c), the reference to July 14, 1986, applies only to HSWA tanks. For non-HSWA

tanks, the applicable date is November 2, 1987, instead of July 14, 1986.

10. In 40 CFR 264.193, the federal effective dates apply only to HSWA tanks. For non-HSWA tanks,

the applicable date is November 2, 1997, instead of January 12, 1997.

11. A copy of all reports made in accordance with 40 CFR 264.196(d) shall be sent to the director and

to the chief administrative officer of the local government of the jurisdiction in which the event occurs.

The sentence in 40 CFR 264.196(d)(1), "If the release has been reported pursuant to 40 CFR part 302,

that report will satisfy this requirement." is not incorporated by reference into these regulations and is

not a part of the Virginia Hazardous Waste Management Regulations.

12. The following text shall be substituted for 40 CFR 264.570(a): "The requirements of this subpart

apply to owners and operators of facilities that use new or existing drip pads to convey wood drippage,

precipitation and/or surface water run-off to an associated collection system. Existing HSWA drip pads

construction prior to September 8, 1993."

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq. 1/14/02 are those constructed before December 6, 1990, and those for which the owner or operator has a design and has entered into a binding financial or other agreement for construction prior to December 6, 1990. Existing non-HSWA drip pads are those constructed before January 14, 1993, and those for which the owner or operator has a design and has entered into a binding financial or other agreements for construction prior to January 14, 1993. All other drip pads are new drip pads. The requirement at 40 CFR 264.573(b)(3) to install a leak collection system applies only to those HSWA drip pads that are constructed after December 24, 1992, except for those constructed after December 24, 1992, for which the owner or operator has a design and has entered into a binding financial or other agreement for construction prior to December 24, 1992. For non-HSWA drip pads, the requirement at 40 CFR 264.573(b)(3) to install a leak collection system applies only to those non-HSWA drip pads that are constructed after September 8, 1993, except for those constructed after September 8, 1993, for which the owner or operator has a design and has entered into a binding financial or other agreement for

- 13. In 40 CFR 264.1030(c), the reference to 40 CFR 124.15 shall be replaced by a reference to 40 CFR 124.5.
- 14. The underground injection of hazardous waste for treatment, storage or disposal shall be prohibited throughout the Commonwealth of Virginia.
- 15. In addition to the notices required in Subpart B and others parts of 40 CFR Part 264, the following notices are also required:
 - a. The owner or operator of a facility that has arranged to receive hazardous waste from a foreign source (a source located outside of the United States of America) shall notify the director and administrator in writing at least four weeks in advance of the date the waste is expected to arrive at the facility. Notice of subsequent shipments of the same waste from the same foreign source is not required.
 - b. The owner or operator of a facility that receives hazardous waste from an off-site source (except where the owner or operator of the facility is also the generator of this waste) shall inform the generator in writing that he has appropriate permits for, and will accept, the waste that the generator

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seg.

Page 25 of 94
Final Regulation As Adopted
1/14/02

is shipping. The owner or operator shall keep a copy of this written notice as part of the operating

record.

c. Before transferring ownership or operation of a facility during its operating life, or of a disposal

facility during the post-closure care period, the owner or operator shall notify the new owner or

operator in writing of the requirements contained in 9 VAC 20-60-264 and Part XI (9 VAC 20-60-960

et seq.) of this chapter 9 VAC 20-60-270. An owner or operator's failure to notify the new owner or

operator of the above requirements in no way relieves the new owner or operator of his obligation to

comply with all applicable requirements.

d. Any person responsible for the release of a hazardous substance from the facility which poses an

immediate or imminent threat to public health and who is required by law to notify the National

Response Center shall notify the director and the chief administrative officer of the local government

of the jurisdiction in which the release occurs or their designees. In cases when the released

hazardous substances are hazardous wastes or hazardous waste constituents additional

requirements are prescribed by Subpart D of 40 CFR Part 264.

16. In 40 CFR 264.93, "hazardous constituents" shall include constituents identified in 40 CFR Part 264

Appendix IX in addition to those in 40 CFR Part 261 Appendix VIII.

17. The federal text at 40 CFR 264.94(a)(2) is not incorporated by reference. The following text shall

be substituted for 40 CFR 264.94(a)(2): "For any of the constituents for which the USEPA has

established a [Primary] Maximum Contaminant Level [(PMCL)(MCL)] under [the National Primary

Drinking Water Regulations, 40 CFR Part 141 (regulations under [the Safe Drinking Water Act), the

concentration must not exceed the value of the PMCL MCL if the background level of the constituent

is below the PMCL MCL]; or."

9 VAC 20-60-265. Adoption of 40 CFR Part 265 by reference.

A. Except as otherwise provided, the regulations of the United States Environmental Protection Agency

set forth in 40 CFR Part 265 are hereby incorporated as part of the Virginia Hazardous Waste

Management Regulations. Except as otherwise provided, all material definitions, reference materials and

other ancillaries that are a part of 40 CFR Part 265 are also hereby incorporated as part of the Virginia

Hazardous Waste Management Regulations.

B. In all locations in these regulations where 40 CFR Part 265 is incorporated by reference, the following

additions, modifications and exceptions shall amend the incorporated text for the purpose of its

incorporation into these regulations:

1. Sections 40 CFR 265.1(c)(4), 40 CFR 265.149 and 40 CFR 265.150 and Subpart R of 40 CFR Part

265 are not included in the incorporation of 40 CFR Part 265 by reference and are not a part of the

Virginia Hazardous Waste Management Regulations.

2. In 40 CFR 265.1(c)(14) and wherever elsewhere in Title 40 of the Code of Federal Regulations there

is a listing of universal wastes or a listing of hazardous wastes that are the subject of provisions set out

in 40 CFR Part 273 as universal wastes, it shall be amended by addition of the following sentence: "In

addition to the hazardous wastes listed herein, the term "universal waste" and all lists of universal

waste or waste subject to provision of 40 CFR Part 273 shall include those hazardous wastes listed in

Part XVI (9 VAC 20-60-1495 et seq.) of the Virginia Hazardous Waste Management Regulations as

universal wastes, under such terms and requirements as shall therein be ascribed."

3. A copy of all reports and notices made in accordance with 40 CFR 265.12 shall be sent to the

director, the administrator and to chief administrative officer of the local government of the jurisdiction in

which the event occurs.

4. In 40 CFR 265.12(a), the term "Regional Administrator" shall mean the regional administrator of

Region III of the United States Environmental Protection Agency or his designee.

5. In 40 CFR 265.33, the following sentence shall be added to the end of the paragraph: "A record of

tests or inspections will be maintained on a log at that facility or other reasonably accessible and

convenient location."

6. In addition to the notifications required by 40 CFR 265.56(d)(2), notification shall be made to the on-

scene coordinator, the National Response Center and the Commonwealth Emergency Response Team

Virginia Department of Emergency Management, Emergency Operations Center. In the associated

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Page 27 of 94 Final Regulation As Adopted 1/14/02

report filed under 40 CFR 265.56(j), the owner or operator shall include such other information

specifically requested by the director, which is reasonably necessary and relevant to the purpose of an

operating record.

7. In addition to the requirements of 40 CFR 265.91, a log shall be made of each ground water

monitoring well describing the soils or rock encountered, the permeability of formations, and the cation

exchange capacity of soils encountered. A copy of the logs with appropriate maps shall be sent to the

department director or his designee.

8. In 40 CFR 265.143(g) and 40 CFR 265.145(g), an owner or operator may use the same financial

mechanism for multiple facilities. If the facilities covered by the mechanism are located in more than

one state, identical evidence of financial assurance must be submitted to and maintained with all RCRA

authorized state agencies where facilities covered by the financial mechanism are located or with the

regional administrators where facilities are located in states without RCRA authorization.

9. In 40 CFR 265.147(a)(1)(ii), 40 CFR 265.147(g)(2), and 40 CFR 265.147(i)(4), the term "Virginia"

shall not be substituted for the term "State" or "States."

10. In 40 CFR 265.191(a), the compliance date of January 12, 1988, applies only for HSWA tanks. For

non-HSWA tanks, the compliance date is November 2, 1986.

11. In 40 CFR 265.191(c), the reference to July 14, 1986, applies only to HSWA tanks. For non-HSWA

tanks, the applicable date is November 2, 1987.

12. In 40 CFR 265.193, the federal effective dates apply only to HSWA tanks. For non-HSWA tanks,

the applicable date is January 12, 1987 is replaced with November 2, 1997.

13. The following text shall be substituted for 40 CFR 265.440(a): "The requirements of this subpart

apply to owners and operators of facilities that use new or existing drip pads to convey wood drippage,

precipitation and/or surface water run-off to an associated collection system. Existing HSWA drip pads

are those constructed before December 6, 1990, and those for which the owner or operator has a

design and has entered into a binding financial or other agreement for construction prior to December

6, 1990. Existing non-HSWA drip pads are those constructed before January 14, 1993, and those for

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

which the owner or operator has a design and has entered into a binding financial or other agreement

for construction prior to January 14, 1993. All other drip pads are new drip pads. The requirement at 40

CFR 265.443(b)(3) to install a leak collection system applies only to those HSWA drip pads that are

constructed after December 24, 1992, except for those constructed after December 24, 1992, for which

the owner or operator has a design and has entered into a binding financial or other agreement for

construction prior to December 24, 1992. For non-HSWA drip pads, the requirement at 40 CFR

264.573(b)(3) to install a leak collection system applies only to those non-HSWA drip pads that are

constructed after September 8, 1993, except for those constructed after September 8, 1993, for which

the owner or operator has a design and has entered into a binding financial or other agreement for

construction prior to September 8, 1993."

14. In 40 CFR 265.1083(c)(4)(ii), the second occurrence of the term "EPA" shall mean the United

States Environmental Protection Agency.

15. In addition to the requirements of 40 CFR 265.310, the owner or operator shall consider at least the

following factors in addressing the closure and post-closure care objectives of this part:

a. Type and amount of hazardous waste and hazardous waste constituents in the landfill;

b. The mobility and the expected rate of migration of the hazardous waste and hazardous waste

constituents;

c. Site location, topography, and surrounding land use, with respect to the potential effects of

pollutant migration;

d. Climate, including amount, frequency and pH of precipitation;

e. Characteristics of the cover, including material, final surface contours, thickness, porosity and

permeability, slope, length of run of slope, and type of vegetation on the cover; and

f. Geological and soil profiles and surface and subsurface hydrology of the site.

16. Additionally, during the post-closure care period, the owner or operator of a hazardous waste landfill

shall comply with the requirements of 40 CFR 265.116 and the following items:

a. Maintain the function and integrity of the final cover as specified in the approved closure plan;

Virginia Waste Management Board Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seg.

Page 29 of 94 Final Regulation As Adopted

1/14/02

b. Maintain and monitor the leachate collection, removal, and treatment system, if present, to prevent

excess accumulation of the leachate in the system;

c. Maintain and monitor the landfill gas collection and control system, if present, to control the vertical

and horizontal escape of gases;

d. Protect and maintain, if present, surveyed benchmarks; and

e. Restrict access to the landfill as appropriate for its post-closure use.

17. The underground injection of hazardous waste for treatment, storage or disposal shall be prohibited

throughout the Commonwealth of Virginia.

18. Regulated units of the facility are those units used for storage treatment or disposal of hazardous

waste in surface impoundments, waste piles, land treatment units, or landfills which that received

hazardous waste after July 26, 1982. In addition to the requirements of Subpart G of 40 CFR Part 265,

owners or operators of regulated units who manage hazardous wastes in regulated units shall comply

with the closure and post-closure requirements contained in Subpart G of 40 CFR Part 264, Subpart H

of 40 CFR Part 264, and Subpart K of 40 CFR Part 264 through Subpart N of 40 CFR Part 264, as

applicable, and shall comply with the requirements in Subpart F of 40 CFR Part 264 during any

post-closure care period and for the extended ground water monitoring period, rather than the

equivalent requirements contained in 40 CFR Part 265. The following provisions shall also apply:

a. For owners or operators of surface impoundments or waste piles included above who intend to

remove all hazardous wastes at closure in accordance with 40 CFR 264.228(a)(1) or 40 CFR

264.258(a), as applicable, submittal of contingent closure and contingent post-closure plans is not

required. However, if the facility is subsequently required to close as a landfill in accordance with

Subpart N of 40 CFR Part 264, a modified closure plan shall be submitted no more than 30 days after

such determination. These plans will be processed as closure plan amendments. For such facilities,

the corresponding post-closure plan shall be submitted within 90 days of the determination that the

unit shall be closed as a landfill.

b. A permit application as required under Part XI (9 VAC 20-60-960 et seq.) 9 VAC 20-60-270 to

address the post-closure care requirements of 40 CFR 264.117 and for ground water monitoring requirements of 40 CFR 264.98, 40 CFR 264.99, or 40 CFR 264.100, as applicable, shall be

submitted for all regulated units which fail to satisfy the requirements of closure by removal or

decontamination in 40 CFR 264.228(a)(1), 40 CFR 264.258(a), or 40 CFR 264.280(d) and 40 CFR

264.280(e), as applicable. The permit application shall be submitted at the same time as the closure

plan for those units closing with wastes in place and six months following the determination that

closure by removal or decontamination is unachievable for those units attempting such closure. The

permit application shall address the post-closure care maintenance of both the final cover and the

ground water monitoring wells as well as the implementation of the applicable ground water

monitoring program whenever contaminated soils, subsoils, liners, etc., are left in place. When all

contaminated soils, subsoils, liners, etc., have been removed yet ground water contamination

remains, the permit application shall address the post-closure care maintenance of the ground water

monitoring wells as well as the implementation of the applicable ground water monitoring program.

c. In addition to the requirements of 40 CFR 264.112(d)(2)(i) for requesting an extension to the one

year limit, the owner or operator shall demonstrate that he will continue to take all steps to prevent

threats to human health and the environment.

d. In addition to the requirements of 40 CFR 264.119(c), the owner or operator shall also request a

modification to the post-closure permit if he wishes to remove contaminated structures and

equipment.

9 VAC 20-60-266. Adoption of 40 CFR Part 266 by reference.

A. Except as otherwise provided, the regulations of the United States Environmental Protection Agency

set forth in 40 CFR Part 266 are hereby incorporated as part of the Virginia Hazardous Waste

Management Regulations. Except as otherwise provided, all material definitions, reference materials and

other ancillaries that are a part of 40 CFR Part 266 are also hereby incorporated as part of the Virginia

Hazardous Waste Management Regulations.

Virginia Waste Management Board

Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Page 31 of 94

Final Regulation As Adopted

1/14/02

B. In all locations in these regulations where 40 CFR Part 266 is incorporated by reference, the following

additions, modifications and exceptions shall amend the incorporated text for the purpose of its

incorporation into these regulations:

1. In addition to the requirements of Subpart C of 40 CFR Part 266, those who generate or transport

recyclable materials or those who own or operate facilities that use or store recyclable materials are

also subject to applicable requirements of Parts IV (9 VAC 20-60-305 et seq.), VII (9 VAC 20-60-420 et

seq.), and XII (9 VAC 20-60-1260 et seq.) of these regulations if the materials are used in a manner

constituting disposal.

2. In addition to the requirements of Subpart C of 40 CFR Part 266, those who generate or transport

recyclable materials or those who own or operate facilities that use or store recyclable materials are

also subject to applicable requirements of Parts IV, VII and XII of these regulations if the recyclable

materials are for precious metals recovery.

3. In addition to the requirements of Subpart G of 40 CFR Part 266, those who store lead-acid batteries

subject to 40 CFR [266(b) 266.80(b)] are also subject to the requirements of Parts IV, VII and XII of

these regulations.

9 VAC 20-60-270. Adoption of 40 CFR Part 270 by reference.

A. Except as otherwise provided, those regulations of the United States Environmental Protection Agency

set forth in Subpart A of 40 CFR Part 270 that are required for state RCRA programs (Resource-

Conservation and Recovery Act) by 40 CFR 271.14 are hereby incorporated as part of the Virginia

Hazardous Waste Management Regulations. 40 CFR 270.1(c)(2) is also hereby incorporated as part of

the Virginia Hazardous Waste Management Regulations. Except as otherwise provided, all material

definitions, reference materials and other ancillaries that are a part of incorporated sections of 40 CFR

Part 270 are also hereby incorporated as part of the Virginia Hazardous Waste Management Regulations.

B. In all locations in these regulations where 40 CFR Part 270 is incorporated by reference, the following

additions, modifications and exceptions shall amend the incorporated text for the purpose of its

incorporation into these regulations:

Page 32 of 94

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

listing of universal wastes or a listing of hazardous wastes that are the subject of provisions set out in

issuing of universal wastes of a listing of flazarabas wastes that are the subject of provisions set out in

1. In 40 CFR Part 270 and wherever elsewhere in Title 40 of the Code of Federal Regulations there is a

40 CFR Part 273 as universal wastes, it shall be amended by addition of the following sentence: "In

addition to the hazardous wastes listed herein, the term "universal waste" and all lists of universal

waste or waste subject to provisions of 40 CFR Part 273 shall include those hazardous wastes listed in

Part XVI (9 VAC 20-60-1495 et seq.) of the Virginia Hazardous Waste Management Regulations as

universal wastes, under such terms and requirements as shall therein be ascribed."

2. At 40 CFR 270.4(a)(3), the leak detection system requirements include double liners, cap quality

assurance programs, monitoring, action leakage rates, and response action plans and will be

implemented through the procedures of 40 CFR 270.42(a) Class 1 permit modifications subject to

footnote 1, which require prior approval of the director.]

[2. 3. 2.] In 40 CFR 270.5, the term "Administrator" shall mean the administrator of the United States

Environmental Protection Agency or his designee.

[3.4. 3.] In 40 CFR 270.5, the term "Regional Administrator" shall mean the regional administrator of

Region III of the United States Environmental Protection Agency or his designee.

[4. 5. 4.] The underground injection of hazardous waste for treatment, storage or disposal shall be

prohibited throughout the Commonwealth of Virginia, and no permits shall be issued for underground

injection facilities.

5. Permit modifications for implementing a leak detection system shall be classified as required in

9 VAC 20-60-1170 and not as specified in 40 CFR 270.4.

C. Part XI (9 VAC 20-60-960 et seq.) of these regulations contains requirements from the incorporated

text of 40 CFR Part 270 and additional requirements and clarifications unique to these regulations. The

incorporation by reference in 9 VAC 20-60-270 shall be considered as supporting Part XI of these

regulations and consistent with Title 40 of the Code of Federal Regulations; and any apparent conflict

between requirements of the text incorporated by reference and the text of Part XI shall be resolved by

compliance with Part XI. Except where the requirements of Part XI and 9 VAC 20-60-270 are mutually

a written opinion that a conflict exists and indicates the nature of the conflict.

[5.6-] Validity of the federal HWM permits.[This section replaces 40 CFR 270.51, which is not included in the incorporation of 40 CFR Part 270 by reference and is not a part of the Virginia Hazardous Waste Management Regulations.]

exclusive, compliance with both is required. No conflict shall be assumed to exist until the director renders

- a. Hazardous waste management facilities located in Virginia which possess an effective final RCRA permit issued by the United States Environmental Protection Agency will be considered to possess a valid Virginia hazardous waste management permit for the duration of the unexpired term of the federal permit, provided that:
 - (1) The facility remains in compliance with all of the conditions specified in the federal permit;
 - (2) The operator submits a complete copy of the federal permit to the director no later than the effective date of the federal permit; and
 - (3) The owner and operator of the facility submit a request to continue the federal permit addressed to the director.
- b. Federal permits issued to hazardous waste management facilities located in Virginia by the United States Environmental Protection Agency pursuant to HSWA requirements which constitute the federal portion of the combined Virginia United States Environmental Protection Agency RCRA permits are considered, for the purposes of this chapter, as addenda to the Virginia permits and will remain in effect during the unexpired term of the Virginia permit.
- [6.7-] All permit applications and reapplications required by these regulations shall be accompanied by an appropriate permit application fee as specified in Part XII (9 VAC 20-60-1260 et seq.) of this chapter.

 Applications or reapplications not accompanied by such fees will not be considered complete. The director shall not issue a permit before receiving a complete application except permits by rule, emergency permits, or continued federal permits. In addition, an application for a permit is not complete until the director receives an application form and any supplemental information, which are completed to his satisfaction. The completeness of any application for a permit shall be judged independently of

the status of any other permit application or permit for the same facility or activity. In cases where Part

A of the application was first submitted to the United States Environmental Protection Agency

Administrator, a copy of such submission shall also be sent to the director.

[7.8.] Interim status.

- a. The director may deny interim status to any owner or operator if, at the time the Part A application is submitted, the facility is in violation of any regulation of the board so as to pose a substantial present or potential hazard to human health or environment.
- b. [Unless subject of an exception specified in 40 CFR 270 73, interim Interim] status terminates when final disposition of a permit application is made or when interim status is terminated by the director. Interim status may be terminated for any of the following reasons:
 - (1) Failure to submit a completed Part B application on time;
 - (2) Failure to furnish any information required by this chapter;
 - (3) Falsification, misrepresentation or failure to fully disclose any information submitted or required to be kept under this chapter;
 - (4) Violation of this chapter; and
 - (5) A determination that the facility poses a significant threat to public health or the environment.
- c. The director may terminate the interim status upon receiving a voluntary request for such an action from the owner and the operator of the facility.
 - (1) To be considered for voluntary termination such request shall:
 - (a) Be received by the director prior to the issuance of the request to submit Part B of the permit application in accordance with this section; and
 - (b) Be accompanied by a waiver of procedures contained in this section.
 - (2) Termination under this part will not be granted to the owner and operator of the facility:
 - (a) Which is not in compliance with the standards contained in 9 VAC 20-60-265; or

d. The effective date of the termination of the interim status will be determined by the director to allow for proper closure of the facility in accordance with Subpart G of 40 CFR Part 264 and Subpart G of 40 CFR Part 265, as applicable.

[8.9.] Each permit shall include permit conditions necessary to achieve compliance with the Virginia Waste Management Act (§ 10.1-1400 et seq. of the Code of Virginia) and regulations, including each of the applicable requirements specified in this part (Part III) of these regulations. In satisfying this provision, the director may incorporate applicable requirements of Part III directly into the permit or establish other permit conditions that are based on these requirements.

[10. When the standards or regulations on which the permit was based have been changed by statute, through promulgation of new or amended standards or regulations or by judicial decision after the permit was issued, cause may exist to modify a permit but not to revoke or reissue the permit (except with the permittee's request or agreement).

a. The director may modify the permit when the standards or regulations on which the permit was based have been changed by statute or if standards or regulations have been amended.

b. The permittee may request modification when:

- (1) The permit condition requested to be modified was based on a promulgated hazardous waste regulation; and
- (2) The Commonwealth has revised, withdrawn or modified that portion of the regulation on which the permit condition was based.

c. If a court of competent jurisdiction has remanded and stayed Commonwealth regulations, if the remand and stay concern that portion of the regulations on which the permit condition was based and if a request is filed by the permittee, the permit may be modified.

11. The director may modify a permit:

Page 36 of 94

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Final Regulation As Adopted 1/14/02

a. If he determines good cause exists for modification of a compliance schedule, such as an act of

God, strike, flood, or material shortage or other events over which the permittee has little or no control and for which there is no reasonably available remedy.

b. When modification of a closure or post-closure plan is required under 40 CFR 264.112(c) and 40 CFR 264.118(d).

c. After he receives the notification of expected closure under 40 CFR 264.113 and he determines that extension of the 90-day or 180-day periods under that part is warranted.

d. When modification is warranted with regard to

(1) The 30-year post-closure period under 40 CFR 264.117(a);

(2) Continuation of the security requirements under 40 CFR 264.117(b); or

(3) Permission to disturb the integrity of the containment system under 40 CFR 264.117(c).

e. When the permittee has filed a request under 40 CFR 264.147(d) for a variance to the level of financial responsibility or when the director demonstrates under 40 CFR 264.147(d) that an upward adjustment of the level of financial responsibility is required.

f. When the corrective action program specified in the permit under 40 CFR 264.100 has not brought the regulated unit into compliance with the ground water protection standard within a reasonable period of time.

g. To include a detection monitoring program meeting the requirements of 40 CFR 264.98, when the owner or operator has been conducting a compliance monitoring program under 40 CFR 264.99 or a corrective action program under 40 CFR 264.100 and the compliance period ends before the end of the post-closure care period for the unit.

h. When a permit requires a compliance monitoring program under 40 CFR 264.99, but monitoring data collected prior to permit issuance indicate that the facility is exceeding the ground water protection standard.

i. When a land treatment unit is not achieving complete treatment of hazardous constituents under its

current permit conditions.

[9.42] In addition to the other general information requirements to be part of the contents of any Part B in 40 CFR 270.14(b), the following information is required for all hazardous waste management facilities, except as provided otherwise:

a. A copy of the general inspection schedule required by 40 CFR 264.15(b). Include, where applicable, as part of the inspection schedule, specific requirements in 40 CFR 264.174, 40 CFR 264.193(i), 40 CFR 264.195, 40 CFR 264.226, 40 CFR 264.254, 40 CFR 264.273, 40 CFR 264.303, 40 CFR 264.573, 40 CFR 264.574, 40 CFR 264.602, 40 CFR 264.1033, 40 CFR 264.1052, 40 CFR 264.1053, and 40 CFR 264.1058.

b. Traffic pattern, estimated volume (number, types of vehicles) and control; describe access road surfacing and load bearing capacity; show traffic control signals.

[10.-13] A period of 30 days shall elapse between the date of public notice and the date of a public hearing under 40 CFR 270.42(b)(4) and 40 CFR 270.42(c)(4).

[11. 44] Notices given under 40 CFR 270.30(I)(1) shall be written.

[15. The suitability of the facility location will not be considered at the time of permit modification or revocation and reissuance unless new information or standards indicate that an endangerment to human health or the environment exists which was unknown at the time of permit issuance.

- 12. The following additional information is required from owners or operators of facilities that store or treat hazardous waste in waste piles if an exemption is sought to Subpart F of 40 CFR Part 264 and 40 CFR 264.251 as provided in 40 CFR 264.250(c) and 40 CFR 264.90(b)(2):
 - a. An explanation of how the standards of 40 CFR 264.250(c) will be complied with; and
 - b. Detailed plans and an engineering report describing how the requirements of 40 CFR 264.90(b)(2) will be met.]
- [13.-16] The agencies of the Commonwealth publish notices of regulatory activity, permit hearings and other official notices in the Virginia Register. Any references in incorporated federal text that indicate a

publication is to be made in the Federal Register shall be construed to mean the Virginia Register when

such publication is to be made by an agency of the Commonwealth.

[14. Appeal rights and procedures related to a remedial action plan (RAP) included in 40 CFR 270.155,

especially appeals to the EPA Environmental Appeals Board, are not incorporated into these

regulations. Appeals of actions related to the content or process of developing a RAP will be governed

by the Administrative Process Act, Title 2.2, Chapter 40, §§ 2.2-4000 through 2.2-4033, Code of

Virginia.

9 VAC 20-60-273. Adoption of 40 CFR Part 273 by reference.

A. Except as otherwise provided, the regulations of the United States Environmental Protection Agency

set forth in 40 CFR Part 273 are hereby incorporated as part of the Virginia Hazardous Waste

Management Regulations. Except as otherwise provided, all material definitions, reference materials and

other ancillaries that are a part of 40 CFR Part 273 are also hereby incorporated as part of the Virginia

Hazardous Waste Management Regulations.

B. In all locations in these regulations where 40 CFR Part 273 is incorporated by reference, the following

additions, modifications and exceptions shall amend the incorporated text for the purpose of its

incorporation into these regulations:

1. In 40 CFR 273.32(a)(3), the term "EPA" shall mean the United States Environmental Protection

Agency or his designee.

2. In addition to universal wastes included in 40 CFR Part 273, other wastes are defined to be universal

wastes in Part XVI (9 VAC 20-60-1495 et seq.) of these regulations. Part XVI also contains waste

specific requirements associated with the waste defined to be universal waste therein. In 40 CFR 273.1,

the definitions in [40 CFR 273.6 40 CFR 273.9], and wherever elsewhere in Title 40 of the Code of

Federal Regulations there is a listing of universal wastes or a listing of hazardous waste that are the

subject of provisions set out in 40 CFR Part 273 as universal wastes, it shall be amended by addition of

the following sentence: "In addition to the hazardous wastes listed herein, the term 'universal waste'

and all lists of universal waste or waste subject to provisions of 40 CFR Part 273 shall include those

hazardous wastes listed in Part XVI (9 VAC 20-60-1495 et seq.) of the Virginia Hazardous Waste

Universal Waste" and "Small Quantity Handler of Universal Waste."

1/14/02

Management Regulations as universal wastes, under such terms and requirements as shall therein be ascribed." Any listing of universal wastes in 40 CFR Part 273 shall incorporate the universal wastes set out in Part XVI in a manner identical to those included in the federal text; whether, for example, as in 40 CFR 273.32(b)(4), 40 CFR 273.32(b)(5), 40 CFR 273.39(b)(2), and 40 CFR 273.62(a)(20) or as items to be included in a calculation or requirement as in the definitions of "Large Quantity Handler of

- 3. In addition to the requirements for lamps contained in 40 CFR 273, the following requirements shall apply:
 - a. A used lamp shall be considered discarded and a waste on the date the generator permanently removes it from its fixture. An unused lamp becomes a waste on the date the generator discards it since that is the date on which he is deemed to have decided to discard it in accordance with 40 CFR 273.5(c)(2).
 - b. Universal waste lamps may be crushed or intentionally broken on the site of generation to reduce their volume; however, breaking, crushing, handling, and storage must occur in a safe and controlled manner that minimizes the release of mercury to the workplace and the environment and must comply with 29 CFR 1910.1000. The procedure for breaking, crushing, handling and storing of the lamps must be documented and use a mechanical unit specifically designed for the process that incorporates the containment and filtration of process air flows to remove mercury-containing vapors and dusts.
 - [c. All handlers of universal waste (large or small quantity) who crush mercury-containing lamps under these universal waste regulations shall comply with the following provisions:
 - (1) The handler must use a mercury-containing lamp crusher indoors with air pollution controls that capture both particulate and vapor phase mercury. At a minimum, these controls must include, or must be equivalent to the protection provided by a HEPA filter, activated charcoal, and a negative air flow (vacuum) through the crusher unit. The crusher must have documentation from the manufacturer which demonstrates that the unit:

Page 40 of 94 Final Regulation As Adopted 1/14/02

(i) Is capable of achieving the Occupational Safety and Health Administration Permissible

Exposure Limit (PEL) for mercury of 0.10 milligram per cubic meter in indoor ambient air; (under individual site-specific use conditions), and

- (ii) Achieves a particle retention rate of 99.97% in the HEPA filter (at a particle diameter of 0.3 microns).
- (2) The handler must develop and implement a written procedure specifying how to safely crush universal waste lamps. This procedure must include: type of equipment to be used to crush the lamps safely; operation and maintenance of the unit in accordance with written procedures developed by the manufacturer of the equipment, and proper waste management practices. The handler must document maintenance activities and keep records of maintenance. In addition, the unit operator must receive training in crushing procedures, waste handling and emergency procedures (training must be documented).
- (3) Residues, filter media, or other solid waste generated as part the crushing operation, which are not being reclaimed and which exhibit any characteristics of a hazardous waste, must be managed in accordance with all applicable hazardous waste management requirements.
- (4) The handler must ensure that spills of the contents of the universal waste lamps which may occur during crushing operations are cleaned up in accordance with 40 CFR 273.13 (d)(2) or 40CFR 273.33 (d) (2).
- (5) The handler must store the crushed lamps in closed, non-leaking drums or containers that are in good condition. Transfer of the crushed lamps to other drums or containers is not permitted.
- (6) Drums or containers used for storage of crushed lamps must be properly sealed and labeled.

 The label shall bear the words "Universal Waste-Lamp(s)", "Waste Lamp(s)", or "Used Lamp(s)".]
- 3. 4. A small quantity handler having a waste subject to the requirements of 40 CFR 273.13(a)(3)(i) is also subject to 9 VAC 20-60-270 and Parts IV (9 VAC 20-60-305 et seq.), VII (9 VAC 20-60-420 et seq.), XI (9 VAC 20-60-960 et seq.), and XII (9 VAC 20-60-1260 et seq.) of these regulations this chapter.

NOTIFICATION OF HAZARDOUS WASTE MANAGEMENT ACTIVITY REGULATIONS.

9 VAC 20-60-315. Notification.

A. Any person that notified the EPA of hazardous waste management activities as referenced in 9 VAC 20-60-305 B shall provide a copy of that notification to the director.

B. Any person involved in hazardous waste management activities that did not comply with the notification requirements of the EPA as referenced in 9 VAC 20-60-305 B but is subject to those requirements shall notify the director in writing of their hazardous waste management activities by the effective date of this chapter. Notification may shall be accomplished by the use of EPA Form 8700-12 or the provision of the same information in any other manner selected by the notifier.

C. Any person who initiated a hazardous waste management activity subsequent to the preliminary notification period of 42 USC § 6930 but prior to the effective date of this chapter shall notify the director of the initiation of such activities by the effective date of this chapter. Notification may_shall be accomplished by the use of EPA Form 8700-12 or the provisions of the same information in any other manner selected by the notifier.

- D. (Reserved.)
- E. Transporters shall provide only one notification form for all transportation activities.
- F. One notification form is required for each generator site.
- G. A notification form is required for each storage, treatment, disposal, or other facility. However, if one geographic site includes more than one storage, treatment or disposal activity, only one notification form for the entire facility site is required.
- H. Generators that store, treat, or dispose of hazardous waste on-site shall file a notification form for generation activities as well as storage, and treatment and disposal activities.
- L_H. New generators, transporters, treaters, storers, and disposers (those initiating activities subsequent to the assumption of the hazardous waste management program by the Commonwealth) shall comply

Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Page 42 of 94
Final Regulation As Adopted
1/14/02

with the requirements of 9VAC 20-60-262, 9VAC 20-60-263, and 9VAC 20-60-264, as applicable, to

obtain an identification number from the administrator or the director.

9 VAC 20-60-355. EPA identification number.

A. A generator shall not treat, store, dispose of, transport, or offer for transportation hazardous waste

without having received an EPA identification number from the administrator or the director.

B. A generator who has not received an EPA identification number may obtain one by applying to the

director using EPA Form 8700-12. Upon receiving a request, the director will assign an EPA identification

number to the generator.

C. A generator shall not offer his hazardous waste to transporters or to facilities that have not received an

EPA identification number.

D. Provisional identification number. If an emergency or other unusual incident occurs which causes a

necessity for the rapid transport of a hazardous waste to an authorized hazardous waste management

facility, the generator involved in such a circumstance can telephone the Department of Environmental

Quality (804-698-4000) and obtain a provisional identification number. Applicants receiving such a

number will be mailed a blank EPA Form 8700-12 that shall be completed and returned to the

Department of Environmental Quality regional office within 10 calendar days. (Note: The department's

website, http://www.deq.state.va.us, or the receptionist at 804-698-4000, will provide information on how

to contact the appropriate regional office.)

PART V. (REPEALED.)

PART VI. (REPEALED.)

PART VII.

REGULATIONS APPLICABLE TO TRANSPORTERS OF HAZARDOUS WASTE.

9 VAC 20-60-430. Recordkeeping and reporting requirements.

A. Except as provided in 9VAC 20-60-430 B and 9VAC 20-60-430 C, all transporters shall retain one

signed copy of all manifests in their records for not less than three years from the date of acceptance for

Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seg.

Page 43 of 94 Final Regulation As Adopted

1/14/02

generator and the designated facility owner or operator, or next designated transporter.

B. For shipments delivered to the designated facility by water (bulk shipment), each water (bulk shipment)

shipment by the initial transporter. The retained copy shall show his signature as well as those of the

transporter shall retain a copy of the shipping paper containing all the information required in 9 VAC

20-60-470 C 2 40 CFR 263.20(e)(2) for a period of three years from the date of acceptance by the initial

transporter.

C. For shipments of hazardous waste by rail within the United States:

1. The initial rail transporter shall keep a copy of the manifest and shipping paper with all the

information required in 9 VAC 20-60-470 D 2 40 CFR 263.20(f)(2) for a period of three years from the

date the hazardous waste was accepted by the initial transporter.

2. The final rail transporter shall keep a copy of the signed and dated manifest (or the shipping paper if

signed by the designated facility in lieu of the manifest) for a period of three years from the date the

hazardous waste was accepted by the initial transporter.

3. Intermediate rail transporters are not required to keep records pursuant to this chapter.

D. A transporter who transports hazardous waste out of the United States shall keep a copy of the

manifest, indicating that the hazardous waste left the United States, for a period of three years from the

date the waste was accepted by the initial transporter.

E. The periods of retention referred to in this part are extended automatically during the course of any

unresolved enforcement action regarding the regulated activity or as requested by the director.

F. All transporters permitted by the director under 9VAC 20-60-450 are required to submit an annual

report of hazardous waste transporting activities. The annual report shall be a summary of activities and

shall be submitted on and include the information required by the Transporter Annual Report form (Form

7.2-1). The annual report shall be submitted within 90 days of the close of the reporting year. The

reporting year ends December 31 of each calendar year.

Virginia Waste Management Board
Department of Environmental Quality
Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.
9 VAC 20-60-440. Identification number.

Page 44 of 94 Final Regulation As Adopted 1/14/02

A. All persons who transport hazardous waste within, out of or into the Commonwealth shall apply for and receive from the Virginia Department of Environmental Quality director an identification number prior to such transport.

- B. An EPA identification number shall be obtained from the Virginia Department of Environmental Quality director by submitting an application on EPA Form 8700-12.
- C. The identification number issued to the transporter shall be included at all times on:
 - 1. All correspondence related to the transport of hazardous waste and shall be displayed in the format as follows:

Hazardous Waste Transporter ID Number ______

Virginia Hazardous Waste Transporter Permit Number ______;

- 2. The manifest provided by the generator of a hazardous waste and utilized in the transport of hazardous waste, and
- 3. All documents related to the reporting of a discharge or accident.
- D. The identification number and permit number shall remain unique to the applicant as long as the applicant continues to do business as a transporter of hazardous waste in the Commonwealth of Virginia. The identification number may not be transferred without the approval of EPA. The permit number may not be transferred without the approval of the director.
- E. Provisional identification number. If an emergency or other unusual incident occurs which causes a necessity for the rapid transport of a hazardous waste to an authorized HWM facility, the transporter involved in such a circumstance can telephone the Department of Environmental Quality (804-698-4000) and obtain a provisional identification number. Applicants receiving such a number will be mailed a blank EPA Form 8700-12, which shall be completed and returned to the department director or his designee within 10 calendar days.

Page 45 of 94 Final Regulation As Adopted 1/14/02

A. This chapter applies to all persons who transport a hazardous waste, except as otherwise provided in

Part VII (9 VAC 20-60-420 et seq.) of this chapter.

9 VAC 20-60-450. Transporter permit.

B. The transporter permit required under 9 VAC 20-60-450 applies only to those transporters who

transport hazardous waste shipments which originate or terminate or both in the Commonwealth.

Transporters who transport hazardous waste only through the Commonwealth are not required to obtain

a transporter permit.

C. Permit issuance. Upon receipt of a complete application (Appendix 7.1 of this part), Form 7.1.

accompanied by the appropriate permit application fee as specified in Part XII (9 VAC 20-60-1260 et

seq.) of this chapter, the director shall either:

1. Issue a permit, provided conditions of 9 VAC 20-60-440 are met; or

2. Deny the permit when it can be demonstrated that the transporter has violated regulations of the

Commonwealth, another state or the federal government, so as to pose substantial present or potential

hazard to health or environment. The procedure for denying a permit shall be consistent with the

Virginia Administrative Process Act ([§ 9-6.14:1§ 2.2-4000] et seq. of the Code of Virginia).

D. The term of the transporter permit shall be 10 years. A permit shall remain in effect until one or more of

the following conditions are met:

1. The transporter ceases business operation;

2. The transporter requests, in writing, that the permit be terminated;

3. The permit is revoked;

4. The director determines that an emergency exists and that summary termination of a permit is

necessary to prevent the creation or continuance, or both, of an immediate and present threat to human

health or critical damage to the environment;

5. Upon the expiration date of the permit, unless reapplication for a new permit has been received by

the director 30 days prior to such date.

- 1. Revocation for cause. The director may revoke a transporter's permit when it can be demonstrated that a transporter has violated this chapter so as to pose substantial present or potential hazard to health or environment. The procedure for revoking a permit shall be consistent with the Administrative Process Act of the Commonwealth.
- 2. Revocation and reissuance. Whenever the transporter changes his corporate name, ownership or the EPA identification number or any of these, he shall notify the Department of Environmental Quality director within 30 days of such a change. Upon receiving such a notification the department director will revoke the old permit and reissue it reflecting the appropriate changes. The reissued permit will remain valid for the unexpired duration of the revoked permit.
- 3. Within 30 days of the receipt of the notice of revocation, the original copy of the permit shall be returned to the Department of Environmental Quality director.
- F. The transporter permit number shall appear at all times on:
 - 1. All correspondence to the Commonwealth;
 - 2. All documents related to the reporting of a discharge or accident.
- G. Temporary transporter permit. If a provisional identification number is issued by EPA the director pursuant to the provisions of 9 VAC 20-60-440 E the applicant may obtain a temporary transporter permit by calling the director or his representative at (804) 225-2667 804-698-4000. The permit will be valid only for the duration of the activity which that required the provisional EPA identification number. The applicant shall submit a permit application conforming with 9 VAC 20-60-450 C within 10 calendar days.
- H. Emergency transporter permit. In the event of a determination by the Commonwealth that circumstances dictate expedient action to protect human health and environmental quality, provisions of 9 VAC 20-60-260, 9 VAC 20-60-262, and Part VII of this chapter may be waived by the director or his designee. Such waiver will be considered as an emergency transporter permit valid for the duration of an emergency only.

Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Final Regulation As Adopted

Page 47 of 94

1/14/02

9 VAC 20-60-480. Acceptance, shipment and delivery of hazardous waste.

A. A transporter shall not accept for shipment any hazardous waste for transport without determining that

requirements of 9 VAC 20-60-263 have been complied with.

B. If a manifest is required by 9VAC 20-60-263, the generator shall sign and date the manifest and

release the hazardous waste shipment to the transporter.

C. The transporter who is subject to 9 VAC 20-60-480 B shall sign and date the manifest and accept the

hazardous waste for shipment.

D. The transporter shall not accept any hazardous waste for shipment unless the generator has met all

applicable labeling, container and packaging requirements of this chapter have been met by the

generator.

E. If the transporter ships the hazardous waste to a treatment, storage or disposal facility or transfers the

hazardous waste to another transporter, such acts shall be in accordance with the following:

1. The receiving treatment, storage or disposal facility or transporter shall have an identification number

issued by the EPA or authorized state;

2. The manifest shall be signed over to the receiving treatment, storage or disposal facility or

transporter with the prior transporter retaining a copy of the manifest.

F. The transporter shall maintain the labeling required by the Regulations Governing the Transportation of

Hazardous Materials (9 VAC 20-110-10 et seq.) during the shipment of the hazardous waste.

G. 1. The transporter shall deliver the entire quantity of hazardous waste which that he accepted for

shipment from a generator or a previous transporter to:

a. The designated facility listed on the manifest;

b. The next designated transporter; or

c. The place outside the United States designated by the generator.

2. If the hazardous waste shipment cannot be delivered in accordance with 9 VAC 20-60-480 G 1, the

transporter must contact the generator for further directions concerning an alternate facility for delivery

and must revise the manifest according to the generator's instructions.

H. If the hazardous waste shipment will terminate within the Commonwealth of Virginia, the transporter

shall deliver the shipment to a storage, treatment, disposal, or other facility permitted by the

Commonwealth of Virginia under the provisions of this chapter or a facility permitted by the EPA or which

qualifies for interim status.

I. If the shipment of hazardous waste is transported out of the Commonwealth, the transporter shall

deliver the shipment to a designated facility permitted by that state under an approved program or by EPA

or which qualifies for interim status (see 9 VAC 20-60-990) in the opinion of the applicable

aforementioned authority.

J. If the shipment of hazardous waste is shipped out of the United States, the transporter shall handle the

manifest in accordance with 9 VAC 20-60-263.

K. If the transporter mixes hazardous wastes of different shipping descriptions specified in Regulations

Governing the Transportation of Hazardous Materials by placing them into a single container, such

transporter shall also comply with 9 VAC 20-60-262.

L. All transporters shipping a hazardous waste to a destination within the Commonwealth from another

state shall comply with all provisions of this chapter including obtaining a transporter permit from the

director and an identification number from the EPA.

M. A transporter that imports a hazardous waste from a foreign country into the Commonwealth shall

comply with the provisions of 9VAC20-60-262 and shall obtain a transporter permit from the director and

obtain an ID number from the EPA.

N. A transporter shall not accept for transport a hazardous waste or hazardous material which is

prohibited from transportation by either the U.S. Department of Transportation or EPA.

9 VAC 20-60-490. Discharges.

A. The transporter shall comply with all federal and Commonwealth requirements relative to discharges.

Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seg.

Page 49 of 94

Final Regulation As Adopted

1/14/02

B. 1. In the event of a discharge or spill of hazardous wastes, the transporter shall take appropriate

emergency actions to protect human life, health, and the environment and shall notify appropriate local

authorities. Upon arrival on the scene of state or local emergency or law-enforcement personnel, the

transporter shall carry out such actions as required of him.

2. The transporter shall clean up any hazardous waste discharge that occurs during transportation and

shall take such action as is required by the federal government, the Virginia Water Control Board, the

Department of Emergency Services Management, the Department of Environmental Quality director, or

local officials, so that the hazardous waste discharge no longer presents a hazard to human health or

the environment.

3. If the discharge of hazardous waste occurs during transportation and a Department of Environmental

Quality official the director or his designee determines that immediate removal of the waste is

necessary to protect human health or the environment, an emergency transporter permit will may be

issued in accordance with 9 VAC 20-60-450 H.

4. The disposal of the discharge discharged materials shall be done in a manner consistent with this

chapter and other applicable Virginia and federal regulations.

C. Discharges by air, rail, highway, or water [(nonbulk) (non-bulk)] transporters.

1. In addition to requirements contained in preceding parts, an air, rail, highway or water (nonbulk)

(non-bulk)] transporter who has discharged hazardous waste shall give notice at the earliest practicable

moment to agencies indicated in 9 VAC 20-60-490 C 2 after each incident that occurs during the course

of transportation (including loading, unloading, and temporary storage) in which as a direct result of the

discharge of the hazardous wastes:

a. A person is killed;

b. A person receives injuries requiring his hospitalization;

c. Estimated carrier or other property damage exceeds \$50,000;

d. Fire, breakage, spillage, or suspected radioactive contamination occurs involving shipment of

radioactive material;

e. Fire, breakage, spillage, or suspected contamination occurs involving shipment of etiologic agents;

or

f. A situation exists of such a nature that, in the judgment of the transporter, it should be reported in accordance with 9VAC 20-60-490 C 2 even though it does not meet the above criteria (e.g., continuing danger of life exists at the scene of the incident), or as required by 49 CFR 171.15.

2. The notice required by 9 VAC 20-60-490 C 1 shall be given to:

a. The National Response Center, U.S. Coast Guard, at 800-424-8802 (toll free) or at[-202-426-2675 202 267-2675] (toll call); and

b. The <u>Virginia</u> Department of Emergency <u>Services Management</u> at 800-468-8892 (toll free) or 804-674-2400 (Richmond local area). In a case of discharges affecting state waters, the notice shall also be given to the [Pollution Response Program (PreP[)] Coordinator in the appropriate regional office of the [department <u>Department of Environmental Quality</u>].

3. When notifying as required in 9 VAC 20-60-490 C 1, the notifier shall provide the following information:

- a. Name of person reporting the discharge and his role in the discharge;
- b. Name, telephone number and address of the transporter;
- c. Name, telephone number and address of the generator;
- d. Telephone number where the notifier can be contacted;
- e. Date, time and location of the discharge;
- f. Type of incident, nature of hazardous waste involvement, and whether a continuing danger to life exists at the scene;
- g. Classification, name and quantity of hazardous waste involved; and
- h. The extent of injuries, if any.
- 4. Within 15 calendar days of the discharge of any quantity of hazardous waste, the transporter shall send a written report on DOT Form F5800.1 in duplicate to the Chief, Information System Division,

Transportation Programs Bureau, Department of Transportation, Washington, D.C. 20590. Two copies

of this report will also be filed with the <u>Director</u>, Department of Environmental Quality, Post Office Box

10009, 629 East Main Street, Richmond, Virginia 23240-0009.

5. In reporting discharges of hazardous waste as required in 9VAC 20-60-490 C 4, the following

information shall be furnished in Part H of the DOT Form F5800.1 in addition to information normally

required:

a. An estimate of the quantity of the waste removed from the scene;

b. The name and address of the facility to which it was taken; and

c. The manner of disposition of any unremoved waste.

A copy of the hazardous waste manifest shall be attached to the report.

D. Discharges by water (bulk) transporters.

1. A water (bulk) transporter shall, as soon as he has knowledge of any discharge of hazardous waste

from the vessel, notify, by telephone, radio telecommunication or a similar means of rapid

communication, the office designated in 9 VAC 20-60-490 C 2.

2. If notice as required in 9 VAC 20-60-490 D 1 is impractical, the following offices may be notified in

the order of priority:

a. The government official predesignated in the regional contingency plan as the on-scene

coordinator. Such regional contingency plan for Virginia is available at the office of the 5th U.S. Coast

Guard District, 431 Crawford Street, Portsmouth, Virginia 23705;

b. Commanding officer or officer-in-charge of any U.S. Coast Guard unit in the vicinity of the

discharge; or

c. Commander of the 5th U.S. Coast Guard District.

3. When notifying the notifier shall provide the following information:

a. Name of person reporting the discharge and his role in the discharge;

b. Name, telephone number and address of the transporter;

- d. Telephone number so the notifier can be contacted;
- e. Date, time, location of the discharge;
- f. Type of incident and nature of hazardous waste involvement and whether a continuing danger to life exists at the scene;
- g. Classification, name and quantity of hazardous waste involved; and
- h. The extent of injuries, if any.
- E. Discharges at fixed facilities. Any transporter responsible for the release of a hazardous material (as defined in Part I (9 VAC 20-60-12 et seq.) of this chapter) from a fixed facility (e.g., transfer facility) which poses an immediate or imminent threat to public health and who is required by law to notify the National Response Center shall notify the chief administrative officer officers (or their designees) of the local government governments of the jurisdiction jurisdictions in which the release occurs as well as the department director or their designees his designee.

APPENDIX 7.1. (Repealed.)

APPLICATION FOR A TRANSPORTER PERMIT.

Name	Date	
Address (if applicable)	Phone Number	
	Completed by	
	Title	
EPA ID#		

- 1. Please attach financial data:
 - a. Interstate transporters: Copy of document showing insurance required under 49 CFR Part 387.
 - b. Intrastate transporters: Either copy of insurance required under 49 CFR Part 387 or latest annual balance sheet.

2. Incorporated in
3. VA Corporation ID# (if applicable)
4. Corporate Headquarters Address
5. Chief Executive Officer
6. Are you presently licensed or permitted by any other state to transport hazardous materials or
hazardous wastes? Yes [] No []
If yes, attach a list of licensing/permit agent and appropriate code to identify your licenses/permits.
7. Have you been informed by a state or federal agency of violations pertaining to the management of
hazardous wastes or transportation of hazardous wastes/materials? Yes [] No []
If yes, give agency issuing notice of violations and circumstances.
8. Give name, address, and telephone number of the principal contact.
NOTE: Permit application fee must accompany this Transporter Permit Application. See Appendix 12.1 of
the Virginia Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.
Certification Below Must Be Signed
I certify that all statements are true and are representative of the ability of to provide
hazardous waste transportation services consistent with the Commonwealth of Virginia Hazardous Waste
Management Regulations.
Name
Title
Date

Page 54 of 94 Final Regulation As Adopted 1/14/02

HAZARDOUS WASTE MANAGEMENT FACILITY PERMIT REGULATIONS. (Repealed.)

9 VAC 20-60-960 through 9 VAC 20-60-1250. (Repealed.)

APPENDIX 11.2. (Repealed.)

[(Note: All text in Part XI is being repealed but is not shown as stricken text.)]

PART XII.

[Hazardous Waste Management]Permit Application [Fee Regulations Fees]

9 VAC 20-60-1260. Purpose, scope, and applicability.

A. The purpose of this part is to establish a schedule of fees collected by the department in the support of its permit issuance programs required by Parts III (9 VAC 20-60-270 et seq.) and VII (9 VAC 20-60-420 et seq.) and XI (9 VAC 20-60-960 et seq.) of this chapter.

B. Part XII (9 VAC 20-60-1260 et seq.) of this chapter applies to all persons required to submit a permit application ("applicants") under <u>9 VAC 20-60-270 and</u> 9 VAC 20-60-420 E <u>and 9 VAC 20-60-970</u> unless specifically exempt under 9 VAC 20-60-1260 G. The fees shall be assessed in accordance with 9 VAC 20-60-1270.

- C. When the director finds it necessary to modify any permit under 9 VAC 20-60-1140 or 9 VAC 20-60-1150 9 VAC 20-60-270, the holder of that permit shall be considered an applicant and shall be assessed a fee in accordance with 9VAC 20-60-1270 D even if the director shall have initiated the modification action.
- D. When the director finds it necessary to revoke and reissue any permit in accordance with 9 VAC 20-60-1150 B 1 9 VAC 20-60-270, the holder of that permit shall be considered an applicant for a new permit and shall be assessed a fee in accordance with 9 VAC 20-60-1270 C.
- E. If the director finds it necessary either to revoke and reissue a permit in accordance with 9VAC 20-60-1150 B 2 or to perform a minor modification of a permit in accordance with 9VAC 20-60-1170

Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Page 55 of 94 Final Regulation As Adopted 1/14/02

9 VAC 20-60-270, the holder of that permit shall be considered an applicant and shall be assessed a fee

in accordance with 9 VAC 20-60-1270 E.

F. When the director finds it necessary to issue an emergency treatment, storage, or disposal permit in

accordance with 9 VAC 20-60-1050 A 9 VAC 20-60-270, the holder of that permit shall be considered an

applicant and shall be assessed a fee in accordance with 9 VAC 20-60-1270 F. No permit application fee

will be assessed to the holders of the emergency transportation permits issued in accordance with 9 VAC

20-60-450 H.

G. Exemptions.

1. The owners and operators of HWM treatment, storage, and disposal facilities who have submitted

Part A of their application as required by 9 VAC 20-60-980 D 1 and who have qualified for interim status

in accordance with 9 VAC 20-60-990 9 VAC 20-60-270 are exempt from the requirements of Part XII of

this chapter until a Part B application for the entire facility or a portion of the facility has been requested

or voluntarily submitted in accordance with 9VAC 20-60-980 D 2. The owner and operator of [an a]

HWM facility submitting a Part B application will be considered an applicant for a new permit.

2. The owners and operators of HWM facilities which that are deemed to possess a permit by rule in

accordance with 9 VAC 20-60-1040 9 VAC 20-60-270 are exempt from the requirements of Part XII of

this chapter.

3. Hazardous waste generators that accumulate wastes on-site in accordance with 40 CFR 262.34 are

not subject to regulations contained in Part XII of this chapter since HWM permits are not required for

such accumulations.

H. The effective date of Part XII of this chapter is October 1, 1984.

9 VAC 20-60-1270. Determination of application fee amount.

A. General.

1. Each application for a new permit and each application for a modification to a permit is a separate

action and shall be assessed a separate fee. The amount of such fees is determined on the basis of

9 VAC 20-60-1270.

2. The amount of the permit application fee is based on the costs directly associated with the permitting program required by Parts III (9 VAC 20-60-270 et seq.) and VII (9 VAC 20-60-420 et seq.) and XI (9 VAC 20-60-960 et seq.) of this chapter and includes costs for personnel and contractual effort and the prorated costs of supplies, equipment, communications and office space. The fee schedules are shown in Appendix 12.1 of this part 9 VAC 20-60-1285. These schedules will be re-evaluated annually and the results of such re-evaluations will be used to recommend to the Virginia Waste Management Board the necessary adjustments.

B. Transporter fees.

- 1. Application fees for the transporter permits are shown in Table 12.1-1 of Appendix 12.1 of this part 9 VAC 20-60-1285 A. Based on the greater regulatory effort associated with the issuance of permits to the transporters without terminals or other facilities in the Commonwealth, the out-of-state transporters are charged higher fees.
- 2. Since Part VII of this chapter does not provide for a modification procedure, all transporter permit applications are considered to be for new permits.

C. New HWM facility permits.

- 1. All applicants for new hazardous waste treatment, storage, and disposal facility permits are assessed a base fee shown in [Table] 12.1-2 of Appendix 12.1 of this part 9 VAC 20-60-1285 B.
- 2. Applicants for a facility permit which includes one or more of the hazardous waste treatment, storage or disposal units or processes that require ground water protection or corrective action for solid waste management units in accordance with Subpart F of 40 CFR Part 264, Subpart K of 40 CFR Part 264, Subpart L of 40 CFR Part 264, Subpart M of 40 CFR Part 264, and Subpart N of 40 CFR Part 264, as applicable, ("land-based TSD units") are assessed a supplementary fee shown in Table 12.1-2 of Appendix 12.1 of this part 9 VAC 20-60-1285 B, in addition to the base fee specified 9 VAC 20-60-1270 C 1 and any other supplementary fee that may be appropriate.
- 3. Applicants for a facility permit which includes one or more hazardous waste incineration, boiler, or industrial furnace units or processes regulated in accordance with Subpart O of 40 CFR Part 264 are

B, in addition to the base fee specified in 9 VAC 20-60-1270 C 1 and any other supplementary fee that may be appropriate.

- 4. Applicants for a facility permit for storage of hazardous wastes in containers, tanks or drip pads, or both, subject to Subpart I of 40 CFR Part 264, Subpart J of 40 CFR Part 264, and Subpart W of 40 CFR Part 264 will not be assessed any supplementary fees unless required to close and perform post-closure care as landfills as provided for in 40 CFR 264.197(b) and 40 CFR 264.571(b).
- 5. The transporter permits are separate permits and require a separate administrative action. Applicants for new treatment, storage, and disposal facility permits who also apply for a transporter permit will be assessed separate fees in accordance with 9 VAC 20-60-1270 B.
- D. Modifications to existing HWM facility permits.
 - 1. Except as provided for in 9 VAC 20-60-1270 E, all applicants for a modification of an existing HWM facility permit are assessed a modification base fee shown in Table 12.1-3 of Appendix 12.1 of this part 9 VAC 20-60-1285 C.
 - 2. Applicants for a modification which that includes or involves the addition of hazardous wastes not currently in the permit are assessed a supplementary modification fee shown in Table 12.1-3 of Appendix 12.1 of this part 9 VAC 20-60-1285 C, in addition to the base fee specified in 9 VAC 20-60-1270 D 1 and any other supplementary fee that may be appropriate.
 - 3. Applicants for a major (Class 3) modification that includes or involves corrective action for solid waste management units under 40 CFR 264.101 and Title 40, Subpart S shall be assessed a supplementary modification fee shown in 9VAC 20-60-1285 C in addition to supplementary fees specified in 9VAC 20-60-1270 D 1 and any other supplementary fee that may be appropriate.
 - 4. Applicants for a major (Class 3) modification which that includes or involves the addition of one or more new hazardous waste land-based TSD units or processes; or requires a substantive change in the design of the existing land-based TSD units or processes, are assessed a supplementary modification fee shown in Table 12.1-3 9 VAC 20-60-1285 C in addition to the base fee specified in

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seg.

Page 58 of 94 Final Regulation As Adopted 1/14/02

9 VAC 20-60-1270 D 1 and any other supplementary fee that may be appropriate. For the purpose of

9 VAC 20-60-1270 D, it will be deemed that a substantive major change is required whenever a change

in the design of the ground water protection system or whenever a new land treatment demonstration

permit specified in 9 VAC 20-60-1050 C 9 VAC 20-60-270 is necessary.

4. 5. Applicants for a major (Class 3) modification which that includes or involves the addition of one or

more hazardous waste incineration units or processes, or requires a substantive change in the design

of an existing incineration unit or process, are assessed a supplementary modification fee shown in

Table 12.1-3 of Appendix 12.1 of this part 9 VAC 20-60-1285 C, in addition to the base fee specified in

9 VAC 20-60-1270 D 1 and any other supplementary fee that may be appropriate. For the purposes of

9 VAC 20-60-1270 D, it will be deemed that a substantive major change is required whenever a change

occurs that necessitates the performance of a trial burn in accordance with 9 VAC 20-60-1050 B 9 VAC

<u>20-60-270</u>

5. 6. Applicants for a major (Class 3) modification which includes or involves new treatment, storage or

disposal units, processes or areas, or requires a substantive change in the design of any existing

hazardous waste treatment, storage or disposal units, processes or areas, neither of which is a

hazardous waste land-based TSD or incineration unit, are assessed a supplementary modification fee

shown in Table 12.1-3 of Appendix 12.1 of this part 9 VAC 20-60-1285 C, in addition to the base fee

specified in 9 VAC 20-60-1270 D 1 and any other supplementary fee that may be appropriate. For the

purposes of 9 VAC 20-60-1270 D, expansion of an existing container storage facility is not considered

to be a substantive major change.

6. 7. Applicants for a modification which that is not a minor modification and is a substantive (Class 2)

as specified in 9 VAC 20-60-1170 9 VAC 20-60-270 and which that is not subject to the requirements of

9 VAC 20-60-1270 D 2 through 9 VAC 20-60-1270 D 56, are assessed a supplementary modification

fee shown in Table 12.1-3 of Appendix 12.1 of this part 9 VAC 20-60-1285 C, in addition to the base fee

specified in 9 VAC 20-60-1270 D 1.

7.8. Applicants for numerous modifications subject to several supplementary fees will not be assessed

a permit application fee in excess to the one required for a new permit for a comparable HWM facility.

Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Page 59 of 94 Final Regulation As Adopted

1/14/02

E. Minor modifications of existing HWM facility permits. All applicants for minor (Class 1) modification of

an existing HWM facility permit provided for in 9 VAC 20-60-1170 9 VAC 20-60-270 are assessed a fee

shown in Table 12.1-4 of Appendix 12.1 of this part 9 VAC 20-60-1285 D.

F. Emergency permits. Applicants for an emergency hazardous waste treatment, storage or disposal

permit as provided for in 9 VAC 20-60-1050 A 9 VAC 20-60-270 are assessed a fee shown in Table

12.1-5 of Appendix 12.1 of this part 9 VAC 20-60-1285 E, unless the director shall determine that a lesser

fee is appropriate at the time the permit is issued.

9 VAC 20-60-1280. Payment of fees.

A. Due date.

1. Except as specified in 9 VAC 20-60-1280 A subdivision 2 and 9 VAC 20-60-1280 A 3 of this

subsection, all permit application fees are due on the day of application and must accompany the

application.

2. All holders of a Virginia HWM facility permit issued prior to the effective date of this part shall submit

the application fees as required by the conditions specified in that permit.

3. All applicants for an HWM facility permit or for a modification of an existing permit who have

submitted their application prior to the effective date of this part and who have not been issued such a

permit or a modification to a permit by that date, shall submit the appropriate application fee within 60

days of the effective date of Part XII (9 VAC 20-60-1260 et seq.) of this chapter or by the effective date

of the permit or the modification to the permit, whichever is sooner.

B. Method of payment. Acceptable payment is cash or check made payable to the Commonwealth of

Virginia, Department of Environmental Quality.

C. Incomplete payments. All incomplete payments will be deemed nonpayments.

D. Late payment. No applications will be deemed to be complete (see 9 VAC 20-60-980 C 9 VAC 20-60-

270) until the director receives proper payment is received by the department.

Page 60 of 94 Final Regulation As Adopted 1/14/02

(The effective date of this appendix fee schedule is October 1, 1984.)

Schedule of Fees.

Table 12.1-1.	A.	Transporter fees.
---------------	----	-------------------

1able 12.1-1. A. Transporter fees.	
Transporters with terminals or other facilities within the Commonwealth.	\$80
Other transporters.	\$120
Table 12.1-2. B. New TSD facility fees.	
Base fee for all facilities, including corrective action for solid waste management units.	\$9,720
Supplementary fee for one or more land-based TSD units[, including corrective action	
for solid waste management units].	\$22,590
Supplementary fee for one or more incineration, boiler, or industrial furnace units (BIF).	\$14,490
Table 12.1-3. C. Major (Class 3) Permit modification fees.	
Base fee for all major (Class 3) modifications [including major changes related to corrective	
action for solid waste management unit].	\$50
Addition of new wastes.	\$1,330
Addition of or substantive major (Class 3) change to one or more land-based TSD units	
[including major change related to corrective action for land-based solid waste manager	<u>ment</u>
units].	\$25,920
Addition of or substantive major (Class 3) change to one or more incineration, boiler, or	
industrial furnace units.	\$19,430
Addition of or substantive major (Class 3) change to other treatment, storage or disposal	
units, processes or areas and major change related to corrective action for solid	
waste management units[that are not land-based].	\$8,080
Nonsubstantive Substantive changes (Class 2).	\$1,330

Virginia Waste Management Board
Department of Environmental Quality
Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Table 12.1-4. D. Minor (Class 1) permit modification fees.

Page 61 of 94 Final Regulation As Adopted 1/14/02

Minor (Class 1) permit modification fee.

\$50

Table 12.1-5. E. Emergency permit fees.

Emergency permit fee.

\$1,330

Illustrative Examples

Example 1.

The applicant is submitting a Part B application for [an_a] HWM permit for a facility consisting of several surface impoundments, a land treatment process and an ancillary tank and container storage facility. The required fee is calculated as follows:

Base Fee.	\$9,720
Supplementary fee for land-based TSD units.	\$22,590
Tank storage facility (see 9 VAC 20-60-1270 C 4).	\$0
Total fee.	\$32,310

Example 2.

After[an_a] HWM facility permit has been issued to the facility described in Example 1, the owner and the operator of the facility propose to change the manufacturing process and apply for a modification to allow for an addition of several new hazardous streams to be treated in two new incinerators. The required modification fee is calculated from Table 12.1-3 subsection C of this section as follows:

Base fee.	\$50
Addition of new wastes.	\$1,330
Addition of new incineration units.	\$19,430
Total modification fee.	\$20,810

Page 62 of 94

Final Regulation As Adopted

\$46,800

1/14/02

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

The fee for a comparable new permit calculated on the basis of Table 12.1-2 subsection B of this section

is as follows:

Base fee.	\$9,720
Supplementary fee for land-based units.	\$22,590
Supplementary fee for incineration units.	\$14,490
Storage facility.	\$0

which is larger than the required modification fee, so that the provisions of 9 VAC 20-60-1270 D 7 do not apply and the proper fee is \$20,810.

Example 3.

Total fee.

After[-an_a] HWM facility permit has been issued to the facility described in Example 1, the owner and the operator of the facility propose to expand their container storage facility for a storage of additional new waste streams, and apply for a permit modification. The required modification fee is calculated from Table 12.1-3 subsection C of this section as follows:

Base fee.	\$50
Addition of a new waste.	\$1,330
Fee for nonsubstantive change.	\$1,330
Total modification fee.	\$2,710

PART XIII.

(REPEALED.)

9 VAC 20-60-1290 through 9 VAC 20-60-1360. (Repealed.)

RULEMAKING PETITIONS AND PROCEDURES.

9 VAC 20-60-1370. General.

A. Any person affected by this chapter may petition the director to exclude a waste at a facility or to change the identification and listing of a solid or hazardous waste, subject to the provisions of this part.

Any petition submitted to the director is also subject to the provisions of the Virginia Administrative Process Act ([§ 9-6.14:1§ 2.2-4000] et seq. of the Code of Virginia).

B. The director will not accept any petition relating to delisting of hazardous wastes, equivalent testing or analytical methods. Such petitions shall be submitted to the administrator in accordance with 40 CFR 260.21.

- C. Each petition shall be submitted to the director by certified mail and shall include, in addition to any other provisions required by this part, at least the following:
 - 1. The petitioner's name and address;
 - 2. A statement of the petitioner's interest in the proposed action;
 - 3. A description of the proposed action;
 - 4. A statement of the need and justification for the proposed action, including any supporting tests, studies or other information.

9 VAC 20-60-1380. Changes to identification and listing of hazardous wastes.

A. General changes.

- 1. The administrator may from time to time add or delete wastes listed in Subpart D of 40 CFR Part 261.
- 2. The petitions to exclude wastes listed in Subpart D of 40 CFR Part 261 which are subject to federal jurisdiction shall be addressed directly to the administrator in accordance with the requirements contained in Subpart C of 40 CFR Part 260.

Department of Environmental Quality
Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Page 64 of 94
Final Regulation As Adopted
1/14/02

B. (Reserved.) A person whose wastes were delisted as a result of a successful petition to the

administrator shall provide to the director:

1. The petitioner's name and address;

2. A copy of the petition to the director; and

3. A copy of the administrator's decision.

A person whose wastes were delisted as a result of a successful petition to the administrator may petition

the director for a variance from these regulations to allow the application of the delisting to hazardous

waste management within the Commonwealth. The director will process the petition in accordance with

9 VAC 20-60-1420 B. (Note: it is usual that delistings by the administrator are incorporated into the

Commonwealth's regulation during the next rulemaking by the board; the variance would allow application

of the delisting during the interim period before the regulations are amended.)

9 VAC 20-60-1390. Changes in classifications as a solid waste.

A. Variances.

1. The administrator may from time to time exclude recycled wastes from being considered a solid

waste for the purpose of the regulation of hazardous wastes under Title 40 of the Code of Federal

Regulations.

2. The petitions to exclude wastes are subject to federal jurisdiction and shall be addressed directly to

the administrator in accordance with the requirements contained in Subpart C of 40 CFR Part 260.

B. (Reserved.)

1. Applicability.

a. A person who recycles waste that is managed entirely within the Commonwealth may petition the

director to exclude the waste at a particular site from the classification as the solid waste (Parts I and

III). The conditions under which a petition for a variance will be accepted are shown in subdivision 2

of this subsection. The wastes excluded under such petitions may still, however, remain classified as

a solid waste for the purposes of other regulations issued by the Virginia Waste Management Board

or other agencies of the Commonwealth.

b. A person who generated wastes at a generating site in Virginia and whose waste is subject to

federal jurisdiction (e.g., the waste is transported across state boundaries) shall first obtain a

favorable decision from the administrator in accordance with Subpart C, 40 CFR Part 260, before his

waste may be considered for a variance by the director.

c. A person who recycles materials from a generating site outside the Commonwealth and who

causes them to be brought into the Commonwealth for recycling shall first obtain a favorable decision

from the administrator in accordance with Subpart C, 40 CFR Part 260, before the waste may be

considered for a variance by the director.

d. A person who received a favorable decision from the administrator in the response to a petition for

variance or a person whose wastes were delisted as a result of a successful petition to the

administrator shall provide a notification to the director containing the following information: (i) the

petitioner's name and address and (ii) a copy of the administrator's decision.

2. Conditions for a variance. In accordance with the standards and criteria in subsection B of this

section and the procedures in 9VAC 20-60-1420 A, the director may determine on a case-by-case

basis that the following recycled materials are not solid wastes:

a. Materials that are accumulated speculatively without sufficient amounts being recycled (as defined

in Part I).

b. Materials that are reclaimed and then reused within the original primary production process in

which they were generated; and

c. Materials that have been reclaimed but [shall must] be reclaimed further before the materials are

completely recovered.

B. Standards and criteria for variances.

1. The director may grant requests for a variance from classifying as a solid waste those materials that

are accumulated speculatively without sufficient amounts being recycled if the applicant demonstrates

a variance is granted, it is valid only for the following year, but can be renewed on an annual basis by filing a new application. The director's decision will be based on the following criteria:

that sufficient amounts of the material will be recycled or transferred for recycling in the following year. If

- a. The manner in which the material is expected to be recycled, and when the material is expected to be recycled, and whether this expected disposition is likely to occur (for example, because of past practice, market factors, the nature of the material, or contractual arrangement for recycling);
- b. The reason that the applicant has accumulated the material for one or more years without recycling75% of the volume accumulated at the beginning of the year;
- c. The quantity of material already accumulated and the quantity expected to be generated and accumulated before the material is recycled;
- d. The extent to which the material is handled to minimize loss; and
- e. Other relevant factors.
- 2. The director may grant requests for a variance from classifying as a solid waste those materials that are reclaimed and then reused as feedstock within the original production process in which the materials were generated if the reclamation operation is an essential part of the production process.

 This determination will be based on the following criteria:
 - a. How economically viable the production process would be if it were to use virgin materials, rather than reclaimed materials;
 - b. The prevalence of the practice on an industry-wide basis;
 - c. The extent to which the material is handled before reclamation to minimize loss;
 - d. The time periods between generating the material and its reclamation, and between reclamation and return to the original primary production process;
 - e. The location of the reclamation operation in relation to the production process;

f. Whether the reclaimed material is used for the purpose for which it was originally produced when it is returned to the original process, and whether it is returned to the process in substantially its original form;

- g. Whether the person who generates the material also reclaims it; and
- h. Other relevant factors.
- 3. The director may grant requests for a variance from classifying as a solid waste those materials that have been reclaimed but [shall must] be reclaimed further before recovery is completed if, after initial reclamation, the resulting material is commodity-like (even though it is not yet a commercial product, and has to be reclaimed further). This determination will be based on the following factors:
 - a. The degree of processing the material has undergone and the degree of further processing that is required:
 - b. The value of the material after it has been reclaimed;
 - c. The degree to which the reclaimed material is like an analogous raw material;
 - d. The extent to which an end market for the reclaimed material is guaranteed;
 - e. The extent to which the reclaimed material is handled to minimize loss; and
 - f. Other relevant factors.

9 VAC 20-60-1410. Changes in the required management procedures.

A. Reclamation of precious metals. 4. The director may decide on a case-by-case basis that persons accumulating or storing the recyclable materials described in 40 CFR 261.6(a)(2)(iii) should be regulated under 40 CFR 261.6(b) and 40 CFR 261.6(c) rather than under provisions of 20 VAC 20-60-266. The basis for this decision is that the materials are being accumulated or stored in a manner that does not protect human health and the environment because the materials or their toxic constituents have not been adequately contained, or because the materials being accumulated or stored together are incompatible. In making this decision, the director will consider the following factors:

a. 1. The types of materials accumulated or stored and the amounts accumulated or stored;

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

b. 2. The method of accumulation or storage;

e. 3. The length of time the materials have been accumulated or stored before being reclaimed;

4. Whether any contaminants are being released into the environment, or are likely to be so

released; and

e. 5. Other relevant factors. The procedures for this decision are set forth in 9 VAC 20-60-1420 D.C.

B. Variance from containment requirements for tanks.

1. The owner or operator may obtain a variance from the requirements of 40 CFR 265.193 or 40 CFR

264.193 if the director finds, as a result of a demonstration by the owner or operator, either:

a. That alternative design and operating practices, together with location characteristics, will prevent

the migration of hazardous waste or hazardous constituents into the ground water or surface water at

least as effectively as secondary containment during the active life of the tank system; or

b. That in the event of a release that does migrate to ground water or surface water, no substantial

present or potential hazard will be posed to human health or the environment.

2. New underground tank systems may not, per a demonstration in accordance with 9 VAC 20-60-1410

B <u>subdivision</u> 5 of this <u>subsection</u>, be exempted from the secondary containment requirements of this

section.

3. Application for a variance as allowed in 9 VAC 20-60-1410 B subdivision 1 of this subsection does

not waive compliance with the requirements of 40 CFR 265.193 or 40 CFR 264.193 for new tank

systems.

4. In deciding whether to grant a variance based on a demonstration of equivalent protection of ground

water and surface water, the director will consider:

a. The nature and quantity of the wastes;

b. The proposed alternate design and operation;

c. The hydrogeologic setting of the facility, including the thickness of soils between the tank system

and groundwater; and

- d. All other factors that would influence the quality and mobility of the hazardous waste constituents and the potential for them to migrate to ground water or surface water.
- 5. In deciding whether to grant a variance, based on a demonstration of no substantial present or potential hazard, the director will consider:
 - a. The potential adverse effects on groundwater, surface water, and land quality taking into account:
 - (1) The physical and chemical characteristics of the waste in the tank system, including its potential for migration;
 - (2) The hydrogeological characteristics of the facility and surrounding land;
 - (3) The potential for health risks caused by human exposure to waste constituents;
 - (4) The potential for damage to wildlife, crops, vegetation, and physical structures caused by exposure to waste constituents; and
 - (5) The persistence and permanence of the potential adverse effects;
 - b. The potential adverse effects of a release on ground water quality, taking into account:
 - (1) The quantity and quality of ground water and the direction of ground water flow;
 - (2) The proximity and withdrawal rates of water in the area;
 - (3) The current and future uses of ground water in the area; and
 - (4) The existing quality of groundwater, including other sources of contamination and their cumulative impact on the ground water quality;
 - c. The potential adverse effects of a release on surface water quality, taking into account:
 - (1) The quantity and quality of ground water and the direction of ground water flow;
 - (2) The patterns of rainfall in the region;
 - (3) The proximity of the tank system to surface waters;
 - (4) The current and future uses of surface waters in the area any water quality standards established for those surface waters; and

- (5) The existing quality of surface water, including other sources of contamination and the cumulative impact on surface water quality; and
- d. The potential adverse effects of a release on the land surrounding the tank system, taking into account:
 - (1) The patterns of rainfall in the region; and
 - (2) The current and future uses of the surrounding land.
- 6. The owner or operator of a tank system, for which a variance from secondary containment had been granted in accordance with the requirements of 9 VAC 20-60-1410 B subdivision 4 of this subsection at which a release of hazardous waste has occurred from the primary tank system but has not migrated beyond the zone of engineering control (as established in the variance), shall:
 - a. Comply with the requirements of 40 CFR 265.196 or 40 CFR 264.196, except 40 CFR 265.196(d) or 40 CFR 264.196(d);
 - b. Decontaminate or remove contaminated soil to the extent necessary to:
 - (1) Enable the tank system, for which the variance was granted, to resume operation with the capability for the detection of and response to releases at least equivalent to the capability it had prior to the release; and
 - (2) Prevent the migration of hazardous waste or hazardous constituents to ground water or surface water; and
 - c. If contaminated soil cannot be removed or decontaminated in accordance with <u>9-VAC 20-60-1410</u>

 <u>B subdivision</u> 6 b <u>of this subsection</u>, comply with the requirements of 40 CFR 265.197(b) or 40 CFR 264.197(b), as applicable;
- 7. The owner or operator of a tank system, for which a variance from secondary containment had been granted in accordance with the requirements of 9 VAC 20-60-1410 B subdivision 4 of this subsection, at which a release of hazardous waste has occurred from the primary tank system and has migrated beyond the zone of engineering control (as established in the variance), shall:

Department of Environmental Quality Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq. Page 71 of 94

Final Regulation As Adopted

1/14/02

a. Comply with the equirements of 40 CFR 265.196(a) through 40 CFR 265.196(d) or 40 CFR

264.196(a) through 40 CFR 264.196(d);

b. Prevent the migration of hazardous waste or hazardous constituents to ground water or surface

water, if possible, and decontaminate or remove contaminated soil. If contaminated soil cannot be

decontaminated or removed, or if ground water has been contaminated, the owner or operator shall

comply with the requirements of 40 CFR 265.197(b) or 40 CFR 264.197(b); and

c. If repairing, replacing, or reinstalling the tank system, provide secondary containment in

accordance with the requirements of 40 CFR 265.193(a) through 40 CFR 265.193(f) or 40 CFR

264.193(a) through 40 CFR 264.193(f) or reapply for a variance from secondary containment and

meet the requirements for new tank systems in 40 CFR 265.192 or 40 CFR 264.192 if the tank

system is replaced.

The owner or operator shall comply with these requirements even if contaminated soil can be

decontaminated or removed, and ground water or surface water has not been contaminated.

C. Petitions to allow land disposal of a waste prohibited under 9 VAC 20-60-268.

1. Any person seeking an exemption from a prohibition under 9VAC 20-60-268 for the disposal of a

restricted hazardous waste in a particular unit or units shall submit a petition to the EPA administrator in

accordance with 40 CFR 268.6.

2. (Reserved.)

9 VAC 20-60-1420. Administrative procedures.

A. Procedures for variances to be classified as a boiler. The director will use the following procedures in

evaluating applications for variances to classify particular enclosed controlled flame combustion devices

as boilers:

1. The applicant must apply to the director for the variance. The application must address the relevant

criteria contained in 9 VAC 20-60-1400.

2. The director will evaluate the application and issue a draft notice tentatively granting or denying the

application. Notification of this tentative decision will be provided by newspaper advertisement or radio

broadcast in the locality where the applicant is located. The director will accept comment on the

tentative decision for 30 days, and may also hold a public hearing upon request or at his discretion. The

director will issue a final decision after receipt of comments and after the hearing (if any).

B. Variances. The director will use the following procedures in evaluating applications for variances

submitted under 9 VAC 20-60-1380 B, 9 VAC 20-60-1390 and 9 VAC 20-60-1400.

1. The applicant shall apply to the director. The application shall address the relevant criteria contained

in 9 VAC 20-60-1380 B, 9 VAC 20-60-1390 and 9 VAC 20-60-1400.

2. The director will evaluate the application and issue a draft notice tentatively granting or denying the

application. Notification of this tentative decision will be provided by newspaper advertisement and

radio broadcast in the locality where the applicant is located. The director will accept comment on the

tentative decision for 30 days, and may also hold a public hearing upon request or at his discretion. The

director will issue a final decision after receipt of comments and after the hearing (if any), and will

publish it in the newspaper in the locality where the applicant is located.

C. Changes in management procedures.

1. Recycling activities. In determining whether to regulate recycling activities in a manner differing from

procedures described in [40 CFR 261.6(a)(2)(iv) 40 CFR 261.6(a)(2)(iii)], the director will fulfill all the

requirements of Article 3 ([§ 9-6.14:1§ 2.2-4000] et seq. of the Code of Virginia) of the Administrative

Process Act. In addition to the process required by the APA, the director will:

a. If a generator is accumulating the waste, issue a notice setting forth the factual basis for the

decision and stating that the person shall comply with applicable requirements of 9 VAC 20-60-262.

The notice will become final within 30 days, unless the person served requests a public hearing to

challenge the decision. Upon receiving such a request, the director will hold a public hearing. The

director will provide notice of the hearing to the public and allow public participation at the hearing.

The director will issue a final order after the hearing stating whether or not compliance with 9 VAC

20-60-262 is required. The order becomes effective in 30 days, unless the director specifies a later

date or unless review under Article 5-4 (§ [§ 9-6.14:1§ 2.2-4000] et seq. of the Code of Virginia) of

the Administrative Process Act is requested.

- b. If the person is accumulating the recyclable material at a storage facility, issue a notice stating that the person shall obtain a permit in accordance with all applicable provisions of Parts Part III (9 VAC 20-60-124 et seq.), XI (9 VAC 20-60-960 et seq.) 9 VAC 20-60-270, and Part XII (9 VAC 20-60-1260 et seq.) of this chapter. The owner or operator of the facility shall apply for a permit within no less than 60 days and no more than six months of notice, as specified in the notice. If the owner or operator of the facility wishes to challenge the director's decision, he may do so in his permit application, in a public hearing held on the draft permit, or in comments filed on the draft permit or on the notice of intent to deny the permit. The fact sheet accompanying the permit will specify the reasons for the director's determination. The questions of whether the director's decision was proper will remain open for consideration during the public comment period discussed under 9 VAC 20-60-1210 and in any subsequent hearing.
- 2. Variance from secondary containment. The following procedures shall be followed in order to request a variance from secondary containment:
 - a. The director shall be notified in writing by the owner or operator that he intends to conduct and submit a demonstration for a variance from secondary containment as allowed in 40 CFR 265.193(g), (or 40 CFR 264.195(g)), and 9 VAC 20-60-1410 B according to the following schedule:
 - (1) For existing tank systems, at least 24 months prior to the date that secondary containment shall be provided in accordance with 40 CFR 265.193(a) or 40 CFR 264.193(a); and
 - (2) For new tank systems, at least 30 days prior to entering into a contract for installation of the tank system.
 - b. As part of the notification, the owner or operator shall also submit to the director a description of the steps necessary to conduct the demonstration and a timetable for completing each of the steps. The demonstration shall address each of the factors listed in 9VAC 20-60-1410 B 4 or 9VAC 20-60-1410 B 5.
 - c. The demonstration for a variance shall be completed and submitted to the director within 180 days after notifying the director of intent to conduct the demonstration.

d. In case of facilities regulated under 9 VAC 20-60-265:

(1) The director will inform the public, through a newspaper notice, of the availability of the

demonstration for a variance. The notice shall be placed in a daily or weekly major local newspaper

of general circulation and shall provide at least 30 days from the date of the notice for the public to

review and comment on the demonstration for a variance. The director also will hold a public

hearing, in response to a request or at his own discretion, whenever such a hearing might clarify

one or more issues concerning the demonstration for a variance. Public notice of the hearing will be

given at least 30 days prior to the date of the hearing and may be given at the same time as notice

of the opportunity for the public to review and comment on the demonstration. These two notices

may be combined.

(2) The director will approve or disapprove the request for a variance within 90 days of receipt of

the demonstration from the owner or operator and will notify in writing the owner or operator and

each person who submitted written comments or requested notice of the variance decision. If the

demonstration for a variance is incomplete or does not include sufficient information, the 90-day

time period will begin when the director receives a complete demonstration, including all

information necessary to make a final determination. If the public comment period in 9 VAC

20-60-1420 D subdivision 2 d (1) of this subsection is extended, the 90-day time period will be

similarly extended.

e. In case of facilities regulated under 9 VAC 20-60-264, if a variance is granted to the permittee, the

director will require the permittee to construct and operate the tank system in the manner that was

demonstrated to meet the requirements for the variance.

9 VAC 20-60-1430. Petitions to include additional hazardous wastes.

A. General.

1. Any person seeking to add a hazardous waste or a category of hazardous waste to the universal

waste regulations of 9VAC 20-60-273 and Part XVI (9 VAC 20-60-1495 et seq.) of this chapter may

petition for a regulatory amendment under this part.

2. To be successful, the petitioner shall demonstrate to the satisfaction of the director that regulation under the universal waste regulations of 9 VAC 20-60-273 and Part XVI of this chapter:

a. Is appropriate for the waste or category of waste;

b. Will improve management practices for the waste or category of waste; and

c. Will improve implementation of the hazardous waste program.

The petition shall include the information required by 9VAC 20-60-1370 C. The petition should also address as many of the factors listed in 9VAC 20-60-1430 subsection B of this section as are appropriate for the waste or category of waste addressed in the petition.

3. The director will grant or deny a petition using the factors listed in 9 VAC 20-60-1430 subsection B of this section. The decision will be based on the weight of evidence showing that regulation under 9 VAC 20-60-273 and Part XVI of this chapter is appropriate for the waste or category of waste, will improve management practices for the waste or category of waste, and will improve implementation of the hazardous waste program.

4. The director may request additional information needed to evaluate the merits of the petition.

5. If the director adds new hazardous wastes to the list contained in 9 VAC 20-60-273 and in Part XVI of these regulations, management of these wastes under the universal waste regulations would only be allowed within the Commonwealth or other states that have added those particular wastes to their regulations. Shipments of such wastes to a state where universal waste standards do not apply to that waste would have to comply with the full hazardous waste requirements of Parts I through XV of this chapter.

B. Factors to consider.

1. The waste or category of waste, as generated by a wide variety of generators, is listed in Subpart D of 40 CFR Part 261, or (if not listed) a proportion of the waste stream exhibits one or more characteristics of hazardous waste identified in Subpart C of 40 CFR Part 261. (When a characteristic waste is added to the universal waste regulations of 9 VAC 20-60-273 and Part XVI of this chapter by using a generic name to identify the waste category (e.g., batteries), the definition of universal waste

Page 76 of 94 Final Regulation As Adopted

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seg.

1/14/02

will be amended to include only the hazardous waste portion of the waste category (e.g., hazardous

waste batteries). Thus, only the portion of the waste stream that does exhibit one or more

characteristics (i.e., is hazardous waste) is subject to the universal waste regulations of 9 VAC

20-60-273 and Part XVI of this chapter;

2. The waste or category of waste is not exclusive to a specific industry or group of industries, is

commonly generated by a wide variety of types of establishments (including, for example, households,

retail and commercial businesses, office complexes, conditionally exempt small quantity generators,

small businesses, government organizations, as well as large industrial facilities);

3. The waste or category of waste is generated by a large number of generators (e.g., more than 1,000

nationally) and is frequently generated in relatively small quantities by each generator;

4. Systems to be used for collecting the waste or category of waste (including packaging, marking, and

labeling practices) would ensure close stewardship of the waste;

5. The risk posed by the waste or category of waste during accumulation and transport is relatively low

compared to other hazardous wastes, and specific management standards proposed or referenced by

the petitioner (e.g., waste management requirements appropriate to be added to 9 VAC 20-60-273 or

Part XVI of this chapter; and applicable requirements of the Virginia Regulations Governing the

Transportation of Hazardous Materials, 9 VAC 20-110-10 et seq.) would be protective of human health

and the environment during accumulation and transport;

6. Regulation of the waste or category of waste under 9 VAC 20-60-273 will increase the likelihood that

the waste will be diverted from nonhazardous waste management systems (e.g., the municipal waste

stream, nonhazardous industrial or commercial waste stream, municipal sewer or stormwater systems)

to recycling, treatment, or disposal in compliance with the Virginia Hazardous Waste Management

Regulations;

7. Regulation of the waste or category of waste under 9 VAC 20-60-273 will improve implementation of

and compliance with the hazardous waste regulatory program; and

8. Such other factors as may be appropriate.

Virginia Waste Management Board
Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seg.

Page 77 of 94 Final Regulation A

Final Regulation As Adopted 1/14/02

[9 VAC 20-60-1435 Petitions for site-specific variance from the applicable treatment standard

under the land disposal restrictions.

The director may approve an application for site-specific variance from the applicable treatment standards under the land disposal restriction using the criteria and procedures established in the

9 VAC 20-60-1370 and 40 CFR 268.44.]

PART XV.

(REPEALED.)

9 VAC 20-60-1440 through 9 VAC 20-60-1480. (Repealed.)

PART XVI.

ADDITIONAL UNIVERSAL WASTE MANAGEMENT PROVISIONS.

9 VAC 20-60-1505. Additional universal wastes --mercury-containing lamps.

A. "Mercury-containing lamp" means an electric lamp into which mercury was intentionally introduced by

the manufacture for the operation of the lamp, "Electric lamp" means the bulb or tube portion of a lighting

device specifically designed to produce radiant energy, most often in the ultraviolet (UV), visible, and

infrared (IR) regions of the electromagnetic spectrum. Electric lamps include, but are not limited to:

incandescent lamps, fluorescent lamps, high pressure sodium lamps, high intensity discharge lamps,

mercury vapor lamps, metal halide lamps, and neon lamps.

B. A used mercury-containing lamp becomes a waste on the date the handler permanently removes it

from its fixture. An unused mercury-containing lamp becomes a waste on the date the handler discards it.

C. In addition to the provisions of Part III (9 VAC 20-60-124 et seq.) of this chapter and other parts of

these regulations pertaining to universal wastes, the following special requirements apply to universal

wastes that are mercury-containing lamps:

Page 78 of 94
Final Regulation As Adopted
1/14/02

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

1. All handlers (both small quantity handlers and large quantity handlers) of universal waste must manage universal waste mercury-containing lamps in accordance with the requirement of 9 VAC 20-60-273 that apply to all universal wastes.

- 2. All handlers (both small quantity handlers and large quantity handlers) of universal waste must manage mercury-containing lamps so as to prevent releases of any universal waste or component thereof to the environment. This includes, but is not limited to:
 - a. Containing unbroken lamps in packaging that will minimize breakage during normal handling conditions:
 - b. Containing broken lamps in packaging that will minimize releases of lamp fragments and residues;
 - c. Managing lamps so as to minimize breakage;
 - d. Immediately containing all releases of residue from the lamps; and
 - e. Determining if any material resulting from a release, clean-up residues from a spill or breakage, or other solid waste generated from handling the lamps is hazardous waste in accordance with 9 VAC 20-60-261. If these wastes are found to be hazardous waste, they shall be managed under the requirements for hazardous waste contained in these regulations.
- 3. Universal waste mercury-containing lamps may be crushed or intentionally broken on-site to reduce their volume; however, breaking, crushing, handling, and storage must occur in a safe and controlled manner that minimize the release of mercury to the workplace and the environment and must comply with 29 CFR 1910.1000. The procedure for breaking, crushing, handling and storing of the lamps must be documented and use a mechanical unit specifically designed for the process and incorporating the containment and filtration of process air flows to remove mercury-containing vapors and dusts.
- 4. In addition to the labeling and marking requirements of 9 VAC 20-60-273, universal waste mercury-containing lamps and containers of mercury-containing lamps must be labeled or marked clearly and legibly "Universal Waste Mercury-containing Lamps," "Waste Mercury-containing Lamps" or "Used Mercury-containing Lamps."

273 or 9 VAC 20-60-273 B.

NOTICE: The forms used in administering 9 VAC 20-60-12 et seq., Virginia Hazardous Waste Management Regulations, are listed below. Any amended or added forms are reflected in the listing and are published following the listing.

Note: At this time, there are no universal wastes that are not also universal wastes under 40 CFR Part

FORMS

1993 Hazardous Waste Report (EPA), EPA Form 8700-13 A/B (eff. 8/93).

Uniform Hazardous Waste Manifest (EPA), EPA Form 8700-22.

Notification of Regulated Waste Activity (EPA), EPA Form 8700-12 (eff. 11/93).

Application for a Transporter Permit, Form 7.1 (eff. 6/01).

Transporter Annual Report, Form 7.2-1 (eff. 6/01).

Intra-Commonwealth Shipments, Form 7.2-2 (eff. 6/01).

Shipments to Other States, Form 7.2-3 (eff. 6/01).

Shipments into the Commonwealth, Form 7.2-4 (eff. 6/01).

Shipments to Foreign Facilities, Form 7.2-5 (eff. 6/01).

Page 80 of 94 Final Regulation As Adopted 1/14/02

APPLICATION FOR A TRANSPORTER PERMIT.

	Transporter Name	Date	te			
	Address	Phone Number				
		Completed by				
	EPA ID #	Title				
1.	Please attach financial data:					
	a. Interstate transporters: Copy of document showi	ng insurance required under 49 CFR Pa	rt 387			
	[(MCS-90 Surety Bond)(MCS-90 Bond or MCS-82	2 Surety Bond)].				
	b. Intrastate transporters: Either copy of insurance	required under 49 CFR Part 387 or lates	et annual			
	balance sheet.					
2.	Incorporated in					
3.	VA Corporation ID (if applicable)					
4.	Corporate Headquarters Address					
<u> </u>	Chief Executive Officer					
	Are you presently licensed or permitted by any oth					
m	aterials or hazardous wastes?		Yes	No		
lf :	es, attach a list of licensing/permit agent and appro	opriate code to identify your				
lic	enses/permits.					
7.	Have you been informed by a state or federal ager	ncy of violations pertaining to the				
m	anagement of hazardous wastes or transportation o	of hazardous wastes/materials?	Yes	No		

Virginia Waste Management Board
Department of Environmental Quality
Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.
If yes, give the name of the agency issuing the notice of violations and the

Page 81 of 94 Final Regulation As Adopted 1/14/02

circumstances.
8. Give name, address, and telephone number of the principal
contact.
NOTE: Permit application fee must accompany this Transporter Permit Application. See Appendix 12.1 of the
Virginia Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.
Certification Below Must Be Signed
I certify that all statements are true and are representative of the ability of to provide hazardous waste
transportation services consistent with the Commonwealth of Virginia Hazardous Waste Management Regulations.
Name

FORM 7.1

revised 12/12/01

[INSTRUCTIONS FOR COMPLETING THE APPLICATION FOR A TRANSPORTER PERMIT

<u>Item I – Transporter Name</u>

Title _____

Place the same name that appears on their insurance documentation and EPA ID Number.

Note: If the company's name, corporate structure, or EPA ID Number changes, a new hazardous waste transporter permit application needs to be submitted within 30 days of such a change. Also, the appropriate permit application fee should accompany the application.

Item II – Date

Place the date the application was completed. (Example: MM/DD/YY)

<u>Item III – Address (if applicable)</u>

Virginia Waste Management Board Department of Environmental Quality

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seg.

Page 82 of 94
Final Regulation As Adopted
1/14/02

We would prefer a physical address of the company. Also, if you have a mailing address, please note it on the

application.

Item IV – Phone Number

Place the telephone number of the company.

<u>Item V – Completed by</u>

Place the name of the person who completed the application. That person can also be the principal contact.

<u>Item VI – EPA ID Number</u>

Place the EPA ID Number you received from the U.S. EPA of the Department of Environmental Quality (DEQ).

The DEQ will use this number to issue a Virginia Hazardous Waste Transporter Permit to your company.

Note: Please insure that the EPA ID Number listed above is correct.

Item VII - Title

Title of the person completing application.

Item VIII - Please attach financial data

a) If you are an Interstate transporter, you must submit: 1) a copy of a Certificate of Insurance (Certificate). The

Certificate should list the name of the transporter being insured, the Certificate must state that the transporter

has at least \$1,000,000 of insurance coverage, and show that the Department of Environmental Quality, Waste

Division, 629 East Main Street, P.O. Box 10009, Richmond, Virginia 23219-0009, is the Certificate Holder; or

2) a copy of an Endorsement(s) for Motor Carrier Policies of Insurance for Public Liability Under Sections 29

and 30 of the Motor Carrier Acts of 1980 (Form MCS-90) issued by insurers; or 3) a Motor Carrier Surety Bond

for Public Liability under Section 30 of the Motor Carrier Acts of 1980 (Form MCS-82) issued by insurers, or

4) a written decision, order, or authorization of the Interstate Commerce Commission (ICC) authorizing a motor

carrier to self-insure under Section 1043.5 of this title, provided the motor carrier maintains a satisfactory safety

rating as determined by the Federal Highway Administration under Part 385 of this title.

b) If you are an Intrastate transporter you must submit: 1) a copy a Certificate of Insurance (Certificate). The

Certificate should list the name of the transporter being insured, the Certificate must state that the transporter

Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seg.

1/14/02

has at least \$1,000,000 of insurance coverage, and show that the Department of Environmental Quality, Waste Division, 629 East Main Street, P.O. Box 10009, Richmond, Virginia 23219-0009, is the Certificate Holder; or 2) a copy of an Endorsement(s) for Motor Carrier Policies of Insurance for Public Liability Under Sections 29 and 30 of the Motor Carrier Acts of 1980 (Form MCS-90) issued by insurers; or 3) a Motor Carrier Surety Bond for Public Liability under Section 30 of the Motor Carrier Acts of 1980 (Form MCS-82) issued by insurers, or 4) a written decision, order, or authorization of the Interstate Commerce Commission (ICC) authorizing a motor carrier to self-insure under Section 1043.5 of this title, provided the motor carrier maintains a satisfactory safety rating as determined by the Federal Highway Administration under Part 385 of this title; or 5) a latest annual

Item IX - Incorporated in

balance sheet.

Place the name of the State you are incorporated in.

Item X – Virginia Corporation ID Number (if applicable)

Place your State Corporation Commission number in this box.

<u>Item XI – Corporate Headquarters Address</u>

Place your headquarter's physical address in this box if you are not a Virginia transporter.

Item XII – Chief Executive Officer

Place the name of the person who is authorized to run the company on behalf of the board or legal owners

Note: *The Chief Executive Officer may be the legal owner of the company.*

<u>Item XIII – Are you presently licensed or permitted by any other State to transport hazardous materials or hazardous waste?</u>

If you marked yes, please attach a list of licensing/permit agency and appropriate code to identify your license/permits. Also, please include the address if different from the address listed on the application.

<u>Item XIV – Have you been informed by a State or Federal agency of violations pertaining to the management of hazardous wastes or transportation of hazardous wastes/materials?</u>

Virginia Waste Management Board Department of Environmental Quality Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.

Page 84 of 94
Final Regulation As Adopted
1/14/02

If you marked yes, please attach a list identifying the agency issuing notice of violation and circumstances. Also,

you may attach a copy of the order or agreement.

Item XV - Give name, address, and telephone number of the principal contact

Place the name, address and telephone number of the person who will be contacted in case of an emergency or if there are questions concerning the transportation of hazardous materials/hazardous wastes.

Item XVI - Certification Below Must Be Signed

The name and title of the person certifying that all statements are true. Usually, the president, vice president, contact person, or owner of the company certifies the form.

If you have any questions regarding the completion of this application, please contact Julia M. King-Collins at (804) 698-4237 or e-mail her at jmking-col@deq.state.va.us.]

TRANSPORTER ANNUAL REPORT.

Transporter Name	EPA ID #		
Address	VA Transporter Permit #		
	_ Phone Number		
	Reporting Year		
Hazardous waste originating in Virginia was transported.		[] Yes	[] No
If yes, indicate shipments on the appropriate forms.		100	110
a. Shipments within the Commonwealth on Form 7.2-2			
b. Shipments from the Commonwealth to the [other state	es States] on Form 7.2-3		
c. Shipments into the Commonwealth on Form 7.2-4			
d. Shipments to foreign facilities on Form 7.2-5			

Page 86 of 94 Final Regulation As Adopted 1/14/02

2. Please list name and a	ddress of designated official i	in firm who can	be contacted on	hazardous waste
transport matters: (if other th	nan reporting official):			
Name		_ Title		
Address		_ Phone Number		
		_		
				-
	Signature of Reporting Office	ial	Date	
	Title			
	Title			

FORM 7.2-1 revised 12/12/01

Page 87 of 94 Final Regulation As Adopted 1/14/02

INTRA-COMMONWEALTH SHIPMENTS

Transporter Name		EPA ID #				
Address		VA Transp	orter Permit #			
		Phone Number				
		Reporting	Year			
Reported by:		Title				
	Report of Haza	ardous Waste Transporta	ation Activities			
Date of	Generator	Facility ID	Date Released			
Receipt of	ID	or Secondary	to Facility [or	Manifest		
Shipment	Number	Transporter]	Secondary	Number		
		Number	Transporter]			

Virginia Waste Management Board Department of Environmental Quality Hazardous Waste Management Regulations	Page 88 of 94 Final Regulation As Adop seq. 1/14/0		

FORM 7.2-2 revised 12/12/01

Page 89 of 94 Final Regulation As Adopted 1/14/02

SHIPMENTS TO OTHER STATES

Transporter Name		EPA ID #_	EPA ID #		
Address		VA Transporter Permit #			
		Phone Nu	mber		
		Reporting	Year		
Reported by:		Title			
	Report of Haza	ardous Waste Transport	ation Activities		
Date of	Generator	Facility ID	Date Released		
Receipt of	ID	or Secondary	to Facility [<u>or</u>	Manifest	
Shipment	Number	Transporter] Number	Secondary Transporter]	Number	

Virginia Waste Manager Department of Environm Hazardous Waste Mana	Page 90 of Final F seq.	94 Regulation As Adopted 1/14/02	
	 	·	

FORM 7.2-3 revised 12/12/01

Page 91 of 94 Final Regulation As Adopted 1/14/02

SHIPMENTS INTO THE COMMONWEALTH

Transporter Name		EPA ID #			
Address		VA Transporter Permit #			
		Phone Nu	mber		
		Reporting	Year		
Reported by:		Title			
	Report of Haza	ardous Waste Transport	ation Activities		
Date of	Generator	Facility ID	Date Released		
Receipt of	ID	or Secondary	to Facility [<u>or</u>	Manifest	
Shipment	Number	<u>Transporter</u>]	Secondary	Number	
		Number	Transporter]		

Virginia Waste Manageme Department of Environmen Hazardous Waste Manage	Page 92 of 9 Final Re seq.	egulation As Adopted 1/14/02	
	 		

FORM 7.2-4 revised 12/12/01

Page 93 of 94 Final Regulation As Adopted 1/14/02

SHIPMENTS TO FOREIGN FACILITIES

Transporter Name		EPA ID #				
Address		VA Transporter Permit #				
		Phone Nu	mber			
		Reporting	Year			
Reported by:		Title				
	Report of Haza	ardous Waste Transport	ation Activities			
Date of	Generator	Facility ID	Date Released			
Receipt of	ID	[or Secondary	to Facility [or	Manifest		
Shipment	Number	<u>Transporter</u>]	Secondary	Number		
		Number	Transporter]			

Virginia Waste Management Board Department of Environmental Quality Hazardous Waste Management Regulations, 9 VAC 20-60-12 et seq.			Page 94 o Final	f 94 Regulation As Adopted 1/14/02
Tiazaidous Wasic Mai	lagement regulation	13, 3 VAO 20 00 12 01 30	, 4.	1/14/02
				
FORM 7.2-5				revised 12/12/01
				1011000 12/12/01
Certified True and Acci	ırate:		Date:	

Department of Environmental Quality