2 Board of Towing and Recovery Operators

1

Licensing and Regulatory
Affairs Committee

Working Paper

Working Paper

October 23, 2007

1		Public Safety Regulations
2 3		INDEX
4 5		
6 7 8	Purpose / Requiremen	t for regulation
9 10	24 VAC 27- 50 - 10 D	efinitions
10 11 12	24 VAC 27- 50 - 20 F	ees
13 14	24 VAC 27- 50 - 30 G	eneral Requirements for Operators
15 16	24 VAC 27- 50 - 40 T	raining Requirements
17 18	24 VAC 27- 50 - 50 G	eneral Requirements for Office and Storage Area
19 20	24 VAC 27- 50 - 60 G	eneral Requirements for Equipment
21 22	24 VAC 27- 50 - 70 P	ublic Safety Certification by Examination
23 24	24 VAC 27- 50 - 80 P	ublic Safety Certification by Endorsement
25 26	24 VAC 27- 50 - 90. St	andards of Practice
27 28	24 VAC 27- 50 - 100 O	perating without Public Safety Certification
29 30	24 VAC 27- 50 - 110 C	onsumer Complaints
31 32	24 VAC 27- 50 - 120 R	enewal of Public Safety Certification
33 34	24 VAC 27- 50 - 130 R	equirements for Continuing Education
35 36	24 VAC 27- 50 - 140 R	equirements for Insurance

1 Purpose / Requirement for regulation 2 The Virginia Board for Towing and Recovery Operators is mandated in Section 46.2-3 4 2826 of the Code of Virginia to establish regulations required of Class A and Class B 5 operators to provide public safety towing and recovery services. For the purposes of 6 this section, "public safety towing and recovery services" shall be those towing and 7 recovery and related services requested by a state or local law-enforcement agency. 8 9 24 VAC 27-50 - 10. Definitions 10 11 The following words and terms when used in these regulations, by the Virginia Board 12 for Towing and Recovery Operators, or the Board's related documents, unless 13 expressly stated otherwise, shall have the following meanings: 14 15 "Board" or "BTRO" means the Virginia Board for Towing and Recovery Operators. 16 17 "Class A Operator" means a towing and recovery business towing vehicles of an 18 unlimited gross vehicle weight. 19 20 "Class B Operator" means a towing and recovery business towing vehicles of a 21 gross vehicle weight of 26,000 pounds or less. 22 23 "Driver" means a person who drives or is in actual physical control of a tow truck. A 24 driver shall have obtained an authorization document issued by the Board in order to 25 drive a tow truck while providing towing or recovery services. 26 27 "Equipment" means any tow truck, vehicle or related machinery or tools used to 28 provide towing or recovery services. 29 30 "Gross vehicle weight" means the aggregate weight of a vehicle and the load 31 thereon. 32 33 "Gross vehicle weight rating" means as defined in Section 46.2-341.4. of the 34 Code of the Virginia.

35

Law-enforcement officer" means any officer authorized to direct or regulate traffic or to make arrests for violations of the Code of Virginia or local ordinances authorized by law relating to drivers or driving of motor vehicles.

"Operator" means, for the purposes of these regulations, the same as "Towing and recovery operator", notwithstanding the provisions of §46.2-100, which defines operator differently.

"Public Safety Tow" means requests for towing and recovery services made by a law enforcement officer of the county, city, or town, or by a State Police Officer within the county, city, or town pursuant to §46.2-1217 of the Code of Virginia. Additionally, it shall mean towing requests made by a law-enforcement officer at the request of the owner or operator of an unattended, abandoned, or immobile vehicle, when no specific service provider is requested by such owner or operator or if an unattended, abandoned, or immobile vehicle is located so as to impede the free flow of traffic on a public highway declared by resolution of the Commonwealth Transportation Board to be a portion of the interstate highway system.

"Private Property/Trespass Tow" means requests for towing and recovery services made by the owner, operator or lessee of private property, or the authorized agent thereof, pursuant to the provisions of Article 3 of Chapter 12 of Title 46.2 of the Code of Virginia, or local ordinances adopted under that Article, or under contract between such person and a towing and recovery operator which specifies what tows are to be made from the property when a motor vehicle or vehicle or self propelled apparatus is on the property in violation of law or rules promulgated by the owner, operator, or lessee of the private property.

"Recovery" means.....Ron to research

"Responsible Individual" means an individual identified through the Operator's licensure process who is designated by the operator to represent and be accountable for all aspects of licensure for the operator and who is either the principal owner or chief executive officer of the business entity or manager or both of

business operations for the operator.

1
 2
 3

"**Tow**" means when the towing vehicle has engaged the towed vehicle by a physical, mechanical means which causes the towed vehicle to be lifted off of the ground, or moved for any distance whatsoever.

"Towing and recovery operator" means any person, including a business, corporation, or sole proprietor, offering services involving the use of a tow truck and services incidental to the use of a tow truck. Such shall include but not be limited to those engaged in the business of (i) removing disabled vehicles, parts of vehicles, their cargoes, and other objects to facilities for repair or safekeeping and (ii) restoring to the highway or other location where they either can be operated or removed to other locations for repair or safekeeping vehicles that have come to rest in places where they cannot be operated.

"Towing and Recovery Services" means services offered by a towing and recovery operator business licensed as a public safety towing and recovery operator. Any person who in any way advertises himself as a towing and recovery operator or in any way conveys the impression that he is engaged in services of providing towing and recovery of vehicles shall be deemed to be engaged in towing and recovery services.

"Tow truck" means a motor vehicle for hire (i) designed to lift, pull, or carry another vehicle by means of a hoist or other mechanical apparatus and (ii) having a manufacturer's gross vehicle weight rating of at least 10,000 pounds. "Tow truck" also includes vehicles designed with a ramp on wheels and a hydraulic lift with a capacity to haul or tow another vehicle, commonly referred to as "rollbacks." "Tow truck" does not include any "automobile or watercraft transporter," "stinger-steered automobile or watercraft transporter," or "tractor truck" as defined in § 46.2-100 of the Code of Virginia.

"Tow Truck Decal," "Decal" or similar words mean a Board issued decal to be affixed to the driver side door of a tow truck owned, leased or operated by a licensed towing and recovery operator.

24 VAC 27- 50 - 20. Fees

In addition to fees required by 24VAC27-30-20 the following fees shall be applicable:

Certification Item	Fee
Initial Fee Structure/Application Fee,	\$50
Annual License Renewal	\$50
Annual tow truck decal, per vehicle	\$5
Late renewal (operator, or truck decal)	150 percent of renewal fee
Reinstatement following revocation or	\$1000
suspension of certification	
Verification of certification to another	\$25
jurisdiction or government entity	
Returned check	\$35
Duplicate copy of certification, or tow truck	\$10
decal.	

A. All fees shall be nonrefundable.

B. Examination fees shall be determined by the Board.

24 VAC 27-50 - 30. General Requirements for Operators

As a condition for certification <u>licensure</u>, all operators shall:

A. Be licensed and in good standing with the Virginia Board of Towing and Recovery Operators as a Class A or Class B Operator.

B. Provide the name of the individual or business entity under which the applicant intends to be certified. However, the applicant/certificant, at time of application and each renewal of license, shall provide the Board with any and all trade or fictitious names under which the operator conducts or offers towing and recovery services.

C. Designate and advise the Board of the main or principal office and all additional

satellite facilities and the physical addresses. Should such change, the Board shall be notified within 30 days such change occurs.

D. Designate a Responsible Individual who shall be knowledgeable of all applicable state, federal or local laws and regulations related to those public safety and incident management towing and recovery services offered or rendered by the operator, and who shall be responsible for assuring that the operator conforms to them.

E. List the principal owner's name or owners' names and the name of the Responsible Individual and of the principal manager and of all other individuals involved in the management and operation of the business on the application for license and advise the Board of any change of same.

F. Certify on the application whether any owner, manager, or other individual involved in the management or operation of the business entity, including the Responsible Individual, has been convicted of any criminal offense, whether felony or misdemeanor.

24 VAC 27- 50 - 40. Training Requirements

A. All public safety towing drivers and recovery supervisors shall attend an incident management seminar at least once every 3 years. Defer all education material for Education Committee.

B. Class A public safety towing drivers shall possess a national certification adequate for towing and recovery of trucks with a GVW of 26,001 lbs. or greater. Drivers shall attend and pass a minimum of 10 hours of continuing education every three years pertaining to the towing and recovery of trucks with a GVW of 26,001 lbs. or greater. Certification shall be by a professional training organization approved by the BTRO. Training shall consist of minimum of 5 hours classroom and 5 hours hands on training. Class A public safety towing drivers shall be grandfathered with a written request to the BTRO from a licensed Class A public safety operator for the drivers first licensing period after July 1, 2008. A licensed Class A public safety operator

with a written request to the BTRO can request a thirty day grace period for any Class A driver applicant.

C. Class B public safety towing drivers shall possess a national certification adequate for towing and recovery of vehicles with a GVW of 26,000 lbs. or less. Drivers shall attend and pass a minimum of 10 hours of continuing education every 3 years pertaining to the towing and recovery of vehicles with a GVW of 26,000 lbs. or less. Certification shall be by a professional training organization approved by the BTRO. Training shall consist of minimum of 5 hours classroom and 5 hours hands on training. Class A public safety towing drivers shall be grandfathered with a written request to the BTRO from a licensed Class A or Class B public safety operator for the drivers first licensing period after July 1, 2008. A licensed Class A or Class B public safety operator with a written request to the BTRO can request a thirty day grace period for any Class B driver applicant

24 VAC 27-50 - 50. General Requirements for Office and Storage Area

A. The towing company <u>licensed as a public safety towing and recovery operator</u> shall have a main office location exclusively for towing and storage and shall not be a part of or attached to a residence. The office space must include a desk,

chairs, filing cabinet (s), a working land line telephone in the name of the tower and available to customers, a public restroom and working utilities to include

electricity and heating. Ron to re-write

As a condition for certification:

B. The office shall be open for business and staffed minimum of 5 days a week from at least 8:00am till 5:00pm, excluding national holidays. **Needs further study**

C. The towing company licensed as a public safety towing and recovery operator shall maintain and own or lease a dedicated storage area able to contain all public safety towed vehicles towed by the Operator. Storage area shall be fully enclosed by a commercial grade fence which is at least six feet tall, or enclosed by a permanent structure, have adequate lighting and remain clear of debris. Storage area shall have a minimum of 1500 of square footage for Class B

1 operators and a minimum of 3000 square footage for Class A operators. 2 Licensed public safety operators shall not share storage lots with any other 3 Operator unless the shared storage lot is divided by a stationary fence with a 4 separate, locked entrance to each storage area. 5 6 D. The office and storage area shall meet or exceed all local and state code and 7 zoning requirements. 8 9 E. Storage area shall be surfaced with stone, asphalt, <u>permeable surface pavement</u>, 10 concrete or other similar product. 11 12 F. The towing company office and or storage facility of a towing company licensed 13 as a public safety towing and recovery operator shall display a sign with the 14 towing company name and phone number. Sign shall be visible and legible from 15 a state, county or city maintained highway. Sign shall be at least 3' X 3' or as 16 approved by local zoning. 17 18 G. The towing company Public Safety Certification License of a towing company 19 licensed as a public safety towing and recovery operator shall be displayed at the 20 business office and copies shall be displayed at all storage facilities and satellite 21 offices. 22 23 H. The towing company will make vehicle and or contents of vehicle available to the 24 vehicle registered owner or authorized agent during normal business hours (8:00 25 a.m. - 5:00 p.m., Monday through Friday). Towing company may charge a 26 separate fee for this service if requested before or after the company's regular 27 office hours. 28 29 H. The towing company licensed as a public safety towing and recovery operator 30 will make the vehicle and or contents of vehicle available to the vehicle registered 31 owner, namely, the person (1) who has vested ownership, dominion, or title to 32 the vehicle; (2) is the authorized agent of the owner; (3) is an employee, agent, 33 or representative of an insurance company representing any party involved in the

collision that resulted in a public safety tow; or (4) is a person subject to a

34

1	security interest in another person, is entitled to the use and possession of the
2	vehicle, including a lessee under a lease intended as security only during normal
3	business hours (8:00 a.m5:00 p.m., Monday through Friday). Towing company
4	may charge a separate fee for this service if requested before or after the
5	company's regular office hours, unless the local ordinance or contract under
6	which the towing company is operating precludes the imposition of this type of
7	charge. Mr. Beall
8	
9	I. The towing company shall make a reasonable attempt to provide covered
10	storage or materials when necessary to protect the contents of vehicle in storage
11	area from weather. The towing company may charge a separate reasonable fee
12	for this service.
13	
14	I. The towing company licensed as a public safety towing and recovery operator
15	shall make a reasonable attempt to provide covered storage or materials when
16	necessary to protect the contents of vehicle in storage area from weather. The
17	towing company may charge a separate reasonable fee for this service, unless
18	the local ordinance or contract under which the towing company is operating
19	precludes the imposition of this type of charge. Mr. Beall
20	
21	24 VAC 27- 50 - 60. General Requirements for Equipment - Ray Hodge to research.
22 23	As a condition of certification:
24	
25	A. Any tow truck of an operator licensed as a public safety towing and recovery
26	operator responding to an accident scene shall be equipped with the following
27	safety equipment:
28	1. United States Department of Transportation required fire extinguisher (5lb.)
29	2. Reflective vest or gear shall be available in the truck. (NIMS Compliant or
30	ANSI Rated) Next Meeting
31	3. Two revolving and or flashing amber warning lights visible 360 degrees
32	4. 5 lbs. of oil absorbent material
33	5. Push broom
34	6. Square tip shovel
35	7. Four Two rear flood lights

1		8. Flashlight
2		9. Three road flares, or triangles or traffic cones.
3		10. First Aid kit
4		11. Two way private communication (not CB or ham radio)
5		12. Rear tow lights
6		13. Factory manufactured and rated towing and/or recovery unit
7		14. Container for debris removal.
8		15. Proper grade of chain (#80) and strap MIHRA or VATRO to provide
9		
10	B.	Class B towing company licensed as a public safety towing and recovery
11		operator shall own/lease a minimum of 1 towing/recovery truck with a minimum
12		GVW of 10,000 lbs. and a recovery unit of a minimum rating of 8 tons. Unit shall
13		have 2 winches and a boom that raises and lowers, extends and retracts by
14		hydraulics. Unit must have a hydraulic operated wheel lift with a rating of 3500
15		lbs. Company shall also own/lease a rollback having a minimum GVW of 14,500
16		lbs. and a minimum deck length of 19'. Use Ron's idea, with a five year
17		window.
18		
19	C.	Class A towing company licensed as a public safety towing and recovery
20		operator shall own/lease a minimum of 2 towing/recovery trucks with a minimum
21		GVW of 50,000 lbs. each and a recovery unit of a minimum rating of 30 tons.
22		Unit shall have 2 winches rated at 25,000 lbs. each with a minimum of 150' of 5/8
23		wire rope. Unit must have a boom that raises and lowers, extends and retracts
24		by hydraulics. Unit must have a hydraulic operated under lift rated to lift 12,000
25		lbs. at full extension.
26		
27	D.	Class A towing company licensed as a public safety towing and recovery
28		operator shall own/lease or have a written agreement up to date and readily
29		available for BTRO inspection with a subcontractor to provide the following
30		equipment within a timely manner:
31		1. Lowboy hydraulic operated trailer capable of transporting a wrecked or
32		disable road tractor and or debris
33		2. Box trailer 48' or longer

3. Dump truck, dump trailer or container

1	4. Air cushions capable of up righting a loaded tractor and trailer (80,000
2	lbs.).
3	5. A skid steer loader or forklift wheel loader capable of moving cargo and/or
4	debris from the highway.
5	Adequate personnel to offload cargo
6	7. Tandem road tractor
7	8. Forklift
8	9. A rotator or crane with a minimum of 35 tons.
9	
10	E. A winch boom or under lift that does not have a factory manufacturer rating plate
11	attached to it or that has been altered from it's original construction will not
12	qualify for public safety towing unless unit has been certified to meet or exceed
13	Board of Towing and Recovery Operator standards. Certification shall be done
14	by a reputable testing facility regularly engaged in the testing of such equipment.
15	All testing and/or certification cost shall be the responsibility of the towing
16	company.
17 18 19	24 VAC 27- 50 - 70. Public Safety Certification by Examination
20 21	Education Ad Hoc Committee
22 23	24 VAC 27- 50 - 80. Public Safety Certification by Endorsement
24 25	
25 26	Education Ad Hoc Committee
27	24 VAC 27 E0 00 Standards of Breatise
28 29	24 VAC 27- 50 - 90. Standards of Practice
30	Violations of any standard of practice set out in this section may be subject to Board
31	disciplinary actions or sanctions, including suspension or revocation of an operator's
32	license and imposition of civil penalties.
33	
34	A. Any tow truck operator <u>licensed as a public safety towing and recovery operator</u>
35	summoned by a law enforcement officer who responds to a motor vehicle
36	accident or incident shall posses a public safety license issued by the BTRO.
37	

1	B.	Support personnel needed to clear an accident scene are encouraged but not
2		required to be licensed or hold a drivers authorization by the BTRO. Support
3		personnel shall qualify under Section 40 of these regulations.
4		
5	C.	At least one BTRO driver's authorization holder or an operator licensed as a
6		public safety towing and recovery operator shall be at the accident scene at all
7		times during recovery.
8		
9	<u>D.</u>	All of an operator licensed as a public safety towing and recovery operator places
10		of business, including their offices and storage facilities shall comply with any
11		required state or local building or zoning laws or codes.
12		
13	<u>E.</u>	If required by the locality in which the operator licensed as a public safety towing
14		and recovery operator designates as his principal place of business, an operator
15		must maintain a valid business license from that locality.
16		
17	<u>F.</u>	Any operator licensed as a public safety towing and recovery operator
18		permanently ceasing to provide towing and recovery services shall notify the
19		Board in writing and return the Board issued operator's license for voluntary
20		cancellation and termination within 15 days.
21		
22	<u>G.</u>	An operator licensed as a public safety towing and recovery operator must
23		maintain the following proof of insurance; (i). \$750,000 for Automobile Liability;
24		(ii) \$750,000 for Commercial General Liability; (iii) \$50,000 for Garagekeepers
25		Liability, (iv) \$50,000 On Hook coverage, (v) Worker's Compensation as required
26		by state and federal entities.
27		
28	<u>H.</u>	Any tow operator not licensed for Public Safety Towing, who arrives unsolicited
29		at the scene of a motor vehicle accident or incident, shall have their license to
30		tow revoked for a period not less than one calendar year from the date of offense
31		or adjudication by the Board, which ever is longer. Ron Miner
32		
33 34 35	24 VA	C 27- 50 - 100. Operating without Public Safety Certification

1		
2	<u>A.</u>	Should the Board, after investigation, determine an operator is engaged in or
3		offering public safety towing and recovery services without a license, then, as
4		authorized by §46.2-2808 of the Code of Virginia, the Board may bring an action
5		in the name of the Commonwealth to enjoin any such violation of law, as well as
6		any violations of these regulations, or Chapter 28 of Title 46.2 of the Code of
7		<u>Virginia.</u>
8		
9	В.	Those persons found to be engaged in or offering public safety towing and
10		recovery services without a license may be subject to a Board imposed civil
11		penalty of up to \$1,000 for each violation pursuant to Va. Code §§46.2-2811 and
12		<u>46.2-2824.</u>
13		
14	<u>C.</u>	Additionally, the Board may seek criminal prosecution for such a violation
15		pursuant to Section 46.2-2812 of the Code.
16 17 18 19 20		C 27- 50 - 110. Consumer Complaints ory Teter to research with help from Andy Alvarez.
21 22	<u>A.</u>	The Board's Executive Director or designated staff shall have the authority to
23		initiate an expedited process to mediate and resolve complaints filed against
24		those licensed or otherwise regulated by the Board according to guidelines
25		developed by the Board.
26		
27	<u>B.</u>	Anonymous complaints received by the Board shall be handled in accordance
28		with Board's policy and guidance documents.
29 30 31 32	Ве	n
33 34	24 VA	C 27-50 - 120. Renewal of Public Safety Certification
35	<u>A.</u>	All those licensed by the Board as a public safety towing and recovery operator
36		shall, on or before June 30th of every year, submit a completed renewal
37		application and pay the prescribed annual licensure fee.
38		

B. It shall be the duty and responsibility of each licensee to assure that the Board has the licensee's current mailing address. All changes of mailing addresses or change of name shall be furnished to the Board within 30 days after the change occurs. All notices required by law or by these rules and regulations are to be deemed validly tendered when mailed to the address given by the licensee to the Board, and the licensee shall not be relieved of the obligation to comply with any notice so mailed if there has been a failure to notify the Board of changes.

C. The license of every operator licensed as a public safety towing and recovery operator who does not submit the completed form and fee or forms and fees, applicable, by June 30th of each year may be allowed to apply for renewal for up to one year after that date by paying the prescribed renewal fee and late fee. However, if the renewal has not been submitted to the Board within 62 days after the June 30th due date, then on and after August 31st of that year the operator's license is lapsed. Engaging in towing and recovery services with a lapsed license constitutes operating without a license and may subject the licensee to disciplinary action and civil penalties imposed by the Board.

D. An operator licensed as a public safety towing and recovery operator whose license has been lapsed for more than one year and who wishes to resume providing services as a towing and recovery operator shall apply for a new operator's license.

24 VAC 27-50 - 130. Requirements for Continuing Education

Education Ad Hoc Committee

24 VAC 27-50 - 140. Requirements for Insurance

* * *Move back to the standards of practice.

Captain Chumley