PART I

SURFACE WATER STANDARDS WITH GENERAL, STATEWIDE APPLICATION

9 VAC 25-260-5. Definitions.

The following words and terms when used in this chapter shall have the following meanings unless the context clearly indicates otherwise:

"Algicides" means chemical substances, most commonly copper-based, used as a treatment method to control algae growths.

"Board" means State Water Control Board.

"Chesapeake Bay and its tidal tributaries" means all tidally influenced waters of the Chesapeake Bay, western and eastern coastal embayments and tributaries, James, York, Rappahannock and Potomac Rivers and all their tidal tributaries to the end of tidal waters in each tributary (in larger rivers this is the fall line); and includes subdivisions 1, 2, 3, 4, 5, and 6 of 9 VAC 25-260-390, subdivisions 1, 1b, 1d, 1f and 1o of 9 VAC 25-260-410, subdivisions 5 and 5a of 9 VAC 25-260-415, subdivisions 1 and 1a of 9 VAC 25-260-440, subdivisions 2, 3, 3a, 3b and 3e of 9 VAC 25-260-520, and subdivision 1 of 9 VAC 25-260-530. This definition does not include free flowing sections of these waters.

"Criteria" means elements of the board's water quality standards, expressed as constituent concentrations, levels, or narrative statements, representing a quality of water that supports a particular use. When criteria are met, water quality will generally protect the designated use.

"Designated uses" means those uses specified in water quality standards for each water body or segment whether or not they are being attained.

"Drifting organisms" means planktonic organisms that are dependent on the current of the water for movement.

"Epilimnion" means the upper layer of nearly uniform temperature in a thermally stratified man-made lake or reservoir listed in 9 VAC 25-260-187.B.

"Existing uses" means those uses actually attained in the water body on or after November 28, 1975, whether or not they are included in the water quality standards.

<u>"Lacustrine" means the zone within a lake or reservoir that corresponds to nonflowing lake-like conditions such as those</u> <u>near the dam. The other two zones within a reservoir are riverine (flowing, river-like conditions) and transitional (transition</u> <u>from river to lake conditions).</u>

"Mixing zone" means a limited area or volume of water where initial dilution of a discharge takes place and where numeric water quality criteria can be exceeded but designated uses in the water body on the whole are maintained and lethality is prevented.

"Natural lake" means an impoundment that is natural in origin. There are two natural lakes in Virginia: Mountain Lake in Giles County and Lake Drummond located within the boundaries of Chesapeake and Suffolk in the Great Dismal Swamp. "Passing organisms" means free swimming organisms that move with a mean velocity at least equal to the ambient current in any direction.

"Primary contact recreation" means any water-based form of recreation, the practice of which has a high probability for total body immersion or ingestion of water (examples include but are not limited to swimming, water skiing, canoeing and kayaking).

"Pycnocline" means the portion of the water column where density changes rapidly because of salinity and/or temperature. In an estuary the pycnocline is the zone separating deep, cooler more saline waters from the less saline, warmer surface waters. The upper and lower boundaries of a pycnocline are measured as a change in density per unit of depth that is greater than twice the change of the overall average for the total water column.

"Secondary contact recreation" means a water-based form of recreation, the practice of which has a low probability for total body immersion or ingestion of waters (examples include but are not limited to wading, boating and fishing).

"Swamp waters" means waters with naturally occurring low pH and low dissolved oxygen caused by: (i) low flow velocity that prevents mixing and reaeration of stagnant, shallow waters and (ii) decomposition of vegetation that lowers dissolved oxygen concentrations and causes tannic acids to color the water and lower the pH.

"Use attainability analysis" means a structured scientific assessment of the factors affecting the attainment of the use which may include physical, chemical, biological, and economic factors as described in 9 VAC 25-260-10 H.

"Water quality standards" means provisions of state or federal law which consist of a designated use or uses for the waters of the Commonwealth and water quality criteria for such waters based upon such uses. Water quality standards are to protect the public health or welfare, enhance the quality of water and serve the purposes of the State Water Control Law (§ 62.1-44.2 et seq. of the Code of Virginia) and the federal Clean Water Act (33 USC § 1251 et seq.).

9 VAC 25-260-50. Numerical criteria for dissolved oxygen, pH, and maximum temperature.***

CLASS DESCRIPTION OF DISSOLVED pH Max.Temp. (°C)

PAGE 3 OF 78

*****	WATERS	OXYGEN (mg/L)****			
		Min.	Daily Avg.		
I	Open Ocean	5.0		6.0-9.0	
П	Estuarine Waters Tidal	4.0	5.0	6.0-9.0	
	Water-Coastal Zone to Fall				
	Line				
III	Nontidal Waters Coastal	4.0	5.0	6.0-9.0	32
	and Piedmont Zones				
IV	Mountainous Zones Waters	4.0	5.0	6.0-9.0	31
V	Stockable Trout Waters	5.0	6.0	6.0-9.0	21
VI	Natural Trout Waters	6.0	7.0	6.0-9.0	20
VII	Swamp Waters	*	*	4.3-9.0*	**

*This classification recognizes that the natural quality of these waters may fall outside of the ranges for D.O. and pH set forth above as water quality criteria; therefore, on a case-by-case basis, criteria for specific Class VII waters can be developed which reflect the natural quality of the waterbody. Virginia Pollutant Discharge Elimination System limitations in Class VII waters shall meet pH of 6.0 - 9.0.

**Maximum temperature will be the same as that for Classes I through VI waters as appropriate.

***The water quality criteria in this section do not apply below the lowest flow averaged arithmetic mean over a period of seven consecutive days that can be statistically expected to occur once every 10 climatic years (a climatic year begins April 1 and ends March 31.)

****See 9 VAC 25-260-55 for implementation of these criteria in waters naturally low in dissolved oxygen.

***** For a thermally stratified man-made lake or reservoir in Class III, IV, V or VI waters that are listed in 9 VAC 25-260-187, these dissolved oxygen criteria apply only to the epilimnion in the lacustrine portion of the water body. When these waters are not stratified, the dissolved oxygen criteria apply throughout the water column.

PART II

STANDARDS WITH MORE SPECIFIC APPLICATION

<u>9 VAC 25-260-187. Criteria for man-made lakes and reservoirs to protect aquatic life and recreational designated uses</u> from the impacts of nutrients.

PAGE 4 OF 78

A. [The list of man-made lakes and reservoirs in Section B are those waters previously monitored or planned for monitoring by the Department. The criteria in Section B apply to the man-made lakes and reservoirs listed in that section.] Additional man-made lakes and reservoirs [will may] be added as new reservoirs are constructed or monitoring data become available from outside groups or future agency monitoring.

B. Whether or not algicide treatments are used, the chlorophyll *a* criteria apply to all waters on the list. The total phosphorus criteria apply only if a specific man-made lake or reservoir received algicide treatment during the monitoring and assessment period of April 1 through October 31,

The 90th percentile of the chlorophyll *a* data collected at one meter or less within the lacustrine portion of the man-made lake or reservoir between April 1 and October 31[-in any given year] shall not exceed the chlorophyll *a* criterion for that water body [for two consecutive assessments in each of the two most recent monitoring years that chlorophyll *a* data are available]. [The For a water body that received algicide treatment, the] median of the total phosphorus data collected at one meter or less within the lacustrine portion of the man-made lake or reservoir between April 1 and October 31[-in any given year] shall not exceed the total phosphorus criterion [for two consecutive assessments for a water body that received algicide treatment, the] median of the total phosphorus data collected at one meter or less within the lacustrine portion of the man-made lake or reservoir between April 1 and October 31[-in any given year] shall not exceed the total phosphorus criterion [for two consecutive assessments for a water body that received algicide treatment in each of the two most recent monitoring years that total phosphorus data are available]. Monitoring data used for assessment shall be from sampling location(s) within the lacustrine portion where observations are evenly distributed over the seven months from April 1 through October 31 and are in locations that are representative, either individually or collectively, of the condition of the man-made lake or reservoir.

			<u>Total</u>
Man-made Lake or Reservoir		Chlorophyll a	Phosphorus
Name	Location	<u>(µg/L)</u>	<u>(µg/L)</u>
Able Lake	Stafford County	<u>35</u>	<u>40</u>
Airfield Pond	Sussex County	<u>35</u>	<u>40</u>
Amelia Lake	Amelia County	<u>35</u>	<u>40</u>
Aquia Reservoir			
(Smith Lake)	Stafford County	<u>35</u>	<u>40</u>
Bark Camp Lake (Corder	Scott County		<u>40</u>

Bottom Lake, Lee/Scott/Wise		<u>35</u>	
Lake)			
	Albemarle		
Beaver Creek Reservoir	<u>County</u>	<u>35</u>	<u>40</u>
Beaverdam Creek Reservoir			
(Beaverdam Reservoir)	Bedford County	<u>35</u>	<u>40</u>
Beaverdam Reservoir	Loudoun County	<u>35</u>	<u>40</u>
Bedford Reservoir			
(Stony Creek Reservoir)	Bedford County	<u>35</u>	<u>40</u>
Big Cherry Lake	Wise County	<u>35</u>	<u>40</u>
	Prince William		
Breckenridge Reservoir	<u>County</u>	<u>35</u>	<u>40</u>
	Prince Edward		
Briery Creek Lake	<u>County</u>	<u>35</u>	<u>40</u>
Brunswick Lake (County	Brunswick		
Pond)	County	<u>35</u>	<u>40</u>
Burke Lake	Fairfax County	<u>[35 60]</u>	<u>40</u>
Carvin Cove Reservoir	Botetourt County	<u>35</u>	<u>40</u>
	<u>Pittsylvania</u>		
Cherrystone Reservoir	<u>County</u>	<u>35</u>	<u>40</u>
	Charles City		
Chickahominy Lake	<u>County</u>	<u>35</u>	<u>40</u>
Claytor Lake	Pulaski County	<u>25</u>	<u>20</u>
Clifton Forge Reservoir			
(Smith Creek Reservoir)	Alleghany County	<u>35</u>	<u>20</u>
Coles Run Reservoir	Augusta County	<u>10</u>	<u>10</u>
Curtis Lake	Stafford County	<u>60</u>	<u>40</u>
Diascund Creek Reservoir	New Kent County	<u>35</u>	<u>40</u>
Douthat Lake	Bath County	<u>25</u>	<u>20</u>

PAGE 6 OF 78

Elkhorn Lake	Augusta County	<u>10</u>	<u>10</u>
Emporia Lake (Meherrin	Greensville		
<u>Reservoir)</u>	County	<u>35</u>	<u>40</u>
Fairystone Lake	Henry County	35	<u>40</u>
	Chesterfield		
Falling Creek Reservoir	<u>County</u>	<u>35</u>	<u>40</u>
	Nottoway/Brunsw		
Fort Pickett Reservoir	ick County	<u>35</u>	<u>40</u>
Gatewood Reservoir	Pulaski County	<u>35</u>	<u>40</u>
	Pittsylvania		
Georges Creek Reservoir	<u>County</u>	<u>35</u>	<u>40</u>
Goose Creek Reservoir	Loudoun County	<u>35</u>	<u>40</u>
Graham Creek Reservoir	Amherst County	35	<u>40</u>
Great Creek Reservoir	Lawrenceville	35	<u>40</u>
	Charles City		
Harrison Lake	<u>County</u>	<u>35</u>	<u>40</u>
Harwood Mills Reservoir	York County	<u>60</u>	<u>40</u>
	Washington		
Hidden Valley Lake	<u>County</u>	35	40
Hogan Lake	Pulaski County	<u>35</u>	<u>40</u>
	Appomattox		
Holiday Lake	County	<u>35</u>	<u>40</u>
Hungry Mother Lake	Smyth County	<u>35</u>	<u>40</u>
	Spotsylvania		
Hunting Run Reservoir	<u>County</u>	<u>35</u>	<u>40</u>
	Dickenson		
J. W. Flannagan Reservoir	<u>County</u>	<u>25</u>	<u>20</u>
Kerr Reservoir, Virginia			
portion	Halifax County	<u>25</u>	<u>30</u>

(Buggs Island Lake)			
Keysville Reservoir	Charlotte County	35	<u>40</u>
	Albemarle		
Lake Albemarle	<u>County</u>	<u>35</u>	<u>40</u>
Lake Anna	Louisa County	<u>25</u>	<u>30</u>
	Isle of Wight		
Lake Burnt Mills	<u>County</u>	<u>60</u>	<u>40</u>
	Chesterfield		
Lake Chesdin	<u>County</u>	<u>35</u>	<u>40</u>
Lake Cohoon	Suffolk City	<u>60</u>	<u>40</u>
Lake Conner	Halifax County	35	<u>40</u>
Lake Frederick	Frederick County	35	<u>40</u>
Lake Gaston, (Virginia	Brunswick		
portion)	<u>County</u>	<u>25</u>	<u>30</u>
	Mecklenburg		
Lake Gordon	<u>County</u>	<u>35</u>	<u>40</u>
Lake Keokee	Lee County	35	<u>40</u>
Lake Kilby	Suffolk City	<u>60</u>	<u>40</u>
	Virginia Beach		
Lake Lawson	<u>City</u>	<u>60</u>	<u>40</u>
	Prince William		
Lake Manassas	<u>County</u>	<u>35</u>	<u>40</u>
Lake Meade	Suffolk City	<u>60</u>	<u>40</u>
Lake Moomaw	Bath County	<u>10</u>	<u>10</u>
Lake Nelson	Nelson County	35	<u>40</u>
Lake Nottoway ((Lee Lake,			
Nottoway Lake)	Nottoway County	<u>35</u>	<u>40</u>
Lake Pelham	Culpeper County	35	<u>40</u>
Lake Prince	Suffolk City	35	<u>40</u>

	Rockbridge		
Lake Robertson	County	<u>35</u>	<u>40</u>
	Virginia Beach		
Lake Smith	<u>City</u>	<u>60</u>	<u>40</u>
Lake Whitehurst	Norfolk City	[25 60]	[20 40]
Lake Wright	Norfolk City	<u>60</u>	<u>40</u>
Laurel Bed Lake	Russell County	<u>35</u>	<u>40</u>
Lee Hall Reservoir (Newport	Newport News		
<u>News Reservoir)</u>	City	<u>60</u>	<u>40</u>
Leesville Reservoir	Bedford County	<u>25</u>	<u>30</u>
	Virginia Beach		
Little Creek Reservoir	City	<u>60</u>	<u>40</u>
	James City		
Little Creek Reservoir	County	<u>25</u>	<u>30</u>
	Montgomery		
Little River Reservoir	County	<u>35</u>	<u>40</u>
Lone Star Lake F (Crystal			
Lake)	Suffolk City	<u>60</u>	<u>40</u>
Lone Star Lake G (Crane			
Lake)	Suffolk City	<u>60</u>	<u>40</u>
Lone Star Lake I (Butler Lake)	Suffolk City	<u>60</u>	<u>40</u>
	Prince William		
Lunga Reservoir	County	<u>35</u>	<u>40</u>
Lunenburg Beach Lake			
(Victoria Lake)	Town of Victoria	<u>35</u>	<u>40</u>
Martinsville Reservoir			
(Beaver Creek Reservoir)	Henry County	<u>35</u>	<u>40</u>
Mill Creek Reservoir	Amherst County	35	<u>40</u>
Modest Creek Reservoir	Town of Victoria	<u>35</u>	<u>40</u>

	<u>Spotsylvania</u>		
Motts Run Reservoir	County	<u>25</u>	<u>30</u>
	Shenandoah		
Mount Jackson Reservoir	<u>County</u>	<u>35</u>	<u>40</u>
Mountain Run Lake	Culpeper County	<u>35</u>	<u>40</u>
	<u>Spotsylvania</u>		
<u>Ni Reservoir</u>	County	<u>35</u>	<u>40</u>
North Fork Pound Reservoir	Wise County	<u>35</u>	<u>40</u>
Northeast Creek Reservoir	Louisa County	35	<u>40</u>
Occoquan Reservoir	Fairfax County	<u>35</u>	<u>40</u>
Pedlar Lake	Amherst County	25	<u>20</u>
Philpott Reservoir	Henry County	<u>25</u>	<u>30</u>
Phelps Creek Reservoir			
(Brookneal Reservoir)	Campbell County	<u>35</u>	<u>40</u>
	Albemarle		
Ragged Mountain Reservoir	<u>County</u>	<u>35</u>	<u>40</u>
Rivanna Reservoir			
(South Fork Rivanna	Albemarle		
<u>Reservoir)</u>	<u>County</u>	<u>35</u>	<u>40</u>
	<u>Pittsylvania</u>		
Roaring Fork	<u>County</u>	<u>35</u>	<u>40</u>
Rural Retreat Lake	Wythe County	35	<u>40</u>
	Prince Edward		
Sandy River Reservoir	<u>County</u>	<u>35</u>	<u>40</u>
	Rockingham		
Shenandoah Lake	<u>County</u>	<u>35</u>	<u>40</u>
	Rockingham		
Silver Lake	<u>County</u>	<u>35</u>	<u>40</u>
Smith Mountain Lake	Bedford County	<u>25</u>	<u>30</u>

	Washington		
South Holston Reservoir	<u>County</u>	<u>25</u>	<u>20</u>
Speights Run Lake	Suffolk City	<u>60</u>	<u>40</u>
Spring Hollow Reservoir	Roanoke County	<u>25</u>	<u>20</u>
Staunton Dam Lake	Augusta County	35	<u>40</u>
Stonehouse Creek Reservoir	Amherst County	<u>60</u>	<u>40</u>
	<u>Shenandoah</u>		
Strasburg Reservoir	County	<u>35</u>	<u>40</u>
Stumpy Lake	Virginia Beach	<u>60</u>	<u>40</u>
	Albemarle		
Sugar Hollow Reservoir	County	<u>25</u>	<u>20</u>
	<u>Chesterfield</u>		
Swift Creek Reservoir	<u>County</u>	<u>35</u>	<u>40</u>
	Rockingham		
Switzer Lake	County	<u>10</u>	<u>10</u>
Talbott Reservoir	Patrick County	35	<u>40</u>
Thrashers Creek Reservoir	Amherst County	35	<u>40</u>
	Albemarle		
Totier Creek Reservoir	County	<u>35</u>	<u>40</u>
Townes Reservoir	Patrick County	<u>25</u>	<u>20</u>
	Buckingham		
Troublesome Creek Reservoir	County	<u>35</u>	<u>40</u>
Waller Mill Reservoir	York County	<u>25</u>	<u>30</u>
Western Branch Reservoir	Suffolk City	25	<u>20</u>
Wise Reservoir	Wise County	<u>25</u>	<u>20</u>

[C. When the board determines that the applicable criteria in Section B for a specific man-made lake or reservoir are exceeded, the board shall consult with the Department of Game and Inland Fisheries regarding the status of the fishery in

PAGE 11 OF 78

determining whether or not the designated use for that water body is being attained. If the designated use of the subject water body is not being attained, the board shall assess the water body as impaired in accordance with § 62.1-44.19.5 of the Code of Virginia. If the designated use is being attained, the board shall assess the water body as impaired in accordance with § 62.1-44.19.5 of the Code of Virginia until site-specific criteria are adopted and become effective for that water body.]

[CD]. If the nutrient criteria specified for a man-made lake or reservoir in subsection B do not provide for the attainment and maintenance of the water quality standards of downstream waters as required in 9 VAC 25-260-10.C, the nutrient criteria herein may be modified on a site-specific basis to protect the water quality standards of downstream waters.

9 VAC 25-260-310. Special standards and requirements.

The special standards are shown in small letters to correspond to lettering in the basin tables. The special standards are as follows:

a. Shellfish waters. In all open ocean or estuarine waters capable of propagating shellfish or in specific areas where public or leased private shellfish beds are present, including those waters on which condemnation or restriction classifications are established by the State Department of Health, the following criteria for fecal coliform bacteria will apply:

The geometric mean fecal coliform value for a sampling station shall not exceed an MPN (most probable number) of 14 per 100 milliliters. The 90th percentile shall not exceed an MPN of 43 for a 5-tube, 3-dilution test or 49 for a 3-tube, 3-dilution test.

The shellfish area is not to be so contaminated by radionuclides, pesticides, herbicides, or fecal material that the consumption of shellfish might be hazardous.

b. Policy for the Potomac Embayments. At its meeting on September 12, 1996, the board adopted a policy (9 VAC 25-415, Policy for the Potomac Embayments) to control point source discharges of conventional pollutants into the Virginia embayment waters of the Potomac River, and their tributaries, from the fall line at Chain Bridge in Arlington County to the Route 301 bridge in King George County. The policy sets effluent limits for BOD₅, total suspended solids, phosphorus, and ammonia, to protect the water quality of these high profile waterbodies.

c. Cancelled.

d. Cancelled.

PAGE 12 OF 78

e. Cancelled.

f. Cancelled.

g. Occoquan watershed policy. At its meeting on July 26, 1971 (Minute 10), the board adopted a comprehensive pollution abatement and water quality management policy for the Occoquan watershed. The policy set stringent treatment and discharge requirements in order to improve and protect water quality, particularly since the waters are an important water supply for Northern Virginia. Following a public hearing on November 20, 1980, the board, at its December 10-12, 1980, meeting, adopted as of February 1, 1981, revisions to this policy (Minute 20.) These revisions became effective March 4, 1981. Additional amendments were made following a public hearing on August 22, 1990, and adopted by the board at its September 24, 1990, meeting (Minute 24) and became effective on December 5, 1990. Copies are available upon request from the Department of Environmental Quality.

- h. Cancelled.
- i. Cancelled.
- j. Cancelled.
- k. Cancelled.
- I. Cancelled.

m. The following effluent limitations apply to wastewater treatment facilities in the entire Chickahominy watershed above Walker's Dam (this excludes effluents consisting solely of stormwater):

CONSTITUENT	CONCENTRATION
1. Biochemical Oxygen	6.0 mg/l monthly average, with not more than
demand 5-day at 20	5% of individual samples to exceed 8.0 mg/l
2. Settleable Solids	Not to exceed 0.1 ml/l
3. Suspended Solids	5.0 mg/l monthly average, with not more than
	5% of individual samples to exceed 7.5 mg/l
4. Ammonia Nitrogen	5% of individual samples to exceed 7.5 mg/l Not to exceed 2.0 mg/l as N

PAGE 13 OF 78

discharges with the exception of Tyson Foods, Inc. which shall meet 0.3 mg/l monthly average and 0.5 mg/l daily maximum.

6. Other Physical and	Other physical or chemical constituents not
Chemical Constituents	specifically mentioned will be covered by
	additional specifications as conditions
	detrimental to the stream arise. The specific
	mention of items 1 through 5 does not
	necessarily mean that the addition of other
	physical or chemical constituents will be
	condoned.

n. No sewage discharges, regardless of degree of treatment, should be allowed into the James River between Bosher and Williams Island Dams.

o. The concentration and total amount of impurities in Tuckahoe Creek and its tributaries of sewage origin shall be limited to those amounts from sewage, industrial wastes, and other wastes which are now present in the stream from natural sources and from existing discharges in the watershed.

p. Cancelled.

q. Cancelled.

r. Cancelled.

s. Chlorides not to exceed 40 mg/l at any time.

t. Cancelled.

u. Maximum temperature for the New River Basin from West Virginia state line upstream to the Giles - Montgomery County line:

The maximum temperature shall be 27°C (81°F) unless caused by natural conditions; the maximum rise above natural temperatures shall not exceed 2.8°C (5°F.)

This maximum temperature limit of 81°F was established in the 1970 water quality standards amendments so that Virginia temperature criteria for the New River would be consistent with those of West Virginia, since the stream flows into that state.

v. The maximum temperature of the New River and its tributaries except trout waters from the Montgomery-Giles County


PAGE 14 OF 78

line upstream to the Virginia-North Carolina state line shall be 29°C 84°F.

w. Cancelled.

x. Clinch River from the confluence of Dumps Creek at river mile 268 at Carbo downstream to river mile 255.4. The special water quality criteria for copper (measured as total recoverable) in this section of the Clinch River are 12.4 g/l for protection from chronic effects and 19.5 g/l for protection from acute effects. These site-specific criteria are needed to provide protection to several endangered species of freshwater mussels.

y. Tidal freshwater Potomac River and tributaries that enter the tidal freshwater Potomac River from Cockpit Point (below Occoquan Bay) to the fall line at Chain Bridge. During November 1 through February 14 of each year the thirty-day average concentration of total ammonia nitrogen (in mg N/L) shall not exceed, more than once every three years on the average the following chronic ammonia criterion:



MAX = temperature in °C or 7, whichever is greater.

The default design flow for calculating steady state waste load allocations for this chronic ammonia criterion is the 30Q10, unless statistically valid methods are employed which demonstrate compliance with the duration and return frequency of this water quality criterion.

z. A site specific dissolved copper aquatic life criterion of 16.3 g/l for protection from acute effects and 10.5 g/l for protection from chronic effects applies in the following area:

Little Creek to the Route 60 (Shore Drive) bridge including Little Channel, Desert Cove, Fishermans Cove and Little Creek Cove.

Hampton Roads Harbor including the waters within the boundary lines formed by I-664 (Monitor-Merrimac Bridge Tunnel) and I-64 (Hampton Roads Bridge Tunnel), Willoughby Bay and the Elizabeth River and its tidal tributaries.

This criterion reflects the acute and chronic copper aquatic life criterion for saltwater in 9 VAC 25-260-140.B X a water effect ratio. The water effect ratio was derived in accordance with 9 VAC 25-260-140 F.

aa. Reserved.

bb. Reserved.

cc. For Mountain Lake in Giles County, chlorophyll *a* shall not exceed 6 µg/L at a depth of 6 meters and orthophosphate-P shall not exceed 8 µg/L at a depth of one meter or less.

<u>dd.</u> For Lake Drummond, located within the boundaries of Chesapeake and Suffolk in the Great Dismal Swamp, <u>chlorophyll *a* shall not exceed 35 µg/L and total phosphorus shall not exceed 40 µg/L at a depth of one meter or less.</u>

PART VIII

NUTRIENT ENRICHED WATERS

9 VAC 25-260-350. Designation of nutrient enriched waters.

The following state waters are hereby designated as "nutrient enriched waters":

1. [Smith Mountain Lake and all tributaries[±] of the impoundment upstream to their headwaters; <u>Smith Mountain Lake</u> and all tributaries[±] of the impoundment upstream to their headwaters; (Repealed)]

2. [Lake Chesdin from its dam upstream to where the Route 360 bridge (Goodes Bridge) crosses the Appomattox River, including all tributaries to their headwaters that enter between the dam and the Route 360 bridge Lake Chesdin from its dam upstream to where the Route 360 bridge (Goodes Bridge) crosses the Appomattox River, including all tributaries to their headwaters that enter between the dam and the Route 360 bridge; (Repealed).]

3. [South Fork Rivanna Reservoir and all tributaries of the impoundment upstream to their headwaters; South Fork Rivanna Reservoir and all tributaries of the impoundment upstream to their headwaters; (Repealed).]

4. [New River and its tributaries, except Peak Creek above Interstate 81, from Claytor Dam upstream to Big Reed Island Creek (Claytor Lake.); New River and its tributaries, except Peak Creek above Interstate 81, from Claytor Dam upstream to Big Reed Island Creek (Claytor Lake.); (Repealed).]

5. Peak Creek from its headwaters to its mouth (confluence with Claytor Lake), including all tributaries^{*} to their headwaters.

* When the word "tributaries" is used in this standard, it does not refer to the mainstem of the water body that has been named.

- 6. (Repealed.)
- 7. (Repealed.)
- 8. (Repealed.)
- 9. (Repealed.)
- 10. (Repealed.)

11. (Repealed.)

- 12. (Repealed.)
- 13. (Repealed.)
- 14. (Repealed.)
- 15. (Repealed.)
- 16. (Repealed.)
- 17. (Repealed.)
- 18. (Repealed.)
- 19. (Repealed.)
- 20. (Repealed.)

21. Tidal freshwater Blackwater River from the Norfolk and Western railway bridge at Burdette, Virginia, and tidal freshwater Nottoway River from the Norfolk and Western railway bridge at Courtland, Virginia, to the state line, including all tributaries to their headwaters that enter the tidal freshwater portions of the Blackwater River and the Nottoway River.

22. Stony Creek from its confluence with the North Fork Shenandoah River to its headwaters including all named and unnamed tributaries to their headwaters.

B. Whenever any water body is designated as "nutrient enriched waters, the board shall modify the VPDES permits of point source dischargers into the "nutrient enriched waters" as provided in the board's Policy for Nutrient Enriched Waters (9 VAC 25-40-10 et seq.).

PAGE 17 OF 78

9 VAC 25-260-415. Appomattox River Basin.

SEC.	CLASS	SP. STDS.	SECTION DESCRIPTION
5	II	NEW-18	Appomattox River and its tidal tributaries from its confluence with the James River to the end of tidal waters.
5a	II	PWS, NEW- 18	Appomattox River and its tidal tributaries from its mouth to 5 miles upstream of the Virginia-American Water Company's raw water intake.
5b	111	PWS, NEW- 18	Free flowing tributaries to section 2a.
5c	111	[NEW-2-<u>NEW-</u> 2]	Appomattox River from the head of tidal waters, and free flowing tributaries to the Appomattox River, to their headwaters, unless otherwise designated in this chapter.
5d	III		Swift Creek and its tributaries from the dam at Pocahontas State Park upstream to Chesterfield County's raw water impoundment dam.
5e	111	PWS	Swift Creek and its tributaries from Chesterfield County's raw water impoundment dam to points 5 miles upstream.
5f	111	PWS,[NEW-2 <u>NEW-2</u>]	Appomattox River and its tributaries from Appomattox River Water Authority's raw water intake located at the dam at Lake Chesdin to the headwaters of the lake.
50	ш	PW/S	The Appomattox River and its tributaries from Farmville's raw

5g III PWS The Appomattox River and its tributaries from Farmville's raw

water intake (approximately 2.5 miles above the Route 15/45)

bridge to points 5 miles upstream.

PAGE 19 OF 78

9 VAC 25-260-420. James River Basin (Middle.)

SEC.	CLASS	SP. STDS.	SECTION DESCRIPTION
6	Ш		James River and its tributaries from the fall line at
			Richmond (Mayo's Bridge, 14 th Street) to the Rockfish
			River unless otherwise designated in this chapter.
7	111		Free flowing tributaries to the James River from Brandon
		NEW-18	to the fall line at Richmond, unless otherwise designated
			in this chapter.
7a			(Deleted)
8	Ш		James River and its tributaries from the low water dam
			above 14th Street Bridge to Richmond's raw water intake
			at Williams Island Dam.
9	Ш	PWS,n	James River and its tributaries, unless otherwise
			designated in this chapter, from Richmond's raw water
			intake at Douglasdale Road, inclusive of the Williams
			Island Dam intake, the Henrico County raw water intake
			(at latitude 37 33'32"; longitude 77 37'16") and the
			Benedictine Society's raw water intake (latitude
			37 34'33"; longitude 77 40'39") to river mile 127.26 (at
			latitude 37 35'24"; longitude 77 42'33") near public
			landing site
9a	III	PWS,o	Tuckahoe Creek and its tributaries from its confluence
			with the James River to its headwaters.

PAGE 20 OF 78

25 200 111			
10	III	[NEW-3- <u>NEW-</u>	James River and its tributaries from a point at latitude
		<u>3]</u>	$37^{\circ}40'32"$; longitude $77^{\circ}54'09"$ to, and including the
			Rockfish River, unless otherwise designated in this
			chapter.
	V		Stockable Trout Waters in Section 10
	vii		Lynch River from the upper Route 810 crossing near the
			intersection of Route 628 2.9 miles upstream (to Ivy
			Creek.)
	***		Rockfish Creek from its confluence with the South Fork
			Rockfish River to its headwaters.
	VI		Natural Trout Waters in Section 10
	ii		Doyles River from 6.4 miles above its confluence with
			Moormans River above Browns Cove at Route 629
			including all named and unnamed tributaries.
	iii		Fork Hollow from its confluence with Ivy Creek upstream
			including all named and unnamed tributaries.
	iii		Ivy Creek (Greene County) from its confluence with the
			Lynch River upstream including all named and unnamed
			tributaries.
	ii		Jones Falls Run from its confluence with Doyles River
			upstream including all named and unnamed tributaries.

ii

PAGE 21 OF 78

Little Stony Creek (Nelson County) from its confluence with Stony Creek upstream including all named and unnamed tributaries.

iv Mill Creek (Nelson County) from its confluence with Goodwin Creek upstream including all named and unnamed tributaries.

ii Mutton Hollow from its confluence with Swift Run upstream including all named and unnamed tributaries.

iv Pauls Creek (Nelson County) from 1.3 miles above its confluence with the North Fork Rockfish River upstream including all named and unnamed tributaries.

iv Rodes Creek from its confluence with Goodwin Creek upstream including all named and unnamed tributaries.

ii South Fork Rockfish River from 8 miles above its confluence with the Rockfish River upstream including all named and unnamed tributaries.

ii Spruce Creek (Nelson County) from 1.5 miles above its confluence with the South Fork Rockfish River upstream including all named and unnamed tributaries.

ii Stony Creek (Nelson County) from 1 mile above its confluence with the South Fork Rockfish River upstream

PAGE 22 OF 78

including all named and unnamed tributaries.

ii Swift Run from 14.5 miles above its confluence with the North Fork Rivanna River upstream including all named and unnamed tributaries.

10a	111	PWS	James River at river mile 127.26 near the public landing
			site and its tributaries from, and including, Little River to 5
			miles above State Farm's raw water intake, including
			Beaverdam and Courthouse Creeks, to their headwaters.

10b (Deleted.)

- 10c
 III
 Willis River and its tributaries within Cumberland State

 Forest.
- 10d
 III
 PWS
 Johnson Creek above the Schuyler (Nelson County

 Service Authority) raw water intake to its headwaters.
- 10e
 III
 PWS
 Totier Creek and its tributaries from the Scottsville

 (Rivanna Water and Sewer Authority) raw water intake to their headwaters (including the Reservoir.)
- 10f
 III
 Powell Creek and its tributaries from its confluence with the Rivanna River upstream to their headwaters.
- 10g
 III
 PWS,[NEW-3]
 Beaver Creek and its tributaries from the Crozet (Rivanna

 NEW-3]
 Water and Sewer Authority) raw water intake upstream to their headwaters (including the reservoir.)

PAGE 23 OF 78

10h	III	PWS,[NEW-3 <u>NEW-3]</u>	Mechums River and its tributaries from the Rivanna Water and Sewer Authority's raw water intake to points 5 miles upstream.
10i	Ш	PWS,[NEW-3 <u>NEW-3]</u>	Moormans River and its tributaries from the Rivanna Water and Sewer Authority's raw water intake to points 5 miles upstream (including Sugar Hollow Reservoir.)
	VI		Natural Trout Waters in Section 10i
	ii		North Fork Moormans River from its confluence with Moormans River upstream including all named and unnamed tributaries.
	ii		Pond Ridge Branch from its confluence with the North Fork Moormans River upstream including all named and unnamed tributaries.
	iii		South Fork Moormans River from its confluence with Moormans River upstream including all named and unnamed tributaries.
10j	III	PWS,[NEW-3 <u>NEW-3]</u>	South Fork Rivanna River and its tributaries to their headwaters; except Ivy Creek, from the Rivanna Water and Sewer Authority's South Fork Rivanna River Dam to its confluence with the Moormans River, and Ivy Creek to a point 5 miles above the dam.

PAGE 24 OF 78

10k	Ш	PWS	James River and its tributaries from Fork Union Sanitary
			District's raw water intake (just below the Route 15 bridge)
			to points 5 miles upstream, including the Slate River to a
			point 5 miles above the intake.
101	III		Lake Monticello in Fluvanna County.
10m	III	PWS	Rivanna River and its tributaries from the raw water intake
			for Lake Monticello (about 2.76 miles above the Route 600
			bridge in Fluvanna County) to points 5 miles upstream.
10n	111	PWS	Ragged Mountain Reservoir (intake for the Rivanna Water
			and Sewer Authority) including its tributaries to their
			headwaters.
10o	III	PWS	The North Fork Rivanna River and its tributaries from the
			Rivanna Water and Sewer Authority's raw water intake
			(approximately 1/4 mile upstream of the U.S. Route 29
			bridge north of Charlottesville) to points 5 miles upstream.
10p	III	PWS	Troublesome Creek in Buckingham County from
			Buckingham County's raw water intake point at a flood
			control dam south of the Route 631 bridge to a point 5
			miles upstream.
10q	III	PWS	Allen Creek and its tributaries from the Wintergreen
			Mountain Village's primary raw water intake at Lake
			Monocan [at latitude 37 54'15"; longitude 78 52'10" to a
			point upstream at latitude 37 53'59"; longitude

PAGE 25 OF 78

78 53'14".

10r	Ш	PWS	Stony Creek from the diversion structure at latitude
			37 54'00"; longitude 78 53'47" to its headwaters
			inclusive of the Stony Creek raw water intake just
			upstream of the Peggy's Pinch booster pump station.
10s	111	PWS	Mechunk Creek and its tributaries from the Department of
			Corrections raw water intake (at the US Route 250 bridge
			37 58'57.6", 78 18'48.1") to points 5 miles upstream.

PAGE 26 OF 78

9 VAC 25-260-450. Roanoke River Basin (Roanoke River Subbasin).

Roanoke River Subbasin

SEC.	CLASS	SP. STDS.	SECTION DESCRIPTION
1	Ш	PWS	Lake Gaston and the John Kerr Reservoir in Virginia
			and their tributaries in Virginia, unless otherwise
			designated in this chapter (not including the Roanoke
			or the Dan Rivers.) The Roanoke River Service
			Authority's water supply intake is in this section.
1a	III	S	Dockery Creek and its tributaries to their headwaters.
2	III		Dan River and its tributaries from the John Kerr
			Reservoir to the Virginia-North Carolina state line just
			east of the Pittsylvania-Halifax County line, unless
			otherwise designated in this chapter.
2a		PWS	Dan River from South Boston's raw water intake
			upstream to Paces (below Route 658 bridge.)
2b		PWS	Banister River and its tributaries from Burlington
			Industries' inactive raw water intake (about 2000 feet
			downstream of Route 360) inclusive of the Town of
			Halifax intake at the Banister Lake dam upstream to
			the Pittsylvania/Halifax County Line (designation for
			main stem and tributaries ends at the county line.)

(Deleted)

2c

PAGE 27 OF 78

2d	III	PWS	Cherrystone Creek from Chatham's raw water intake upstream to its headwaters.
2e	III	PWS	Georges Creek from Gretna's raw water intake upstream to its headwaters.
2f	III	PWS	Banister River and its tributaries from point below its confluence with Bearskin Creek (at latitude 36 46'15"; longitude 79 27'08") just east of Route 703, upstream to their headwaters.
2g	III	PWS	Whitethorn Creek and its tributaries from its confluence with Georges Creek upstream to their headwaters.
3	III		Dan River and its tributaries from the Virginia-North Carolina state line just east of the Pittsylvania-Halifax County line upstream to the state line just east of Draper, N. C., unless otherwise designated in this chapter.
3a	III	PWS	Dan River from the Schoolfield Dam including the City of Danville's main water intake located just upstream of the Schoolfield Dam, upstream to the Virginia-North Carolina state line.
3b	IV	PWS	Cascade Creek and its tributaries.
3с	IV	PWS	Smith River and its tributaries from the Virginia-North Carolina state line to, but not including, Home Creek.

PAGE 28 OF 78

3d	VI	PWS	Smith River from DuPont's (inactive) raw water intake
			upstream to the Philpott Dam, unless otherwise
			designated in this chapter.
	VI	PWS	Natural Trout Waters in Section 3d
	ii		Smith River from DuPont's (inactive) raw water intake
			upstream to the Philpott Dam, unless otherwise
			designated in this chapter.
3e	IV		Philpott Reservoir, Fairystone Lake and their
			tributaries.
	V		Stockable Trout Waters in Section 3e
	V		Otter Creek from its confluence with Rennet Bag Creek
			(Philpott Reservoir) to its headwaters.
	V		Smith River (Philpott Reservoir portion) from the
			Philpott Dam (river mile 46.80) to river mile 61.14, just
			above the confluence with Small Creek.
	V		Rennet Bag Creek from its confluence with the Smith
			River to the confluence of Long Branch Creek.
	VI		Natural Trout Waters in Section 3e
	ii		Brogan Branch from its confluence with Rennet Bag

Creek upstream including all named and unnamed tributaries.

ii Rennet Bag Creek from the confluence of Long Branch Creek upstream including all named and unnamed tributaries.

- ii Roaring Run from its confluence with Rennet Bag Creek upstream including all named and unnamed tributaries.
- 3f
 IV
 PWS
 North Mayo River and South Mayo River and their

 tributaries from the Virginia-North Carolina state line to points 5 miles upstream.
- 3g
 IV
 Interstate streams in the Dan River watershed above

 the point where the Dan crosses the Virginia-North
 Carolina state line just east of Draper, N. C., (including the Mayo and the Smith watersheds), unless otherwise designated in this chapter.
 - V Stockable Trout Waters in Section 3g
 - vi Dan River from the Virginia-North Carolina state line upstream to the Pinnacles Power House.
 - Little Dan River from its confluence with the Dan River 7.8 miles upstream.

V	Smith River from river mile 61.14 just below the confluence of Small Creek, to Route 704(river mile 69.20.)
VI	Natural Trout Waters in Section 3g
ii	Dan River from Pinnacles Power House to Townes Dam.
ii	Dan River from headwaters of Townes Reservoir to Talbott Dam.
iii	Little Dan River from 7.8 miles above its confluence with the Dan River upstream including all named and unnamed tributaries.
i	North Prong of the North Fork Smith River from its confluence with the North Fork Smith River upstream including all named and unnamed tributaries.
ii	North Fork Smith River from its confluence with the Smith River upstream including all named and unnamed tributaries.
iii	Smith River from Route 704 (river mile 69.20) to Route 8 (river mile 77.55.)
ii	Smith River from Route 8 (approximate river mile 77.55) upstream including all named and unnamed

PAGE 31 OF 78

tributaries.

	ii		South Mayo River from river mile 38.8 upstream including all named and unnamed tributaries.
3h	IV	PWS	South Mayo River and its tributaries from the Town of Stuart's raw water intake 0.4 mile upstream of its confluence with the North Fork Mayo River to points 5 miles upstream.
	VI		Natural Trout Waters in Section 3h
	iii		Brushy Fork from its confluence with the South Mayo River upstream including all named and unnamed tributaries.
	iii		Lily Cove Branch from its confluence with Rye Cove Creek upstream including all named and unnamed tributaries.
	iii		Rye Cove Creek from its confluence with the South Mayo River upstream including all named and unnamed tributaries.
	iii		South Mayo River from river mile 33.8 upstream including all named and unnamed tributaries.
Зі	IV	PWS	Hale Creek and its tributaries from the Fairy Stone State Park's raw water intake 1.7 miles from its

confluence with Fairy Stone Lake upstream to its headwaters.

Зј	VI	PWS	Smith River and its tributaries from the Henry County
			Public Service Authority's raw water intake about 0.2
			mile upstream of its confluence with Town Creek to
			points 5 miles upstream.

4 III Intrastate tributaries to the Dan River above the Virginia-North Carolina state line just east of Draper, North Carolina, to their headwaters, unless otherwise designated in this chapter.

V Stockable Trout Waters in Section 4

- vi Browns Dan River from the intersection of Routes 647 and 646 to its headwaters.
- vi Little Spencer Creek from its confluence with Spencer Creek to its headwaters.
- vi Poorhouse Creek from its confluence with North Fork South Mayo River upstream to Route 817.
- *** Rock Castle Creek from its confluence with the Smith River upstream to Route 40.
- VI Natural Trout Waters in Section 4

PAGE 33 OF 78

	INDO
ii	Barnard Creek from its confluence with the Dan River
	upstream including all named and unnamed tributaries.
ii	Big Cherry Creek from its confluence with Ivy Creek
	upstream including all named and unnamed tributaries.
iii	Camp Branch from its confluence with Ivy Creek
111	
	upstream including all named and unnamed tributaries.
iii	Haunted Branch from its confluence with Barnard
	Creek upstream including all named and unnamed
	tributaries.
ii	Hookers Creek from its confluence with the Little Dan
	River upstream including all named and unnamed
	tributaries.
iii	Ivy Creek from Coleman's Mill Pond upstream to Route
	58 (approximately 2.5 miles.)
iii	Ivy Creek from its confluence with the Dan River
	upstream including all named and unnamed tributaries.
iii	Little Ivy Creek from its confluence with Ivy Creek
	upstream including all named and unnamed tributaries.
iii	Little Rock Castle Creek from its confluence with Rock
	Castle Creek upstream including all named and
	unnamed tributaries.

PAGE 34 OF 78

ii Maple Swamp Branch from its confluence with Round Meadow Creek upstream including all named and unnamed tributaries. iii Mayberry Creek from its confluence with Round Meadow Creek upstream including all named and unnamed tributaries. ii Mill Creek from its confluence with the Dan River upstream including all named and unnamed tributaries. iii North Fork South Mayo River from its confluence with the South Mayo River upstream including all named and unnamed tributaries. vi** Patrick Springs Branch from its confluence with Laurel Branch upstream including all named and unnamed tributaries. iii Polebridge Creek from Route 692 upstream including all named and unnamed tributaries. ii Poorhouse Creek from Route 817 upstream including all named and unnamed tributaries. ii Rhody Creek from its confluence with the South Mayo River upstream including all named and unnamed tributaries.

PAGE 35 OF 78

iii	Rich Creek from Route 58 upstream including all named and unnamed tributaries.
ii	Roaring Creek from its confluence with the Dan River upstream including all named and unnamed tributaries.
i	Rock Castle Creek from Route 40 upstream including all named and unnamed tributaries.
iii	Round Meadow Creek from its confluence with the Dan River upstream including all named and unnamed tributaries.
ii	Sawpit Branch from its confluence with Round Meadow Creek upstream including all named and unnamed tributaries.
ii	Shooting Creek from its confluence with the Smith River upstream including all named and unnamed tributaries.
vi**	Spencer Creek from Route 692 upstream including all named and unnamed tributaries.
iii	Squall Creek from its confluence with the Dan River upstream including all named and unnamed tributaries.
ii	Tuggle Creek from its confluence with the Dan River

PAGE 36 OF 78

upstream including all named and unnamed tributaries.

- ii Widgeon Creek from its confluence with the Smith River upstream including all named and unnamed tributaries.
- 4a
 III
 PWS
 Intrastate tributaries (includes Beaver Creek, Little

 Beaver Creek, and Jones Creek, for the City of
 Martinsville) to the Smith River from DuPont's (inactive)

 raw water intake to points 5 miles upstream from
 Fieldcrest Cannon's raw water intake.
- 4b III PWS Marrowbone Creek and its tributaries from the Henry County Public Service Authority's raw water intake (about 1/4 mile upstream from Route 220) to their headwaters.
- 4c III PWS Leatherwood Creek and its tributaries from the Henry County Public Service Authority's raw water intake 8 miles upstream of its confluence with the Smith River to points 5 miles upstream.
- 5 IV PWS Roanoke Staunton River from the headwaters of the John Kerr Reservoir to Leesville Dam unless otherwise designated in this chapter.
- 5a
 III
 Tributaries to the Roanoke Staunton River from the

 PWS
 headwaters of the John Kerr Reservoir to Leesville

 Dam, unless otherwise designated in this chapter.

PAGE 37 OF 78

	V		Stockable Trout Waters in Section 5a
	vi		Day Creek from Route 741 to its headwaters.
	VI		Natural Trout Waters in Section 5a
	iii		Gunstock Creek from its confluence with Overstreet Creek upstream including all named and unnamed tributaries.
	ii		Overstreet Creek from its confluence with North Otter Creek upstream including all named and unnamed tributaries.
5b	III	PWS	Spring Creek from Keysville's raw water intake upstream to its headwaters.
5c	III	PWS	Falling River and its tributaries from a point just upstream from State Route 40 (the raw water source for Dan River, Inc.) to points 5 miles upstream and including the entire Phelps Creek watershed which contains the Brookneal Reservoir.
5d	III		Falling River and its tributaries from 5 miles above Dan River, Inc. raw water intake to its headwaters.
5e	111	PWS	Reed Creek from Altavista's raw water intake upstream to its headwaters.

PAGE 38 OF 78

5f	111	PWS	Big Otter River and its tributaries from Bedford's raw water intake to points 5 miles upstream, and Stony Creek and Little Stony Creek upstream to their headwaters.
	VI	PWS	Natural Trout Waters in Section 5f
	ii		Little Stony Creek from 1 mile above its confluence with Stony Creek upstream including all named and unnamed tributaries.
	ii		Stony Creek from the Bedford Reservoir upstream including all named and unnamed tributaries.
5g	III		Big Otter River and its tributaries from 5 miles above Bedford's raw water intake upstream to their headwaters.
5h	Ш		Ash Camp Creek and that portion of Little Roanoke Creek from its confluence with Ash Camp Creek to the Route 47 bridge.
5i	111	PWS	The Roanoke River and its tributaries from the Town of Altavista's raw water intake, 0.1 mile upstream from the confluence of Sycamore Creek, to points 5 miles upstream.
5j	111	PWS	Big Otter River and its tributaries from the Campbell

vi

vi

PAGE 39 OF 78

County Utilities and Service Authority's raw water intake to points 5 miles upstream.

6	IV	pH-6.5-9.5	Roanoke River from a point at latitude 37 15'53";
			longitude 79 54'00" 5 miles above the headwaters of
			Smith Mountain Lake upstream to Salem's #1 raw
			water intake.

V pH-6.5-9.5 Stockable Trout Waters in Section 6

Roanoke River from its junction from Routes 11 and 419 to Salem's #1 raw water intake.

6a III [NEW-1_NEW-1] Tributaries of the Roanoke River from Leesville Dam to Niagra Reservoir, unless otherwise designated in this chapter.

V Stockable Trout Waters in Section 6a

Gourd Creek from 1.3 miles above its confluence with Snow Creek to its headwaters.

vi Maggodee Creek from Boones Mill upstream to Route 862 (approximately 3.8 miles.)

vii South Fork Blackwater River form its confluence with the Blackwater River upstream to Roaring Run.

South Prong Pigg River from its confluence with the

PAGE 40 OF 78

Pigg River to its headwaters.

	VI		Natural Trout Waters in Section 6a
	iii		Daniels Branch from its confluence with the South Fork Blackwater River upstream including all named and unnamed tributaries.
	ii		Green Creek from Roaring Run upstream including all named and unnamed tributaries.
	ii		Pigg River from 1 mile above the confluence of the South Prong Pigg River upstream including all named and unnamed tributaries.
	ii		Roaring Run from its confluence with the South Fork Blackwater River upstream including all named and unnamed tributaries.
6b			(Deleted)
6c	111	PWS	Falling Creek Reservoir and Beaverdam Reservoir.
6d	IV		Tributaries of the Roanoke River from Niagra Reservoir to Salem's #1 raw water intake, unless otherwise designated in this chapter.
	V		Stockable Trout Waters in Section 6d

PAGE 41 OF 78

	vii		Tinker Creek from its confluence with the Roanoke River north to Routes 11 and 220.
	VI		Natural Trout Waters in Section 6d
	iii		Glade Creek from its junction with Route 633 to the Bedford County line.
6e	IV	PWS	Carvin Cove Reservoir and its tributaries to their headwaters.
6f	IV	PWS, [NEW-1 <u>NEW-1]</u>	Blackwater River and its tributaries from the Town of Rocky Mount's raw water intake (just upstream of State Route 220) to points 5 miles upstream.
6g	IV	PWS	Tinker Creek from the City of Roanoke's raw water intake (about 0.4 mile downstream from Glebe Mills) upstream 5 miles.
6h	IV	PWS	Roanoke River from Leesville Dam to Smith Mountain Dam (Gap of Smith Mountain), excluding all tributaries to Leesville Lake.
6i	IV	PWS	Roanoke River from Smith Mountain Dam (Gap of Smith Mountain) upstream to a point (at latitude 37 15'53"; longitude 79 54'00") and its tributaries to points 5 miles above the 795.0 foot contour (normal pool elevation) of Smith Mountain Lake.

7

PAGE 42 OF 78

200 0000	2011211	
IV	pH-6.5-9.5	Roanoke River and its tributaries, unless otherwise
		designated in this chapter, from Salem's #1 raw water
		intake to their headwaters.
V	pH-6.5-9.5	Stockable Trout Waters in Section 7
vi		Elliott Creek from the confluence of Rocky Branch to its
		headwaters.
vi		Goose Creek from its confluence with the South Fork
		Roanoke River to its headwaters.
vi		Mill Creek from its confluence with Bottom Creek to its
		headwaters.
***		Roanoke River from 5 miles above Salem's #2 raw
		water intake to the Spring Hollow Reservoir intake (see
		section 7b.)
vi		Smith Creek from its confluence with Elliott Creek to its
		headwaters.
vi		South Fork Roanoke River from 5 miles above the
		Spring Hollow Reservoir intake (see section 7b) to the
		mouth of Bottom Creek (river mile 17.1.)
VI	pH-6.5-9.5	Natural Trout Waters in Section 7
ii		Big Laurel Creek from its confluence with Bottom Creek

PAGE 43 OF 78

upstream including all named and unnamed tributaries.

ii Bottom Creek from its confluence with the South Fork Roanoke River upstream including all named and unnamed tributaries.

ii Lick Fork (Floyd County) from its confluence with Goose Creek upstream including all named and unnamed tributaries.

ii Mill Creek from its confluence with the North Fork Roanoke River upstream including all named and unnamed tributaries.

iii Purgatory Creek from Camp Alta Mons upstream including all named and unnamed tributaries.

ii Spring Branch from its confluence with the South Fork Roanoke River upstream including all named and unnamed tributaries.

7a IV PWS, pH-6.5-9.5 Roanoke River and its tributaries from Salem's #1 raw water intake to points 5 miles upstream from Salem's #2 raw water intake.

V PWS, pH-6.5-9.5 Stockable Trout Waters in Section 7a

Roanoke River from Salem's #1 raw water intake to a point 5 miles upstream from Salem's #2 raw water

PAGE 44 OF 78

intake.

7b	IV	PWS, pH-6.5-9.5	Roanoke River and its tributaries from the Spring
			Hollow Reservoir intake (37E14'2.59"/80E10'39.61")
			upstream to points 5 miles upstream.
	V	PWS, pH 6.5-9.5	Stockable Trout Waters in Section 7b
	***		Roanoke River from the Spring Hollow Reservoir intake
			to the Montgomery County line.
	vi		South Fork Roanoke River from its confluence with the
			Roanoke River to 5 miles above the Spring Hollow
			Reservoir intake.

PAGE 45 OF 78

9 VAC 25-260-480. Chowan and Dismal Swamp (Albemarle Sound Subbasin).

			Albemarle Sound Subbasin
SEC.	CLASS	SP. STDS.	SECTION DESCRIPTION
1	Ш		Back Bay and its tributaries in the City of Virginia Beach to
			the Virginia-North Carolina state line and the Northwest
			River and its tidal tributaries from the Virginia-North
			Carolina state line to the free flowing portion, unless
			otherwise designated in this chapter and North Landing
			River and its tidal tributaries from the Virginia-North
			Carolina state line to the Great Bridge Lock.
1a	Ш		The free flowing portions of streams in Section 1 and
			tributaries of Stumpy Lake.
1b	III	PWS	Stumpy Lake (raw water supply for the City of Norfolk) and
			feeder streams to points 5 miles upstream.
1c	Ш	PWS	Northwest River and its tributaries from the City of
			Chesapeake's raw water intake to points 5 miles upstream
			and points 5 miles downstream.
2	III		Intracoastal Waterway (portions not described in Section
			1).
3	Ш		Lake Drummond, including feeder ditches, and all
		dd	interstate tributaries of the Dismal Swamp between
			Virginia and North Carolina.

PAGE 46 OF 78

9 VAC 25-260-540. New River Basin.

SEC.	CLASS	SP. STDS	SECTION DESCRIPTION
1	IV	u	New River and its tributaries, unless otherwise designated
			in this chapter, from the Virginia-West Virginia state line to
			the Montgomery-Giles County line.
	V		Stockable Trout Waters in Section 1
	***		Laurel Creek (a tributary to Wolf Creek in Bland County)
			from Rocky Gap to the Route 613 bridge one mile west of
			the junction of Routes 613 and 21.
	viii		Laurel Creek (Bland County) from its confluence with
			Hunting Camp Creek 3.2 miles upstream.
	viii		Little Wolf Creek (Bland County) from its confluence with
			Laurel Creek 2.6 miles upstream.
	V		Sinking Creek from 5.1 miles above its confluence with
			the New River 10.8 miles upstream (near the Route 778
			crossing.)
	vi		Sinking Creek from the Route 778 crossing to the Route
			628 crossing.
	vi		Spur Branch from its confluence with Little Walker Creek
			to its headwaters.

PAGE 47 OF 78

200	WATER QUALITY STAN	DAKDS
	V	Walker Creek from the Route 52 bridge to its headwaters.
	***	Wolf Creek (Bland County) from Grapefield to its
		headwaters.
	VI	Natural Trout Waters in Section 1
	ii	Bear Spring Branch from its confluence with the New
		River upstream including all named and unnamed
		tributaries.
	iii	Clear Fork (Bland County) from river mile 8.5 upstream
		including all named and unnamed tributaries.
	ii	Cove Creek (Tazewell County) from its confluence with
		Clear Fork upstream including all named and unnamed
		tributaries.
		One Dranch from the confluence with Oleon Fault to
	ü	Cox Branch from its confluence with Clear Fork to
		Tazewell's raw water intake river mile 1.6.
	iii	Ding Branch from its confluence with Nobusiness Creek
		upstream including all named and unnamed tributaries.
	ii	Dry Fork (Bland County) from 4.8 miles above its
		confluence with Laurel Creek upstream including all
		named and unnamed tributaries.

ii East Fork Cove Creek (Tazewell County) from its

PAGE 48 OF 78

confluence with Cove Creek upstream including all named and unnamed tributaries.

Hunting Camp Creek from its confluence with Wolf Creek upstream including all named and unnamed tributaries.

*** (Hunting Camp Creek from its confluence with Wolf Creek8.9 miles upstream.)

iii (Hunting Camp Creek from 8.9 miles above its confluence with Wolf Creek 3 miles upstream.)

ii Laurel Creek (tributary to Wolf Creek in Bland County) from Camp Laurel in the vicinity of Laurel Fork Church, upstream including all named and unnamed tributaries.

ii Laurel Creek from a point 0.7 mile from its confluence with Sinking Creek upstream including all named and unnamed tributaries.

ii Little Creek (Tazewell County) from 1.5 miles above its confluence with Wolf Creek above the Tazewell County Sportsmen's Club Lake upstream including all named and unnamed tributaries.

ii Mercy Branch from its confluence with Mill Creek upstream including all named and unnamed tributaries.

Mill Creek from the Narrows Town line upstream including

ii

PAGE 49 OF 78

all named and unnamed tributaries.

ii	Mudley Branch from its confluence with the West Fork Cove Creek upstream including all named and unnamed tributaries.
	Nobusiness Creek from its confluence with Kimberling Creek upstream including all named and unnamed tributaries.
***	(Nobusiness Creek from its confluence with Kimberling Creek 4.7 miles upstream.)
iii	(Nobusiness Creek from 4.7 miles above its confluence with Kimberling Creek upstream including all named and unnamed tributaries.)
ii	Oneida Branch from its confluence with the West Fork Cove Creek upstream including all named and unnamed tributaries.
iii	Panther Den Branch from its confluence with Nobusiness Creek upstream including all named and unnamed tributaries.
ii	Piney Creek from its confluence with the New River upstream including all named and unnamed tributaries.
ii	Wabash Creek from its confluence with Walker Creek

PAGE 50 OF 78

upstream including all named and unnamed tributaries.

1a	ii		West Fork Cove Creek from its confluence with Cove Creek upstream including all named and unnamed tributaries.
Id			(Deleted)
1b	IV	u	Wolf Creek and its tributaries in Virginia from its confluence with Mill Creek upstream to the Giles-Bland County line.
1c			(Deleted)
1d	IV	u	Stony Creek and its tributaries, unless otherwise designated in this chapter, from its confluence with the New River upstream to its headwaters, and Little Stony Creek and its tributaries from its confluence with the New River to its headwaters.
	V		Stockable Trout Waters in Section 1d
	vi		Stony Creek (Giles County) from its confluence with the New River to its confluence with Laurel Branch.
	VI		Natural Trout Waters in Section 1d
	iii		Dismal Branch from its confluence with Stony Creek upstream including all named and unnamed tributaries.

PAGE 51 OF 78

ii Dixon Branch from its confluence with North Fork Stony Creek upstream including all named and unnamed tributaries. ii Hemlock Branch from its confluence with Little Stony Creek upstream including all named and unnamed tributaries. ii Laurel Branch from its confluence with Stony Creek upstream including all named and unnamed tributaries. ii Laurel Creek from its confluence with Little Stony Creek upstream including all named and unnamed tributaries. ii Little Stony Creek from its confluence with the New River <u>CC</u> upstream including all named and unnamed tributaries. ii Maple Flats Branch from its confluence with Little Stony Creek upstream including all named and unnamed tributaries. ii Meredith Branch from its confluence with Little Stony Creek upstream including all named and unnamed tributaries. iii Nettle Hollow from its confluence with Little Stony Creek upstream including all named and unnamed tributaries.

1e

200 00111	Litter	
ii		North Fork Stony Creek from its confluence with Stony
		Creek upstream including all named and unnamed
		tributaries.
iii		Pine Swamp Branch from its confluence with Stony Creek
		upstream including all named and unnamed tributaries.
ii		
		Pond Drain from its confluence with Little Stony Creek
		upstream including all named and unnamed tributaries.
iii		Stony Creek (Giles County) from the confluence of Laurel
		Branch at Olean upstream including all named and
		unnamed tributaries.
ii		White Rock Branch from its confluence with Stony Creek
		upstream including all named and unnamed tributaries.
ii		Wildcat Hollow from its confluence with Stony Creek
		upstream including all named and unnamed tributaries.
IV	PWS,u	Kimberling Creek and its tributaries from Bland
		Correctional Farm's raw water intake to points 5 miles
		upstream.
VI	PWS	Natural Trout Waters in Section 1e
iii		Dismal Creek from its confluence with Kimberling Creek
		upstream including all named and unnamed tributaries.
iii		Pearis Thompson Branch from its confluence with Dismal

iii

IV

IV

1f

1g

1h

QUALITY STANDARDS		
Creek upstream including all named and unnamed		
	tributaries.	
	Standrock Branch from its confluence with Dismal Creek	
	upstream including all named and unnamed tributaries.	
	(Deleted)	
u	Bluestone River and its tributaries, unless otherwise	
	designated in this chapter, from the Virginia-West Virginia	
	state line upstream to their headwaters.	
PWS,u	Bluestone River and its tributaries from Bluefield's raw	

water intake upstream to its headwaters.

VI PWS Natural Trout Waters in Section 1h

iii	Bluestone River from a point adjacent to the Route
	650/460 intersection to a point 5.7 miles upstream.

 1i
 IV
 PWS
 Big Spring Branch from the Town of Pocahontas' intake, from the Virginia-West Virginia state line, including the entire watershed in Abbs Valley (the Town of Pocahontas' intake is located in West Virginia at latitude 37 18'23" and longitude 81 18'54".)

1j

(Deleted.)

1k IV PWS Walker Creek and its tributaries from the Wythe-Bland

PAGE 54 OF 78

Water and Sewer Authority's raw water intake (for Bland) to points five miles upstream.

11	VI ii	PWS	Cox Branch and its tributaries from Tazewell's raw water
			intake at the Tazewell Reservoir (river mile 1.6) to
			headwaters.

2	IV	v, NEW-5	New River and its tributaries, unless otherwise designated
			in this chapter, from the Montgomery-Giles County line
			upstream to the Virginia-North Carolina state line (to
			include Peach Bottom Creek from its confluence with the
			New River to the mouth of Little Peach Bottom Creek.)

V Stockable Trout Waters in Section 2

- v Beaverdam Creek from its confluence with the Little River to its headwaters.
- v Big Indian Creek from its confluence with the Little River to a point 7.4 miles upstream.
- vi Boyd Spring Run from its confluence with the New River to its headwaters.
- *** Brush Creek from the first bridge on Route 617 south of the junction of Routes 617 and 601 to the Floyd County line.

Camp Creek from its confluence with the Little River to its

headwaters.

vi

Cove Creek (Wythe County) from Route 77, 8.1 miles above its confluence with Reed Creek, 10.5 miles upstream.

vi

Dodd Creek from its confluence with the West Fork Little River to its headwaters.

- *** (Dodd Creek from its confluence with the West Fork LittleRiver 4 miles upstream.)
- vi (Dodd Creek from 4 miles above its confluence with the West Fork Little River to its headwaters.)
- vi East Fork Stony Fork from its confluence with Stony Fork 4 miles upstream.
- *** Elk Creek from its confluence with Knob Fork Creek to the junction of State Routes 611 and 662.
- vi Gullion Fork from its confluence with Reed Creek 3.3 miles upstream.
- vi Little Brush Creek from its confluence with Brush Creek 1.9 miles upstream.
- vi Lost Bent Creek from its confluence with the Little River to its headwaters.
 - Middle Creek from its confluence with Little River to its headwaters.

vi	Middle Fox Creek from its confluence with Fox Creek 4.1 miles upstream.
vi	Mill Creek (Wythe County) from its confluence with the New River 3.7 miles upstream.
v	North Fork Greasy Creek from its confluence with Greasy Creek to its headwaters.
vi	Oldfield Creek from its confluence with the Little River to its headwaters.
vi	Peach Bottom Creek from the mouth of Little Peach Bottom Creek to its headwaters.
vi	Pine Branch from its confluence with the Little River to its headwaters.
vi	Pine Creek (Carroll County) from its confluence with Big Reed Island Creek to its headwaters.
vi	Piney Fork from its confluence with Greasy Creek to its headwaters.
vi	Poor Branch from its confluence with the New River to its headwaters.

vi

Poverty Creek (Montgomery County) from its confluence

vi

vi

with Toms Creek to its headwaters.

vi Reed Creek (Wythe County) within the Jefferson National Forest from 57 miles above its confluence with the New River 6.8 miles upstream, unless otherwise designated in this chapter.

vi Shady Branch from its confluence with Greasy Creek to its headwaters.

Shorts Creek from 6.2 miles above its confluence with the New River in the vicinity of Route 747, 3 miles upstream.

South Fork Reed Creek from river mile 6.8 (at Route 666 below Groseclose) 11.9 miles upstream.

vi St. Lukes Fork from its confluence with Cove Creek 1.4 miles upstream.

vi Stony Fork (Wythe County) from 1.9 miles above its confluence with Reed Creek at the intersection of Routes 600, 682, and 21/52 at Favonia 5.7 miles upstream.

Toms Creek from its confluence with the New River to its headwaters.

vi West Fork Big Indian Creek from its confluence with Big Indian Creek to its headwaters.

***	West Fork Peak Creek from the Forest Service Boundary to its headwaters.
vi	Wolf Branch from its confluence with Poor Branch 1.2 miles upstream.
VI	Natural Trout Waters in Section 2
ii	Baker Branch from its confluence with Cabin Creek upstream including all named and unnamed tributaries.
ii	Baldwin Branch from 0.2 mile above its confluence with Big Horse Creek at the Grayson County - Ashe County state line upstream including all named and unnamed tributaries.
ii	Bear Creek (Carroll County) from its confluence with Laurel Fork upstream including all named and unnamed tributaries.
iii	Beaver Creek from its confluence with the Little River upstream including all named and unnamed tributaries.
iii	Beaverdam Creek (Carroll County) from its confluence with Crooked Creek upstream including all named and unnamed tributaries.

ii	Big Branch from its confluence with Greasy Creek upstream including all named and unnamed tributaries.
iii	Big Horse Creek from 12.8 miles above its confluence with the North Fork New River (above the state line below Whitetop) upstream including all named and unnamed tributaries.
ii	Big Indian Creek from a point 7.4 miles upstream of its confluence with the Little River upstream including all named and unnamed tributaries.
ii	Big Laurel Creek from its confluence with the Little River upstream including all named and unnamed tributaries.
iii	Big Laurel Creek from its confluence with Pine Creek upstream including all named and unnamed tributaries.
iii	Big Reed Island Creek from Route 221 upstream including all named and unnamed tributaries.
iii	Big Run from its confluence with the Little River upstream including all named and unnamed tributaries.
	Big Wilson Creek from its confluence with the New River upstream including all named and unnamed tributaries.
***	(Big Wilson Creek from its confluence with the New River

8.8 miles upstream.)

ii	(Big Wilson Creek from 8.8 miles above its confluence
	with the New River 6.6 miles upstream.)
iii	Blue Spring Creek from its confluence with Cripple Creek
	upstream including all named and unnamed tributaries.
ii	Boothe Creek from its confluence with the Little River
	upstream including all named and unnamed tributaries.
ii	Bournes Branch from its confluence with Brush Creek
	upstream including all named and unnamed tributaries.
iii	Brannon Branch from its confluence with Burks Fork
	upstream including all named and unnamed tributaries.
ii	Brier Run from its confluence with Big Wilson Creek
	upstream including all named and unnamed tributaries.
ii	Buffalo Branch from its confluence with Laurel Fork
	upstream including all named and unnamed tributaries.
iii	Burgess Creek from its confluence with Big Horse Creek
	upstream including all named and unnamed tributaries.
iii	Burks Fork from the (Floyd-Carroll County) line upstream
	including all named and unnamed tributaries.

PAGE 62 OF 78

ii	Byars Creek from its confluence with Whitetop Creek upstream including all named and unnamed tributaries.
	Cabin Creek from its confluence with Helton Creek upstream including all named and unnamed tributaries.
ii	(Cabin Creek from its confluence with Helton Creek 3.2 miles upstream.)
i	(Cabin Creek from 3.2 miles above its confluence with Helton Creek upstream including all named and unnamed tributaries.)
ii	Cherry Creek from its confluence with Big Reed Island Creek upstream including all named and unnamed tributaries.
ii	Chisholm Creek from its confluence with Laurel Fork upstream including all named and unnamed tributaries.
iv	Crigger Creek from its confluence with Cripple Creek upstream including all named and unnamed tributaries.
***	Cripple Creek from the junction of the stream and U. S. Route 21 in Wythe County upstream including all named and unnamed tributaries.

iii	Crooked Creek (Carroll County) from Route 707 to Route
	620.
ii	Crooked Creek from Route 620 upstream including all
	named and unnamed tributaries.
iii	Daniel Branch from its confluence with Crooked Creek
	upstream including all named and unnamed tributaries.
iii	Dobbins Creek from its confluence with the West Fork
	Little River upstream including all named and unnamed
	tributaries.
iv	Dry Creek from 1.9 miles above its confluence with Blue
	Spring Creek upstream including all named and unnamed
	tributaries.
iii	Dry Run (Wythe County) from its confluence with Cripple
	Creek upstream including all named and unnamed
	tributaries.
iii	Earls Branch from its confluence with Beaver Creek
	upstream including all named and unnamed tributaries.
iii	East Fork Crooked Creek from its confluence with
	Crooked Creek upstream including all named and
	unnamed tributaries.

ii	East Fork Dry Run from its confluence with Dry Run upstream including all named and unnamed tributaries.
ii	East Prong Furnace Creek from its confluence with Furnace Creek upstream including all named and unnamed tributaries.
ii	Elkhorn Creek from its confluence with Crooked Creek upstream including all named and unnamed tributaries.
ii	Fox Creek from junction of the Creek and Route 734 upstream including all named and unnamed tributaries.
iii	Francis Mill Creek from its confluence with Cripple Creek upstream including all named and unnamed tributaries.
ii	Furnace Creek from its confluence with the West Fork Little River upstream including all named and unnamed tributaries.
***	Glade Creek Carroll County from its confluence with Crooked Creek upstream including all named and unnamed tributaries.
iii	Grassy Creek (Carroll County) from its confluence with Big Reed Island Creek at Route 641, upstream including

all named and unnamed tributaries.

vi**	Grassy Creek (Carroll County) from its confluence with
	Little Reed Island Creek at Route 769, upstream including
	all named and unnamed tributaries.
iii	Greasy Creek from the (Floyd-Carroll County) line
	upstream including all named and unnamed tributaries.
iii	Greens Creek from its confluence with Stone Mountain
	Creek upstream including all named and unnamed
	tributaries.
iii	Guffey Creek from its confluence with Fox Creek
	upstream including all named and unnamed tributaries.
ii	Helton Creek from the Virginia-North Carolina state line
	upstream including all named and unnamed tributaries.
ii	Howell Creek from its confluence with the West Fork Little
	River upstream including all named and unnamed
	tributaries.
ii	Jerry Creek (Grayson County) from its confluence with
	Middle Fox Creek upstream including all named and
	unnamed tributaries.
iii	Jones Creek (Wythe County) from its confluence with
	Kinser Creek upstream including all named and unnamed
	tributaries.

ii

iii

Killinger Creek from its confluence with Cripple Creek and White Rock Creek upstream including all named and unnamed tributaries.

iii Kinser Creek from 0.4 mile above its confluence with Crigger Creek above the National Forest Boundary at Groseclose Chapel upstream including all named and unnamed tributaries.

Laurel Branch (Carroll County) from its confluence with
 Staunton Branch upstream including all named and
 unnamed tributaries.

- iii Laurel Creek (Grayson County) from its confluence with Fox Creek upstream including all named and unnamed tributaries.
- ii Laurel Fork from the (Floyd-Carroll County) line upstream including all named and unnamed tributaries.
- iii Laurel Fork Carroll County from its confluence with Big Reed Island Creek to the Floyd-Carroll County line.
- i Lewis Fork from its confluence with Fox Creek upstream including all named and unnamed tributaries.

Little Cranberry Creek from its confluence with Crooked

Creek upstream including all named and unnamed tributaries.

ii Little Helton Creek from the (Grayson County-Ashe County) state line upstream including all named and unnamed tributaries.

- *** Little Reed Island Creek from the junction of the stream and State Routes 782 and 772 upstream including all named and unnamed tributaries, unless otherwise designated in this chapter.
- *** Little River from its junction with Route 706 upstream including all named and unnamed tributaries.
- ii Little Snake Creek from its confluence with Big Reed Island Creek upstream including all named and unnamed tributaries.
- ii Little Wilson Creek from its confluence with Wilson Creek (at Route 16 at Volney) upstream including all named and unnamed tributaries.
- ii Long Mountain Creek from its confluence with Laurel Fork upstream including all named and unnamed tributaries.
- iii Meadow Creek (Floyd County) from its confluence with the Little River upstream including all named and

iii

unnamed tributaries.

iii	Meadow View Run from its confluence with Burks Fork
	upstream including all named and unnamed tributaries.
iii	Middle Creek from its confluence with Crigger Creek
	upstream including all named and unnamed tributaries.
ii	Middle Fork Helton Creek from its confluence with Helton
	Creek 2.2 miles upstream.
	·
i	Middle Fork Helton Creek from 2.2 miles above its
	confluence with Helton Creek upstream including all
	named and unnamed tributaries.
iii	Middle Fox Creek from 4.1 miles above its confluence with
	Fox Creek upstream including all named and unnamed
	tributaries.
iii	Mill Creek (Carroll County) from its confluence with Little
	Reed Island Creek upstream including all named and
	unnamed tributaries.
ii	Mill Creek (Grayson County) from its confluence with Fox
	Creek upstream including all named and unnamed
	tributaries.

Mira Fork from its confluence with Greasy Creek upstream

including all named and unnamed tributaries.

ii	North Branch Elk Creek from its confluence with Elk Creek upstream including all named and unnamed tributaries.
iii	North Prong Buckhorn Creek from its confluence with Buckhorn Creek upstream including all named and unnamed tributaries.
ii	Oldfield Creek from its confluence with Laurel Fork upstream including all named and unnamed tributaries.
ii	Opossum Creek from its confluence with Fox Creek upstream including all named and unnamed tributaries.
iii	Payne Creek from its confluence with the Little River upstream including all named and unnamed tributaries.
iii	Peak Creek from 19 miles above its confluence with the New River above the Gatewood Reservoir upstream including all named and unnamed tributaries.
iii	Pine Creek (Carroll County) from its confluence with Big Reed Island Creek upstream including all named and unnamed tributaries.
iii	Pine Creek (Floyd County) from its confluence with Little River upstream including all named and unnamed

tributaries.

iii Pipestem Branch from its confluence with Big Reed Island Creek upstream including all named and unnamed tributaries. i Quebec Branch from its confluence with Big Wilson Creek upstream including all named and unnamed tributaries. Raccoon Branch from its confluence with White Rock iv Creek upstream including all named and unnamed tributaries. *** Reed Creek (Wythe County) from 5 miles above Wytheville's raw water intake upstream including all named and unnamed tributaries. ii Ripshin Creek from its confluence with Laurel Creek upstream including all named and unnamed tributaries. iii Road Creek (Carroll County) from its confluence with Big Reed Island Creek upstream including all named and unnamed tributaries. Roads Creek (Carroll County) from its confluence with ii Laurel Fork upstream including all named and unnamed

tributaries.

iv	Rock Creek from its confluence with Big Reed Island
	Creek upstream including all named and unnamed
	tributaries.
iii	Silverleaf Branch from its confluence with the Little River
	upstream including all named and unnamed tributaries.
iii	Snake Creek from Route 670 (3.2 miles above its
	confluence with Big Reed Island Creek) upstream
	including all named and unnamed tributaries.
ii	Solomon Branch from its confluence with Fox Creek
	upstream including all named and unnamed tributaries.
vi**	South Branch Elk Creek from its confluence with Elk
	Creek upstream including all named and unnamed
	tributaries.
iii	Spurlock Creek from its confluence with the West Fork
	Little River upstream including all named and unnamed
	tributaries.
iii	Staunton Branch from its confluence with Crooked Creek
	upstream including all named and unnamed tributaries.
iii	Stone Mountain Creek from its confluence with Big Reed
	Island Creek upstream including all named and unnamed
	tributaries.

iii

ii

Straight Branch (Carroll County) from its confluence with Greens Creek upstream including all named and unnamed tributaries.

- Sulphur Spring Branch from its confluence with Big Reed Island Creek upstream including all named and unnamed tributaries.
- iii Tory Creek from its confluence with Laurel Fork upstream including all named and unnamed tributaries.
- iii Tract Fork from the confluence of Fortnerfield Branch upstream including all named and unnamed tributaries.
- ii Trout Branch from its confluence with Little Reed Island creek upstream including all named and unnamed tributaries.
- iii Turkey Fork from 2.6 miles above its confluence with Elk Creek upstream including all named and unnamed tributaries.
- ii Venrick Run from its confluence with Reed Creek upstream including all named and unnamed tributaries.
- iii West Fork Comers Rock Branch from its confluence with Comers Rock Branch upstream including all named and

unnamed tributaries.

iii West Fork Dodd Creek from its confluence with Dodd Creek upstream including all named and unnamed tributaries. iii West Fork Dry Run from its confluence with Dry Run 2 miles upstream. iii West Fork Little Reed Island Creek (Carroll County) from its confluence with Little Reed Island Creek upstream including all named and unnamed tributaries. *** West Fork Little River from its confluence with Little River upstream including all named and unnamed tributaries. West Prong Furnace Creek from its confluence with iii Furnace Creek upstream including all named and unnamed tributaries. White Rock Creek from its confluence with Cripple Creek upstream including all named and unnamed tributaries. *** (White Rock Creek from its confluence with Cripple Creek 1.9 miles upstream.) iv (White Rock Creek from 1.9 miles above its confluence with Cripple Creek upstream including all named and

PAGE 74 OF 78

unnamed tributaries.)

	ii		Whitetop Creek from its confluence with Big Horse Creek upstream including all named and unnamed tributaries.
	i		Wilburn Branch from its confluence with Big Wilson Creek upstream including all named and unnamed tributaries.
2a	IV	PWS,v	New River from Radford Army Ammunition Plant's raw water intake (that intake which is the further downstream), upstream to a point 5 miles above the Blacksburg- Christiansburg, V.P.I. Water Authority's raw water intake and including tributaries in this area to points 5 miles above the respective raw water intakes.
2b	IV	PWS,v	New River from Radford's raw water intake upstream to Claytor Dam and including tributaries to points 5 miles above the intake.
2c	IV	v, [NEW-4<u>NEW-</u> <u>4]</u>	New River and its tributaries, except Peak Creek above Interstate Route 81, from Claytor Dam to Big Reed Island Creek (Claytor Lake.)
	V		Stockable Trout Waters in Section 2c
	vi		Chimney Branch from its confluence with Big Macks Creek to its headwaters.

	vi		White Oak Camp Branch from its confluence with
			Chimney Branch to its headwaters.
	VI		Natural Trout Waters in Section 2c
	ii		Bark Camp Branch from its confluence with Big Macks
			Creek upstream including all named and unnamed
			tributaries.
	ii		Big Macks Creek from Powhatan Camp upstream
			including all named and unnamed tributaries.
	iii		Little Macks Creek from its confluence with Big Macks
			Creek upstream including all named and unnamed
			tributaries.
	ii		Puncheoncamp Branch from its confluence with Big
			Macks Creek upstream including all named and unnamed
			tributaries.
2d	IV	PWS,v,NEW-5	Peak Creek and its tributaries from Pulaski's raw water
			intake upstream, including Hogan Branch to its
			headwaters and Gatewood Reservoir.
2e			(Deleted)
2f	IV	PWS,v	Little Reed Island Creek and its tributaries from Hillsville's
			upstream raw water intake near Cranberry Creek to points

5 miles above Hillsville's upstream raw water intake, including the entire watershed of the East Fork Little Reed Island Creek.

	VI	PWS	Natural Trout Waters in Section 2f
	iii		East Fork Little Reed Island Creek from its confluence with West Fork Little Reed Island Creek upstream including all named and unnamed tributaries.
	***		Little Reed Island Creek from Hillsville's upstream raw water intake to a point 5 miles upstream.
	iii		Mine Branch from its confluence with the East Fork Little Reed Island Creek 2 miles upstream.
2g	IV	PWS,v	Reed Creek and its tributaries from Wytheville's raw water intake to 5 miles upstream.
	VI	PWS,v	Natural Trout Waters in Section 2g
	***		Reed Creek from the western town limits of Wytheville to 5 miles upstream.
2h	IV	PWS,v	Chestnut Creek and its tributaries from Galax's raw water intake upstream to their headwaters or to the Virginia-North Carolina state line.

	VI	PWS	Natural Trout Waters in Section 2h
	***		Coal Creek from its confluence with Chestnut Creek
			upstream including all named and unnamed tributaries.
	ii		East Fork Chestnut Creek (Grayson County) from its
			confluence with Chestnut Creek upstream including all
			named and unnamed tributaries.
	iii		Hanks Branch from its confluence with the East Fork
			Chestnut Creek upstream including all named and
			unnamed tributaries.
	iii		Linard Creek from its confluence with Hanks Branch
			upstream including all named and unnamed tributaries.
2i	IV		Fries Reservoir section of the New River.
2j	IV	PWS	Eagle Bottom Creek from Fries' raw water intake
			upstream to its headwaters.
2k	IV		Stuart Reservoir section of the New River.
21	IV	PWS	New River and its tributaries inclusive of the Wythe
			County Water Department's Austinville intake at latitude
			36E51'8.47" and longitude 80E55'29.31", and the Wythe
			County Water Department's Ivanhoe intake on Powder
			Mill Branch at latitude 36E49'15.96" and longitude

80E58'11.28" to points 5 miles above the intakes.

	V	PWS	Stockable Trout Waters in Section 2I
	vi		Powder Mill Branch (from 0.6 mile above its confluence with the New River) 2.1 miles upstream.
2m	IV	PWS, NEW - [4 <u>4</u>],5	New River (Claytor Lake) from the Klopman Mills raw water intake to the Pulaski County Public Service Authority's raw water intake and tributaries to points 5 miles upstream of each intake.
2n			(Deleted)

Certified True and Accurate:
David K. Paylor, Director
Department of Environmental Quality

Date: _____