9 VAC 25-260-5 et seq

9 VAC 25-260-50. Numerical criteria for dissolved oxygen, pH, and maximum temperature.***

CLASS	DESCRIPTION OF	DH	SS.	рН	Maximum Temp.
	WATERS	DISSOLVED			(°C)
		OXYGEN	l (mg/l) <u>****</u>		
		Min.	Daily		
			Avg.		
1	Open Ocean	5.0		6.0-9.0	
II	Estuarine Waters	4.0	5.0	6.0-9.0	
	(Tidal Water- Coastal				
	Zone to Fall Line)				
III	Nontidal Waters	4.0	5.0	6.0-9.0	32
	(Coastal and				
	Piedmont Zones)				
IV	Mountainous Zones	4.0	5.0	6.0-9.0	31
	Waters				
V	Stockable Trout	5.0	6.0	6.0-9.0	21
	Waters				
VI	Natural Trout Waters	6.0	7.0	6.0-9.0	20
VII	Wetlands	*	*	*	**

*This classification recognizes that the natural quality of these waters may fall outside of the ranges for D.O. and pH set forth above as water quality criteria; therefore, on a case-by-case basis, criteria for specific wetlands can be

developed which that reflect the natural quality of the waterbody.

**Maximum temperature will be the same as that for Classes I through VI waters as appropriate.

***The water quality criteria in 9 VAC 25-260-50 do not apply below the lowest flow averaged (arithmetic mean) over a period of seven consecutive days that can be statistically expected to occur once every 10 climatic years (a climatic year begins April 1 and ends March 31.

**** See Section 9 VAC 25-260-55 [for special provisions] for [implementation of these criteria in] waters naturally low in dissolved oxygen.

<u>9 VAC 25-260-55 [Implementation Procedure for Dissolved Oxygen Criteria in] Waters Naturally Low in</u> <u>Dissolved Oxygen</u>

- A. The [board shall implement this procedure when assessing dissolved oxygen data in preparation of Clean Water Act §§ 305(b) and 303(d) reports in accordance with § 62.1-44.19.5 of the Water Quality Monitoring Information and Restoration Act. The board recognizes that] dissolved oxygen concentrations [in the waters listed in 9 VAC 25-260-50] may seasonally fall below the criteria established in [that] section [9 VAC 25-260-50] due to [non-anthropogenic sources and physical and chemical processes resulting from:
 - 1. <u>]Density stratification and depth in Class II waters [or which prevents mixing and reaeration of</u> the deep waters.
 - 2. <u>]Temperature stratification and depth in lakes and reservoirs in Class III, IV, V and VI waters</u> which prevents mixing and reaeraton of [the] deep waters[, or
 - 3. <u>Minimal flow velocity and decomposition of vegetation which prevents mixing and reaeration of stagnant, shallow waters .</u>

B. In preparation of the Clean Water Act §§ 305(b) and 303(d) reports the board shall list waters as naturally impaired in accordance with 62.1-44.19:5.C] [These dissolved oxygen concentrations do not constitute a violation of the numerical water quality criteria as long as when] the board determines [-these-that the low dissolved oxygen] concentrations [do not fall below the natural water quality resulting from stratification and depth - result from non-anthropogenic sources and the physical and chemical processes described in 9 VAC 25-260-

55.A.] The board shall [periodically] make this determination[-:1.-]based upon an evaluation of aquatic life [uses], habitat [(including anadromous fish spawning areas)]. [available]monitoring data, [available] computer modeling results or other accepted scientific principles[:and. The board shall also conduct a watershed assessment to document anthropogenic sources that individually or cumulatively cause low dissolved oxygen concentrations including: locating and identifying all point and non-point sources of pollution, and identifying any man-made activities (such as water withdrawals) that cause low flow conditions and result in low dissolved oxygen levels.]

[2. By providing the public an opportunity to comment through publication of a notice in selected newspapers or through other media as will best serve the purpose of notifying the general public.

B. The board shall maintain a publicly available list of waters where determinations under this section have been made.

C. The proposed determinations in 9 VAC 25-260-55.B above shall be subject to public comment on draft 303(d) reports.

- D. <u>The final determinations in 9 VAC 25-260-55.B above shall be made available to the public in final 303(d)</u> reports.
- E. Following a determination made under 9 VAC 25-260-55.B, the Board shall initiate a rulemaking to set site specific criteria that reflect the natural quality of that water body or segment.]

9 VAC 25-260-310. Special standards and requirements.

The special standards are shown in small letters to correspond to lettering in the basin tables. The special standards are as follows:

a. Shellfish waters. In all open ocean or estuarine waters capable of propagating shellfish or in specific areas where public or leased private shellfish beds are present, including those waters on which condemnation or restriction classifications are established by the State Department of Health, the following criteria for fecal coliform bacteria will apply:

The median fecal coliform value for a sampling station shall not exceed an MPN of 14 per 100 ml of sample and not more than 10% of samples shall exceed 43 for a 5-tube, 3-dilution test or 49 for a 3-tube, 3-dilution test.

The shellfish area is not to be so contaminated by radionuclides, pesticides, herbicides, or fecal material that the consumption of shellfish might be hazardous.

b. Policy for the Potomac Embayments. At its meeting on September 12, 1996, the board adopted a policy (9 VAC 25-415-10 et seq. Policy for the Potomac Embayments) to control point source discharges of conventional pollutants into the Virginia embayment waters of the Potomac River, and their tributaries, from the fall line at Chain Bridge in Arlington County to the Route 301 bridge in King George County. The policy sets effluent limits for BOD₅, total suspended solids, phosphorus, and ammonia, to protect the water quality of these high profile waterbodies.

c. Cancelled.

d. Aquia Creek. No proposal resulting in the discharge of treated wastes to Aquia Creek will be approved unless the following is provided:

(1) At least 100 days' storage to allow complete elimination of discharges during the low-flow summer months; or

(2) Other treatment, based on sound engineering concepts (preferably with experimental data to show their feasibility), for nutrient removal prior to discharge.

e. Cancelled.

f. Cancelled.

g. Occoquan watershed policy. At its meeting on July 26, 1971 (Minute 10), the board adopted a comprehensive pollution abatement and water quality management policy for the Occoquan watershed. The policy set stringent treatment and discharge requirements in order to improve and protect water quality, particularly since the waters are an important water supply for Northern Virginia. Following a public hearing on November 20, 1980, the board, at its December 10-12, 1980, meeting, adopted as of February 1, 1981, revisions to this policy (Minute 20). These revisions became effective March 4, 1981. Additional amendments were made following a public hearing on August 22, 1990, and adopted by the board at its September 24, 1990, meeting (Minute 24) and became effective on December 5, 1990. Copies are available upon request from the Department of Environmental Quality.

- h. Cancelled.
- i. Cancelled.
- j. Cancelled.
- k. Cancelled.
- I. Cancelled.
- m. The following effluent standards apply to the entire Chickahominy watershed above Walker's Dam:

CONSTITUENT	CONCENTRATION
1. Biochemical Oxygen demand 5-day at 20°	6.0 mg/l monthly average,
	with not more than 5% of
	individual samples to exceed
	8.0 mg/l
2. Settleable Solids	Not to exceed 0.1 ml/l
3. Suspended Solids	5.0 mg/l monthly average,
	with not more than 5% of
	individual samples to exceed
	7.5 mg/l
4. Ammonia Nitrogen	Not to exceed 2.0 mg/l as N
5. Total Phosphorus	Not to exceed 0.1 mg/l
	monthly average for all
	discharges with the exception
	of Holly Farms Poultry
	Industries, Inc. which shall

meet 0.3 mg/l monthly

Page 6 of 40

9 VAC 25-260-5 et seq

6. Other Physical and Chemical Constituents Other physical or chemical constituents not specifically mentioned will be covered by additional specifications as conditions detrimental to the stream arise. The specific mention of items 1 through 5 does not necessarily mean that the addition of other physical or chemical constituents will be condoned.

average and 0.5 mg/l daily

n. No sewage discharges, regardless of degree of treatment, should be allowed into the James River between Bosher and Williams Island Dams.

o. The concentration and total amount of impurities in Tuckahoe Creek and its tributaries of sewage origin shall be limited to those amounts from sewage, industrial wastes, and other wastes which are now present in the stream from natural sources and from existing discharges in the watershed.

p. Cancelled.

q. Rappahannock River Basin.

The following effluent standards (adopted in Minute 17 from the proceedings of the board at its meeting on September 17-18, 1972) apply to all waste discharges to the Rappahannock River Basin above the proposed Salem Church Dam in accordance with subdivisions (1) and (2) below:

CONSTITUENT FINAL EFFLUENT REQUIREMENTS

	(WEEKLY AVERAGE)
BOD - mg/l	1
COD - mg/l	10
Suspended solids – mg/l	0 (unmeasurable)
MBAS - mg/l	0.1
Turbidity (Jackson Units)	0.4
Fecal Coliform Bacteria per 100 ml sample	Less than 2
Nitrogen - mg/l	1
Phosphorus - mg/l	0.1

(1) After the date of Congressional authorization for actual construction of the dam has been given, all new proposals shall comply fully with the adopted standards of the paragraph above and all existing owners shall immediately commence the necessary planning, financing and design to ensure that facilities are completed prior to final completion of the construction of the dam; and

(2) Any new proposals for waste discharges to the area encompassed by the standards shall provide such conventional treatment that in the opinion of the State Department d Health, the staff and the board, satisfactory advanced waste treatment units can readily be added when funds for construction of the Salem Church Dam have been authorized.

r. Cancelled.

s. Chlorides not to exceed 40 mg/l at any time.

t. Cancelled.

u. Maximum temperature for the New River Basin from West Virginia state line upstream to the Giles -Montgomery County line:

The maximum temperature shall be 27°C (81°F) unless caused by natural conditions; the maximum rise above natural temperatures shall not exceed 2.8°C (5°F).

This maximum temperature limit of 81°F was established in the 1970 water quality standards amendments so that Virginia temperature criteria for the New River would be consistent with those of West Virginia, since the stream flows into that state.

v. The maximum temperature of the New River and its tributaries (except trout waters) from the Montgomery-Giles County line upstream to the Virginia-North Carolina state line shall be 29°C (84°F).

- w. Cancelled.
- x. Clinch River from the confluence of Dumps Creek at river mile 268 at Carbo downstream to river mile 255.4. The special water quality criteria for copper (measured as total recoverable) in this section of the Clinch River are 12.4 μ g/l for protection from chronic effects and 9.5 μ g/l for protection from acute effects. These site-specific criteria are needed to provide protection to several endangered species of freshwater mussels.

[y. (1) The board recognizes that the dissolved oxygen concentrations in the waters listed in this special standard seasonally fall below the criteria established in 9 VAC 25-260-50 due to minimal flow velocity and the decomposition of vegetation. These dissolved oxygen concentrations do not constitute a violation of the numerical water quality criteria the concentrations do not fall below the natural water quality resulting from minimal flow velocity and decomposition of vegetation. Designations of surface waters of the Commonwealth under this special standard are determined by the board based upon an evaluation of the aquatic life uses, habitat, available monitoring data, available computer modeling or other accepted scientific principles.

(2) These waters are:

Potomac River Basin, Potomac River Subbasin

Pine Hill Creek from its headwaters to its mouth, Section 1A, King George and Westmoreland Counties.
Potomac Creek from the Richmond, Fredericksburg, and Potomac Railroad crossing to 2.84 miles
downstream, Section 1A, Stafford County

James River Basin (Lower)

9 VAC 25-260-5 et seq

College Run from its headwaters to its mouth at Cobham Bay, Section 1, Surry County

James River Basin (Middle)

Chickahominy River from Route 360 bridge to Route 156 bridge, Section 5, Hanover County

Deep Creek from its headwaters to Route 611 bridge, Section 6, Nottoway County

Rumley Marsh from its headwaters to Old Forge Pond, Section 4, New Kent County

Skinquarter Creek from its headwaters to its mouth at the Appomattox River, Section 6, Powhatan and Chesterfield Counties

Swift Creek from Turkey Creek to Swift Creek Reservoir, Section 6c, Chesterfield County

Wahrani Swamp from its headwaters to Diascund Reservoir, Section 3A, New Kent County

Rappahannock River Basin

Masons Mill Swamp from Cedar Creek to its mouth, Section 2, Middlesex County

Occupacia Creek from Hunters Millpond Dam to the tidal limit, Section 4, Essex County

Chowan and Dismal Swamp, Chowan River Subbasin

Assamoosick Swamp from its headwaters to its confluence with the Nottoway River, Section 2C, Southampton and Sussex Counties

Blackwater River from the Route 617 bridge to the Route 603 bridge, Section 2, Isle of Wight and Southampton Counties

Blackwater River from Route 603 bridge to Route 611 bridge, Section 2, Southhampton and Isle of Wight

Blackwater River from river mile 12.3 (downstream of Franklin at the city line) to the Virginia/North Carolina state line, Section 1, Southampton County and City of Suffolk

Blackwater River from Warwick Swamp to Route 617 bridge, Section 2, Sussex and Surry Counties

Blackwater Swamp from its headwaters to its confluence with the Blackwater River, Section 2, Prince George, Surry, and Sussex Counties

Buckhorn Creek from its headwaters to the Virginia/North Carolina state line, Section 1, Southampton County

Buckskin Creek from its headwaters to its mouth, Section 2, Dinwiddie County

Butterwood Creek from its headwaters to its mouth, Section 2, Dinwiddie County

Caney Swamp from its headwaters to its mouth, Section 3, Greensville County

Cypress Swamp, from its headwaters to its confluence with the Blackwater River, Section 2, Surry County

Darden Mill Run from Route 673 to Route 680 (including Windbourne Millpond), Section 2, Southampton County

Fontaine Creek from Beaverpond Creek to its confluence with the Meherrin River, Section 3, Greensville County

German Swamp from its headwaters to its confluence with Seacorrie Swamp, Section 2, Sussex County

Gosee Swamp and all its tributaries, Section 2, Dinwiddie and Sussex Counties

Horsepen Branch from its headwaters to Millrun Branch, Section 2, Dinwiddie County

Jones Hole Swamp and all its tributaries from its headwaters to Belsches Millpond, Section 2, Dinwiddie, Prince George, and Sussex Counties

Mill Swamp from its headwaters to its mouth, Section 3, Greensville County

Mill Swamp from its headwaters to its confluence with the Blackwater River, Section 2, Isle of Wight and Surry Counties

<u>Moores Swamp from Belsches Millpond to its confluence with the Nottoway River, Section 2, Sussex County</u> <u>Nebletts Mill Run and all its tributaries from the Nebletts Millpond Dam to its mouth at the Nottoway River,</u> <u>Section 2, Prince George and Sussex Counties</u>

Nottoway River from the confluence at Mill Creek (river mile 6.60) upstream of the Route 258 bridge to the Virginia/N. Carolina state line, Section 1, Southampton County

9 VAC 25-260-5 et seq

Otterdam Swamp from its headwaters to its mouth, Section 2, Surry County

Pigeon Swamp from its headwaters to its confluence with Assamoosick Swamp, Section 2, Sussex County

Raccoon Creek from its headwaters to its confluence with the Nottoway River, Section 2, Sussex and Southampton Counties

Rattlesnake Swamp from its headwaters to its confluence with the Blackwater River ,Section 2, Isle of Wight County

Reedy Creek from the first tributary above Route 644 to its mouth, Section 2, Dinwiddie County

Rocky Run Creek from the first tributary above Route 738 to its mouth, Section 2, Dinwiddie County

Rowanty Creek and all its tributaries, Section 2, Dinwiddle and Sussex Counties

Sappony Creek from its headwaters to Millrun Branch, Section 2, Dinwiddie County

Seacock Swamp from its confluence with Drumwright Pond to its confluence with the Blackwater River, Section 2, Southampton and Sussex Counties

Seacorrie Swamp from its headwaters to its confluence with Assamoosick Swamp, Section 2, Sussex County

Somerton Creek from one mile upstream of Route 666 to the Virginia/ N. Carolina state line, Section 2, City of Suffolk

Spring Creek from its headwaters to it confluence with Raccoon Creek, Section 2, Southampton and Sussex

Tarrara Creek from the headwaters upstream of Route 668 to its mouth at the Meherrin River, Section 3, Southampton County

Three Creek from Otterdam Swamp to its confluence with the Nottoway River, Section 2, S Greensville, Southampton, and Sussex Counties

Warwick Swamp from its headwaters to its confluence with the Blackwater River, Section 2, Prince George and Sussex Counties

White Oak Swamp from its headwaters to the mouth of Butterwood Creek, Section 2, Dinwiddie County

9 VAC 25-260-5 et seq

Chowan and Dismal Swamp, Albemarle Sound Subbasin

Great Dismal Swamp, including Lake Drummond and all feeder ditches within the National Wildlife Refuge,

Section 3, Chesapeake and Suffolk

Nawney Creek from its headwaters to its mouth, Section 1, Virginia Beach

North Landing River from its headwaters at the Great Bridge Locks to the terminus of the Intracoastal Waterway at the North Landing River, Section 1, Chesapeake

Northwest River from the headwaters to one mile downstream of Route 168 Section 1C, Chesapeake

Unnamed tributary to the Northwest River from its headwaters to its confluence with the Northwest River, Section 1C, Chesapeake

West Neck Creek from one mile upstream of Princess Anne Road (Route 149) to one mile downstream of Indian River Road (Route 407), Section 1A, Virginia Beach

Chesapeake Bay, Atlantic Ocean and Small Coastal Basins

Hungars Creek from one mile upstream of Route 622 to one mile downstream, Section 2, Northampton County Messongo Creek from 0.5 mile upstream of Route 692 to 0.5 mile downstream, Section 2, Accomack County Mill Creek from its headwaters to 0.64 mile downstream of Route 600, Section 1b, Northampton County Unnamed tributary at river mile 12.12 of the Piankatank River, from its headwaters to its mouth, Section 2D, Middlesex County

York River Basin

<u>Clark Swamp from its headwaters to Walkerton Millpond, Section 3, King and Queen County</u> <u>Cohoke Mill Creek from its headwaters to Cohoke Millpond, Section 3, King William County</u> <u>Dickeys Swamp in its entirety downstream of Dogwood Fork, Section 3, King and Queen County</u> <u>Dogwood Fork from its headwaters to its mouth, Section 3, King and Queen County</u>

9 VAC 25-260-5 et seq

Heartquake Creek from an unnamed tributary at river mile 4 to its mouth, Section 1 and 3, King and Queen County

Hobby Swamp from its headwaters to its mouth, Section 3, Caroline County

Jacks Creek from its headwaters to its mouth at the Pamunkey River, Section 3, King William County

King Creek from 0.5 mile upstream of Colonial National Historical Parkway crossing to 0.5 mile downstream, Section 2, York County

Queen Creek from 0.5 mile upstream of Route 716 landing to 0.5 mile downstream, Section 2, York County

Tastine Swamp from the Route 611 bridge to Corbins Pond, Section 2, King and Queen County

Unnamed tributary at river mile 3.66 of Garnetts Creek from its headwaters to its mouth, Section 3, King and Queen County

Unnamed tributary at iver mile 17.01 of the Mattaponi River from its headwaters to its mouth, Section 3, King William County

Walkerton Branch from its headwaters to Walkerton Millpond, Section 3, King and Queen County]

9 VAC 25-260-380. Special standards column.

A. Bacteria criteria. All surface waters have criteria for fecal coliform bacteria. The bacteria criteria for shellfish waters are set forth in 9 VAC 25-260-160; the criteria applying to all other surface waters are found in 9 VAC 25-260-170. The letter "a" in the special standards column next to a river basin section indicates that there are shellfish waters somewhere within that section and the bacteria criteria for shellfish waters applies to those shellfish waters. (It should be noted that even though the column contains the letter "a" the entire section may not be shellfish waters.)

B. Natural variation. In some cases natural water quality does not fall within the criteria set by these standards. (For example streams in some areas of the state may naturally exceed the usual pH range of 6.0 to 9.0.) In these instances the board may have set more appropriate criteria that reflect natural quality, and this special limit is shown in the special standards column.

[Special standard 9 VAC 25-260-310.y(2) contains a list of waters naturally low in dissolved oxygen due to minimal flow velocity and decomposition of vegetation. If a section in the River Basin Section Tables contains a water body that is listed in this special standard, the special standards column indicates this with the letter "y". The appropriate waterway can be found listed in 9 VAC 25-260-310.y(2). The entire section is not naturally low in dissolved oxygen, only that portion specifically listed in 9 VAC 25-260-310.y(2).

C. Additional requirements. In other cases the basic water quality parameters of DO, pH, temperature, and bacteria have not been sufficient to protect water quality in certain areas, and effluent limits or treatment requirements have been established for these areas. This fact is also indicated in the special standards column. If the applicable standard was too long to print in its entirety in that column, the column contains only a lower case letter, and the standard itself will be found in the special standards 9 VAC 25-260-310 under that letter.

D. Other special standards or designations.

1. Public water supplies (PWS). Sections that are public water supplies are indicated in the special standards column with a PWS. This designation indicates that additional criteria are applicable. (See 9 VAC 25-260-140 B for applicable criteria.)

2. Nutrient enriched waters (NEW). If a section contains a waterbody that has been designated as nutrient enriched in 9 VAC 25-260-350, the special standards column indicates this with the letters "NEW-" followed by a number. The appropriate waterway can be found listed in 9 VAC 25-260-350. The entire section is not necessarily nutrient enriched, only that portion specifically listed in 9 VAC 25-260-350

Page 15 of 40

9 VAC 25-260-5 et seq

9 VAC 250-260-390. Potomac River Basin (Potomac River Subbasin)

SEC.	CLASS	SP. STDS.	SECTION DESCRIPTION
1	II	а	Tidal tributaries of the Potomac River from Smith Point to
			Upper Machodoc Creek (Baber Point).
1a	Ш	[¥]	All free flowing portions of tributaries to the Potomac River from
			Smith Point to the Route 301 Bridge in King George County
			unless otherwise designated in this chapter.
1b	Ш	b,NEW-12	All free flowing portions of tributaries to the Potomac River from
			the Route 301 Bridge in King George County to, and including,
			Potomac Creek, unless otherwise designated in this chapter.
1c	III	PWS,b,NEW-12	Potomac Creek and its tributaries from the Stafford County
			water supply dam (Able Lake Reservoir) to their headwaters.
2	II	a,NEW-14	Tidal Upper Machodoc Creek and the tidal portions of its
			tributaries.
2a	III	NEW-14	Free flowing portions of Upper Machodoc Creek and its
			tributaries.
3	II	b,NEW-12	Tidal portions of the tributaries to the Potomac River from the
			Route 301 Bridge in King George County to Marlboro Point.
4	II	b,d,NEW-6	Tidal portions of the tributaries to the Potomac River from
			Marlboro Point to Brent Point (to include Aquia Creek and its
			tributaries).
4a	111	b,d,NEW-6	Free flowing portions of tributaries to the Potomac River in
			Section 4 up to the Aquia Sanitary District Water Impoundment.
4b	111	PWS,b,d,NEW-6	Aquia Creek from the Aquia Sanitary District Water
			Impoundment, and other tributaries into the impoundment,
			including Beaverdam Run and the Lunga Reservoir upstream
			to their headwaters.
5	II	b	Tidal portions of tributaries to the Potomac River from Brent
			Point to Shipping Point, including tidal portions of
			Chopawamsic Creek and its tidal tributaries.

Page 16 of 40

9 VAC 25-260-5 et seq

5a	ш	b	Free flowing portions of Chopawamsic Creek and its tributaries
			to Quantico Marine Base water supply dam.
5b	ш	PWS,b	Chopawamsic Creek and its tributaries above the Quantico
			Marine Base water supply intakes at the Gray and
			Breckenridge Reservoirs to their headwaters.
6	II	b,NEW-7,8,9,10,11,13	Tidal portions of tributaries to the Potomac River from Shipping
			Point to Chain Bridge.
7	ш	b,NEW-7,8,9,10,11,13	Free flowing portions of tributaries to the Potomac River from
			Shipping Point to Chain Bridge, unless otherwise designated in
			this chapter.
7a	Ш	g	Occoquan River and its tributaries to their headwaters above
			Fairfax County Water Authority's water supply impoundment,
			unless otherwise designated in this chapter.
7b	Ш	PWS,g	The impounded waters of Occoquan River above the water
			supply dam of the Fairfax County Water Authority to backwater
			of the impoundment on Bull Run and Occoquan River, and the
			tributaries of Occoquan above the dam to a point 5 miles above
			the dam.
7c	ш	PWS,g	Broad Run and its tributaries above the water supply dam of
			the City of Manassas upstream to a point 5 miles above the
			dam.
7d	ш	PWS,g	The impounded waters of Lake Jackson, Broad Run, and
			Cedar Run.
7e	ш	PWS,g	Cedar Run from the Town of Warrenton's raw water intake (just
			upstream of Route 672) to a point 5 miles upstream of the
			proposed multiple purpose structure near Airlie (Fauquier
			County).
7f	Ш	PWS,g	The Quantico Marine Base Camp Upshur and its tributaries'
			raw water intake on Cedar Run (located approximately 0.2 mile

above its confluence with Lucky Run) to a point 5 miles

			upstream.
7g	Ш	PWS,g	The proposed impounded waters of Licking Run above the
			multiple purpose impoundment structure in Licking Run near
			Midland (Fauquier County) upstream to a point 5 miles above
			the proposed impoundment.
7h	Ш	PWS,g	The proposed impounded waters of Cedar Run above the
			proposed multiple purpose impoundment structure on the main
			stem of Cedar Run near Auburn (Fauquier County), to a point 5
			miles above the impoundment.
8	ш	PWS	Tributaries to the Potomac River in Virginia between Chain
			Bridge and the Monacacy River from their confluence with the
			Potomac upstream 5 miles, to include Goose Creek to the City
			of Fairfax's raw water intake, unless otherwise designated in
			this chapter.
8a	VI	PWS	Big Spring Creek and its tributaries in Loudoun County, from its
			confluence with the Potomac River upstream to their
			headwaters. (The temperature standard for natural trout water
			may be exceeded in the area above Big Spring and Little
			Spring at Routes 15 and 740 due to natural conditions). This
			section was given a PWS designation due to the Town of
			Leesburg's intake on the Potomac as referenced in Section 8b
			below.
8b	Ш	PWS	Those portions of Virginia tributaries into the Potomac River
			that are within a 5 mile distance upstream of the Town of
			Leesburg's intake on the Potomac River, unless otherwise
			designated in this chapter.*
8c	Ш	PWS	Those portions of Virginia tributaries into the Potomac River
			that are within a 5 mile distance upstream of the County of
			Fairfax's intake on the Potomac River.*
9	Ш		Broad Run, Sugarland Run, Difficult Run, Tuscarora Creek,

Ш

Ш

Ш

Ш

Ш

Ш

PWS

PWS

PWS

PWS

9 VAC 25-260-5 et seq

9a

9b

9c

10

10a

10b

Sycoline Creek, and other streams tributary to streams in Section 8 from a point 5 miles above their confluence with the Potomac River to their headwaters, unless otherwise designated in this chapter.

All the impounded water of Goose Creek from the City of Fairfax's water supply dam upstream to backwater, and its tributaries above the dam to a point 5 miles above the dam. The Town of Round Hill's raw water intake at the Round Hill Reservoir, and including the two spring impoundments located northwest of the town on the eastern slope of the Blue Ridge Mountains.

Unnamed tributary to Goose Creek, from Camp Highroad's raw water intake (Loudoun County) located in an old quarry (at latitude 39E02'02"; longitude 77E40'49") to its headwaters. Tributaries of the Potomac River from the Monacacy River to the West Virginia-Virginia state line in Loudoun County, from their confluence with the Potomac River upstream to their headwaters, unless otherwise designated in this chapter. North Fork Catoctin Creek from Purcellville's raw water intake to its headwaters.

South Fork Catoctin Creek and its tributaries from its confluence with the North Fork Catoctin Creek to its headwaters.

 11
 IV
 pH-6.5-9.5
 Tributaries of the Potomac River in Frederick and Clarke

 V
 pH-6.5-9.5
 Counties, Virginia, unless otherwise designated in this chapter.

 V
 pH-6.5-9.5
 Stockable Trout Waters in Section 11

 Back Creek (upper) from Rock Enon 4 miles upstream.

 Back Creek (lower) from Route 600 to the mouth of Hogue

 Creek - 2 miles.

			below Route 612.
	vi		Opequon Creek (in Frederick County) from its confluence with
			Hoge Run upstream to the point at which Route 620 first
			crosses the stream.
	vi		Turkey Run (Frederick County) from its confluence with
			Opequon Creek 3.6 miles upstream.
	VI	pH-6.5-9.5	Natural Trout Waters in Section 11
	ii		Bear Garden Run from its confluence with Sleepy Creek 3.1
			miles upstream.
	iii		Redbud Run from its confluence with Opequon Creek 4.4 miles
			upstream.
11a	IV	pH-6.5-9.5	Hot Run and its tributaries from its confluence with Opequon
			Creek to its headwaters.
	V	pH-6.5-9.5	Stockable Trout Waters in Section 11a
	vi		Clearbrook Run from its confluence with Hot Run 2.1 miles
			upstream.
12	IV	pH-6.5-9.5	South Branch Potomac River and its tributaries, such as Strait
			Creek, and the North Fork River and its tributaries from the
			Virginia-West Virginia state line to their headwaters.
	V		Stockable Trout Waters in Section 12
	vi		Frank Run from its confluence with the South Branch Potomac
			River 0.8 mile upstream.
	vii		South Branch Potomac River (in Highland County) from 69.2
			miles above its confluence with the Potomac River 4.9 miles
			upstream.
	vi		Strait Creek (Highland County) from its confluence with the
			South Branch Potomac River 3.9 miles upstream.
	VI		Natural Trout Waters in Section 12
	ii		Blights Run from its confluence with Laurel Fork (Highland
			County) upstream including all named and unnamed

tributaries.

ii	Buck Run (Highland County) from its confluence with Laurel
	Fork upstream including all named and unnamed tributaries.
ii	Collins Run from its confluence with Laurel Fork upstream
	including all named and unnamed tributaries.
ii	Laurel Fork (Highland County) from 1.9 miles above its
	confluence with the North Fork South Branch Potomac River
	upstream including all named and unnamed tributaries.
ii	Locust Spring Run from its confluence with Laurel Fork
	upstream including all named and unnamed tributaries.
ii	Lost Run from its confluence with Laurel Fork upstream
	including all named and unnamed tributaries.
ii	Mullenax Run from its confluence with Laurel Fork upstream
	including all named and unnamed tributaries.
ii	Newman Run from its confluence with Laurel Fork upstream
	including all named and unnamed tributaries.
ii	Slabcamp Run from its confluence with Laurel Fork upstream
	including all named and unnamed tributaries.

9 VAC 25-260-410. James River Basin (Lower).

SEC.	CLASS	SP. STDS.	SECTION DESCRIPTION
1	II	а,[<u>у.]NEW-19</u>	James River and its tidal tributaries from Old Point Comfort -
			Fort Wool to Barrets Point (Buoy 64), except prohibited or spoil
			areas, unless otherwise designated in this chapter.
1a	Ш	NEW-19	Free flowing or non-tidal portions of streams in Section 1,
			unless otherwise designated in this chapter.
1b	II	a,NEW-19	Eastern Branch of the Elizabeth River and tidal portions of its
			tributaries from its confluence with the Elizabeth River to the
			end of tidal waters.
1c	Ш	NEW-19	Free flowing portions of the Eastern Branch of the Elizabeth
			River and its tributaries.
1d	II	a,NEW-19	Southern Branch of the Elizabeth River from its confluence
			with the Elizabeth River to the lock at Great Bridge.
1e	Ш	NEW-19	Free flowing portions of the Western Branch of the Elizabeth
			River and of the Southern Branch of the Elizabeth River from
			their confluence with the Elizabeth River to the lock at Great
			Bridge.
1f	II	a,NEW-19	Nansemond River and its tributaries from its confluence with
			the James River to Suffolk (dam at Lake Meade), unless
			otherwise designated in this chapter.
1g	Ш	NEW-19	Shingle Creek from its confluence with the Nansemond River
			to its headwaters in the Dismal Swamp.
1h	Ш	PWS,NEW-19	Lake Prince, Lake Burnt Mills and Western Branch
			impoundments for Norfolk raw water supply and Lake Kilby -
			Cahoon Pond, Lake Meade and Lake Speight impoundments
			for Portsmouth raw water supply and including all tributaries to
			these impoundments.
1i	Ш	NEW-19	Free flowing portions of the Pagan River and its free flowing

			tributaries.
1j			(Deleted)
1k	Ш	PWS,NEW-19	Skiffes Creek Reservoir (Newport News water impoundment).
11	Ш	PWS,NEW-19	The Lone Star lakes and impoundments in the City of Suffolk,
			Chuckatuck Creek watershed which serve as a water source
			for the City of Suffolk.
1m	Ш	PWS,NEW-19	The Lee Hall Reservoir system, near Skiffes Creek and the
			Warwick River, in the City of Newport News.
1n	Ш	PWS,NEW-19	Chuckatuck Creek and its tributaries from Suffolk's raw water
			intake (at Godwin's Millpond) to a point 5 miles upstream.
		9 VA	AC 25-260-420. James River Basin (Middle).
SEC.	CLASS	SP. STDS.	SECTION DESCRIPTION
2		NEW-18,19	James River and its tidal tributaries from Buoy 64 near Barrets
-			Point upstream to the fall line at Richmond, to include the
			Chickahominy River and its tidal tributaries from the mouth
			upstream to Walkers Dam and the Appomattox River and its
			tidal tributaries from the mouth upstream to the head of tidal
			waters (approximately at the Route 1/301 Bridge across the
			Appomattox), unless otherwise designated in this chapter.
2a	II	PWS,NEW-18	James River from City Point to a point 5 miles above American
			Tobacco Company's raw water intake and the Appomattox
			River and its tidal tributaries from its mouth to 5 miles upstream
			of Virginia-American Water Company's raw water intake.
2b	Ш	PWS,NEW-18	Free flowing tributaries to Section 2a.
3	Ш	NEW-18,19	Free flowing tributaries of the James River from Buoy 64 to
			Brandon and free flowing tributaries of the Chickahominy River
			to Walkers Dam, unless otherwise designated in this chapter.
3a	Ш	[<u>+</u>]PWS,NEW-18	Diascund Creek and its tributaries from Newport News' raw
			water intake dam to its headwaters.
3b	Ш	PWS,NEW-18	Little Creek Reservoir and its tributaries from the City of
			water intake dam to its headwaters.

			Newport News impoundment dam to 5 miles upstream of the
			raw water intake.
4	Ш	m,[<u>y.]NEW-18</u>	Chickahominy River and its tributaries from Walkers Dam to
			Bottoms Bridge (Route 60 bridge), unless otherwise
			designated in this chapter.
4a	Ш	PWS,m,NEW-18	Chickahominy River from Walkers Dam to a point 5 miles
			upstream.
5	Ш	m[,y]	Chickahominy River and its tributaries, unless otherwise
			designated in this chapter, from Bottoms Bridge (Route 60
			bridge) to its headwaters.
6	Ш	[y.]NEW-2	Appomattox River from the head of tidal waters, and free
			flowing tributaries to the Appomattox River, to their
			headwaters, unless otherwise designated in this chapter.
6a			(Deleted)
6b	Ш		Swift Creek and its tributaries from the dam at Pocahontas
			State Park upstream to Chesterfield County's raw water
			impoundment dam.
6c	Ш	<u>[y,</u>]PWS	Swift Creek and its tributaries from Chesterfield County's raw
			water impoundment dam to a point 5 miles upstream.
6d			(Deleted)
6e	Ш	PWS,NEW-2	Appomattox River and its tributaries from Appomattox River
			Water Authority's raw water intake located at the dam at Lake
			Chesdin to the headwaters of the lake.
6f			(Deleted)
6g	Ш	PWS	The Appomattox River and its tributaries from Farmville's raw
			water intake (approximately 2.5 miles above the Route 15/45
			bridge) to a point 5 miles upstream.
7	Ш		Free flowing tributaries to the James River from Brandon to the
			fall line at Richmond, unless otherwise designated in this
			chapter.

7a			(Deleted)
8	Ш		James River and its tributaries from the low water dam above
			14th Street Bridge to Richmond's raw water intake at Williams
			Island Dam.
9	Ш	PWS,n	James River and its tributaries, unless otherwise designated in
			this chapter, from Richmond's raw water intake at Williams
			Island Dam to river mile 127.26 (at latitude 37E35'24";
			longitude 77E42'33") near public landing site, inclusive of
			Henrico County's raw water intake (at latitude 37E33'32";
			longitude 77E37'16") and St. John's Hospital's raw water intake
			(at latitude 37E34'33"; longitude 77E40'39").
9a	Ш	PWS,o	Tuckahoe Creek and its tributaries from its confluence with the
			James River to its headwaters.
10	III	NEW-3	James River and its tributaries from a point at latitude
			37E40'32"; longitude 77E54'08" to, and including the Rockfish
			River, unless otherwise designated in this chapter.
	V		Stockable Trout Waters in Section 10
	vii		Lynch River from the upper Route 810 crossing near the
			intersection of Route 628 2.9 miles upstream (to Ivy Creek).
	***		Rockfish Creek from its confluence with the South Fork
			Rockfish River to its headwaters.
	VI		Natural Trout Waters in Section 10
	ii		Doyles River from 6.4 miles above its confluence with
			Moormans River above Browns Cove at Route 629 including
			all named and unnamed tributaries.
	iii		Fork Hollow from its confluence with Ivy Creek upstream
			including all named and unnamed tributaries.
	iii		Ivy Creek (Greene County) from its confluence with the Lynch
			River upstream including all named and unnamed tributaries.
	ii		Jones Falls Run from its confluence with Doyles River

			upstream including all named and unnamed tributaries.
	ii		Little Stony Creek (Nelson County) from its confluence with
			Stony Creek upstream including all named and unnamed
			tributaries.
	iv		Mill Creek (Nelson County) from its confluence with Goodwin
			Creek upstream including all named and unnamed tributaries.
	ii		Mutton Hollow from its confluence with Swift Run upstream
			including all named and unnamed tributaries.
	iv		Pauls Creek (Nelson County) from 1.3 miles above its
			confluence with the North Fork Rockfish River upstream
			including all named and unnamed tributaries.
	iv		Rodes Creek from its confluence with Goodwin Creek
			upstream including all named and unnamed tributaries.
	ii		South Fork Rockfish River from 8 miles above its confluence
			with the Rockfish River upstream including all named and
			unnamed tributaries.
	ii		Spruce Creek (Nelson County) from 1.5 miles above its
			confluence with the South Fork Rockfish River upstream
			including all named and unnamed tributaries.
	ii		Stony Creek (Nelson County) from 1 mile above its confluence
			with the South Fork Rockfish River upstream including all
			named and unnamed tributaries.
	ii		Swift Run from 14.5 miles above its confluence with the North
			Fork Rivanna River upstream including all named and
			unnamed tributaries.
10a	Ш	PWS	James River at river mile 127.26 near the public landing site
			and its tributaries from, and including, Little River to 5 miles
			above State Farm's raw water intake, including Beaverdam
			and Courthouse Creeks, to their headwaters.
10b		PWS	Deep Creek and its tributaries from St. Emma's Military

Ш

Ш

Ш

III

ii

ii

iii

Ш

10j

10c

10d

10e

10f

10g

	Academy's raw water intake to a point 5 miles upstream.
	Willis River and its tributaries within Cumberland State Forest.
PWS	Johnson Creek above the Schuyler (Nelson County Service
	Authority) raw water intake to its headwaters.
PWS	Totier Creek and its tributaries from the Scottsville (Rivanna
	Water and Sewer Authority) raw water intake to their
	headwaters (including the Reservoir).
	Powell Creek and its tributaries from its confluence with the

III	PWS,NEW-3	Beaver Creek and its tributaries from the Crozet (Rivanna
		Water and Sewer Authority) raw water intake upstream to their
		headwaters (including the reservoir).

10h	Ш	PWS,NEW-3	Mechums River and its tributaries from the Rivanna Water and
			Sewer Authority's raw water intake to a point 5 miles upstream.
10i	Ш	PWS,NEW-3	Moormans River and its tributaries from the Rivanna Water

and Sewer Authority's raw water intake to a point 5 miles

unstream	(including	Sugar Hollow	Reservoir)
upsileani	(including	Sugar Hollow	Reservoir).

Rivanna River upstream to their headwaters.

VI Natural Trout Waters in Section 10i

North Fork Moormans River from its confluence with

Moormans River upstream including all named and unnamed tributaries.

Pond Ridge Branch from its confluence with the North Fork Moormans River upstream including all named and unnamed tributaries.

South Fork Moormans River from its confluence with Moormans River upstream including all named and unnamed tributaries.

PWS,NEW-3	South Fork Rivanna River and its tributaries to their		
	headwaters; except Ivy Creek, from the Rivanna Water and		
	Sewer Authority's South Fork Rivanna River Dam to the		

	-		
			confluence of the South Fork Rivanna River and Moormans
			River, and Ivy Creek to a point 5 miles above the dam.
10k	Ш	PWS	James River and its tributaries from Fork Union Sanitary
			District's raw water intake (just below the Route 15 bridge) to a
			point 5 miles upstream, including the Slate River to a point 5
			miles above the intake.
101	Ш		Lake Monticello in Fluvanna County.
10m	Ш	PWS	Rivanna River and its tributaries from the raw water intake for
			Lake Monticello (about 2.76 miles above the Route 600 bridge
			in Fluvanna County) to a point 5 miles upstream.
10n	Ш	PWS	Ragged Mountain Reservoir (intake for the Rivanna Water and
			Sewer Authority) including its tributaries to their headwaters.
100	Ш	PWS	The North Fork Rivanna River and its tributaries from the
			Rivanna Water and Sewer Authority's raw water intake
			(approximately 1/4 mile upstream of the U.S. Route 29 bridge
			north of Charlottesville) to a point 5 miles upstream.
10p	Ш	PWS	Troublesome Creek in Buckingham County from Buckingham
			County's raw water intake point at a flood control dam south of
			the Route 631 bridge to a point 5 miles upstream.
10q	Ш	PWS	Allen Creek and its tributaries from the Wintergreen Mountain
			Village's primary raw water intake at Lake Monocan at latitude
			37º54'15"; longitude 78º52'10" to a point upstream at latitude
			37º53'59"; longitude 78º53'14".
10r	Ш	PWS	Stony Creek from the diversion structure at latitude 37°54'00";
			longitude 78°53'47" to its headwaters inclusive of the Stony
			Creek raw water intake just upstream of the Peggy's Pinch
			booster pump station.
10s	Ш	PWS	Mechunk Creek and its tributaries from the Department of
			Corrections raw water intake (at the US Route 250 bridge
			37º58'57.6", 78º18'48.1") to points 5 miles upstream.

9 VAC 25-260-440. Rappahannock River Basin.

SEC.	CLASS	SP. STDS.	SECTION DESCRIPTION
1	Ш	a,NEW-15,16	Rappahannock River and the tidal portions of its tributaries
			from Stingray and Windmill Points to Route 1 Alternate Bridge
			at Fredericksburg.
1a	Ш	NEW-16	Hoskins Creek from the confluence with the Rappahannock
			River to its tidal headwaters.
2	Ш	[y,]NEW-15,16	Free flowing tributaries of the Rappahannock from Stingray
			and Windmill Points upstream to Blandfield Point, unless
			otherwise designated in this chapter.
3	Ш	q	The Rappahannock River from the Route 1 Alternate Bridge at
			Fredericksburg upstream to the low dam water intake at
			Waterloo (Fauquier County).
3a	Ш	PWS,q	The main stem of the Rappahannock River from the low dam
			water intake at Waterloo, Fauquier County, to the headwaters
			of the Rappahannock River.
4	Ш	q,[<u>y.]NEW-15</u>	Free flowing tributaries of the Rappahannock from Blandfield
			Point to its headwaters, unless otherwise designated in this
			chapter.
	V	q	Stockable Trout Waters in Section 4
	***		Hughes River (Madison County) from Route 231 upstream to
			the upper crossing of Route 707 near the confluence of Rocky
			Run.
	***		Robinson River from Route 231 to river mile 26.7.
	***		Rose River from its confluence with the Robinson River 2.6
			miles upstream.
	***		South River from 5 miles above its confluence with the
			Rapidan River 3.9 miles upstream.
	VI	q	Natural Trout Waters in Section 4

-5 et seq		
	ii	Berry Hollow from its confluence with the Robinson River
		upstream including all named and unnamed tributaries.
	li	Bolton Branch from 1.7 miles above its confluence with Hittles
		Mill Stream upstream including all named and unnamed
		tributaries.
	li	Broad Hollow Run from its confluence with Hazel River
		upstream including all named and unnamed tributaries.
	I	Brokenback Run from its confluence with the Hughes River
		upstream including all named and unnamed tributaries.
	I	Bush Mountain Stream from its confluence with the Conway
		River upstream including all named and unnamed tributaries.
	I	Cedar Run (Madison County) from 0.8 mile above its
		confluence with the Robinson River upstream including all
		named and unnamed tributaries.
	I	Conway River (Greene County) from the Town of Fletcher
		upstream including all named and unnamed tributaries.
	li	Dark Hollow from its confluence with the Rose River upstream
		including all named and unnamed tributaries.
	I	Devils Ditch from its confluence with the Conway River
		upstream including all named and unnamed tributaries.
	iii	Entry Run from its confluence with the South River upstream
		including all named and unnamed tributaries.
	iii	Garth Run from 1.9 miles above its confluence with the
		Rapidan River at the Route 665 crossing upstream including all
		named and unnamed tributaries.
	ii	Hannah Run from its confluence with the Hughes River
		upstream including all named and unnamed tributaries.
	ii	Hazel River (Rappahannock County) from 38.6 miles above its
		confluence with the Rappahannock River upstream including
		all named and unnamed tributaries.

ii	Hogcamp Branch from its confluence with the Rose River
	upstream including all named and unnamed tributaries.
i	Hughes River (Madison County) from the upper crossing of
	Route 707 near the confluence of Rocky Run upstream
	including all named and unnamed tributaries.
iii	Indian Run (Rappahannock County) from 3.4 miles above its
	confluence with the Jordan River upstream including all named
	and unnamed tributaries.
ii	Jordan River (Rappahannock County) from 10.9 miles above
	its confluence with the Rappahannock River upstream
	including all named and unnamed tributaries.
iii	Kinsey Run from its confluence with the Rapidan River
	upstream including all named and unnamed tributaries.
ii	Laurel Prong from its confluence with the Rapidan River
	upstream including all named and unnamed tributaries.
ii	Mill Prong from its confluence with the Rapidan River upstream
	including all named and unnamed tributaries.
ii	Negro Run (Madison County) from its confluence with the
	Robinson River upstream including all named and unnamed
	tributaries.
ii	North Fork Thornton River from 3.2 miles above its confluence
	with the Thornton River upstream including all named and
	unnamed tributaries.
ii	Piney River (Rappahannock County) from 0.8 mile above its
	confluence with the North Fork Thornton River upstream
	including all named and unnamed tributaries.
ii	Pocosin Hollow from its confluence with the Conway River
	upstream including all named and unnamed tributaries.
ii	Ragged Run from 0.6 mile above its confluence with Popham
	Run upstream including all named and unnamed tributaries.

	1		
	i		Rapidan River from Graves Mill (Route 615) upstream
			including all named and unnamed tributaries.
	ii		Robinson River (Madison County) from river mile 26.7 to river
			mile 29.7.
	i		Robinson River (Madison County) from river mile 29.7
			upstream including all named and unnamed tributaries.
	i		Rose River from river mile 2.6 upstream including all named
			and unnamed tributaries.
	iv		Rush River (Rappahannock County) from the confluence of
			Big Devil Stairs (approximate river mile 10.2) upstream
			including all named and unnamed tributaries.
	ii		Sams Run from its confluence with the Hazel River upstream
			including all named and unnamed tributaries.
	ii		South River from 8.9 miles above its confluence with the
			Rapidan River upstream including all named and unnamed
			tributaries.
	ii		Sprucepine Branch from its confluence with Bearwallow Creek
			upstream including all named and unnamed tributaries.
	i		Staunton River (Madison County) from its confluence with the
			Rapidan River upstream including all named and unnamed
			tributaries.
	ii		Strother Run from its confluence with the Rose River upstream
			including all named and unnamed tributaries.
	iii		Thornton River (Rappahannock County) from 25.7 miles above
			its confluence with the Hazel River upstream including all
			named and unnamed tributaries.
	ii		Wilson Run from its confluence with the Staunton River
			upstream including all named and unnamed tributaries.
4a			(Deleted)
4b	Ш	PWS,q	The Rappahannock River and its tributaries, to include the

VEPCO Canal, from Fredericksburg's raw water intake to a

			point 5 miles upstream.
4c	Ш	PWS,q	Motts Run and its tributaries.
4d	ш	q	Horsepen Run and its tributaries.
4e	ш	PWS,q	Hunting Run and its tributaries.
4f	ш	q	Wilderness Run and its tributaries.
4g	ш	q	Deep Run and its tributaries.
4h			(Deleted)
4i	ш	PWS,q	Mountain Run from Culpeper's raw water intake to its
			headwaters.
4j	VI	PWS,q	White Oak Run from the Town of Madison's raw water intake
			upstream to its headwaters.
4k	ш	PWS,q	Rapidan River from Orange's raw water intake upstream 5
			miles.
41	ш	PWS,q	Rapidan River and its tributaries from the Rapidan Service
			Authority's raw water intake (just upstream of the Route 29
			bridge) upstream to a point 5 miles above the intake.
4m	Ш	PWS,q	Rapidan River and its tributaries from the Wilderness Shores
			raw water intake (38E22'30", 77E44'50", Orange County -
			Rapidan Service Authority) to a point 5 miles upstream.

9 VAC 25-260-470. Chowan and Dismal Swamp.

(Chowan River Subbasin)

CLASS	SP. STDS.	SECTION DESCRIPTION
II	<u>[y,]</u> NEW-21	Blackwater River and its tidal tributaries from the Virginia-North
		Carolina state line to the end of tidal waters at approximately State
		Route 611 at river mile 20.90; Nottoway River and its tidal
		tributaries from the Virginia-North Carolina state line to the end of
		tidal waters at approximately Route 674.
Ш	[<u>⊬</u>]NEW-21	Blackwater and Nottoway Rivers from the end of tidal waters to
		their headwaters and their free-flowing tributaries in Virginia,
		unless otherwise designated in this chapter.
Ш	PWS	Blackwater River and its tributaries from Norfolk's auxiliary raw
		water intake near Burdette, Virginia, to a point 5 miles above the
		raw water intake, to include Corrowaugh Swamp to a point 5 miles
		above the raw water intake.
		(Deleted)
Ш	[<u>y.]</u> PWS	Nottoway River and its tributaries from Norfolk's auxiliary raw
		water intake near Courtland, Virginia, to a point 5 miles upstream.
		(Deleted)
Ш	PWS	Nottoway River from the Georgia-Pacific and the Town of Jarratt's
		raw water intakes near Jarratt, Virginia, to a point 5 miles above
		the intakes.
Ш	PWS	Nottoway River and its tributaries from Camp Pickett's raw water
		intake to a point 5 miles above the raw water intake.
Ш	PWS	Lazaretto Creek and its tributaries from Crewe's raw water intake
		to a point 5 miles upstream.
Ш	PWS	Modest Creek and its tributaries from Victoria's raw water intake to
		their headwaters.
		II [¥]NEW-21 III [¥]NEW-21 III PWS III PWS III PWS III PWS III PWS

			water intake at the Falls (about 200 feet upstream from State
			Route 49) to a point 5 miles upstream.
2j	Ш	PWS	Big Hounds Creek from the Town of Victoria's auxiliary raw water
			intake (on Lunenburg Lake) to its headwaters.
3	Ш	[y]	Meherrin River and its tributaries in Virginia from the Virginia-North
			Carolina state line to its headwaters.
3a	Ш	PWS	Meherrin River and its tributaries from Emporia's water supply
			dam to a point 5 miles upstream.
3b	ш	PWS	Great Creek from Lawrenceville's raw water intake to a point 7.6
			miles upstream.
3c	ш	PWS	Meherrin River from Lawrenceville's raw water intake to a point 5
			miles upstream.
3d	Ш	PWS	Flat Rock Creek from Kenbridge's raw water intake upstream to its
			headwaters.
3e	ш	PWS	Meherrin River and its tributaries from South Hill's raw water intake
			to a point 5 miles upstream.
3f	ш		Couches Creek from a point 1.6 miles downstream from the
			Industrial Development Authority discharge to its headwaters.

9 VAC 25-260-480. Chowan and Dismal Swamp.

(Albemarle Sound Subbasin)

SEC.	CLASS	SP. STDS.	SECTION DESCRIPTION
1	II	[¥]	Back Bay and its tributaries in the City of Virginia Beach to the
			Virginia-North Carolina state line and the Northwest River and its
			tidal tributaries from the Virginia-North Carolina state line to the
			free flowing portion, unless otherwise designated in this chapter
			and North Landing River and its tidal tributaries from the
			Virginia-North Carolina state line to the Great Bridge Lock.
1a	III	[¥]	The free flowing portions of streams in Section 1 and tributaries of
			Stumpy Lake.
1b	Ш	PWS	Stumpy Lake (raw water supply for the City of Norfolk) and feeder
			streams to a point 5 miles upstream.
1c	Ш	[ỵ,]PWS	Northwest River and its tributaries from the City of Chesapeake's
			raw water intake to a point 5 miles upstream and a point 5 miles
			downstream.
2	Ш		Intracoastal Waterway (portions not described in Section 1).
3	Ш	[y]	Lake Drummond, including feeder ditches, and all interstate
			tributaries of the Dismal Swamp between Virginia and North
			Carolina.

9 VAC 25-260-520. Chesapeake Bay, Atlantic Ocean and Small Coastal Basins.

SEC.	CLASS	SP. STDS.	SECTION DESCRIPTION
1	I	а	The Atlantic Ocean from Cape Henry Light (Latitude 36E55'06"
			North; Longitude 76E00'04" West) east to the three mile limit and
			south to the North Carolina state line. The Atlantic Ocean from
			Cape Henry Light to Thimble Shoal Channel (Latitude 36E57'30"
			North; Longitude 76E02'30" West) from Thimble Shoal Channel to
			Smith Island (Latitude 37E07'04" North; Longitude 75E54'04"
			West) and north to the Virginia-Maryland state line.
1a	Ш		All free flowing portions of the streams, creeks and coves in
			Section 1 east of the east-west divide boundary on the Eastern
			Shore of Virginia.
1b	II	a[,y]	Tidal portions of streams, creeks and coves in Section 1 east of
			the east-west divide boundary on the Eastern Shore of Virginia.
2	II	а,[<u>у.]NEW-20</u>	Chesapeake Bay and its tidal tributaries from Old Point Comfort
			Tower (Latitude 37E00'00" North; Longitude 76E18'08" West) to
			Thimble Shoal Light (Latitude 37E00'09" North; Longitude
			76E14'04" West) to and along the south side of Thimble Shoal
			Channel to its eastern end (Latitude 36E57'03" North; Longitude
			76E02'03" West) to Smith Island (Latitude 37E07'04" North;
			Longitude 75E54'04" West) north to the Virginia-Maryland border
			following the east-west divide boundary on the Eastern Shore of
			Virginia, west along the Virginia-Maryland border, to the Virginia
			Coast, (Latitude 37E53'23" North; Longitude 76E14'25" West) and
			south following the Virginia Coast to Old Point Comfort Tower
			(previously described), unless otherwise designated in this
			chapter.
2a	Ш		Free flowing portions of streams lying on the Eastern Shore of
			Virginia west of the east-west divide boundary unless otherwise
			designated in this chapter.

Page 37 of 40

2b	Ш		Drummonds Millpond including Coards Branch.
2c	111		The Virginia Department of Agriculture experimental station pond
			and its tributaries.
2d	Ш	[¥]	The free flowing streams tributary to the western portion of the
			Chesapeake Bay lying between the Virginia-Maryland state line
			and Old Point Comfort.
2e	Ш	PWS	Harwood's Mill Reservoir (in Poquoson River's headwaters - a
			source of water for the City of Newport News) and its tributaries.
2f	Ш	PWS	Brick Kiln Creek and its tributaries from Fort Monroe's raw water
			intake (at the Big Bethel Reservoir) to a point 5 miles upstream.
2g	Ш	PWS	Beaverdam Swamp and its tributaries (including Beaverdam
			Swamp Reservoir) from the Gloucester County Water System raw
			water intake (at latitude 37E26'23"; longitude 76E32'47") to its
			headwaters.
3	Ш	a,NEW-20	Chesapeake Bay from Old Point Comfort Tower (Latitude
			37E00'00" North; Longitude 76E18'08" West) to Thimble Shoal
			Light (Latitude 37E00'09" North; Longitude 76E14'04" West) along
			the south side of Thimble Shoal Channel to Cape Henry Light
			(Latitude 36E55'06" North; Longitude 76E00'04" West).
3a	Ш	a,NEW-20	Little Creek from its confluence with Chesapeake Bay (Lynnhaven
			Roads) to end of navigable waters.
3b	Ш	a,NEW-20	Tidal portions of Lynnhaven watershed from its confluence with
			the Chesapeake Bay (Lynnhaven Roads) to and including
			Lynnhaven Bay, Western Branch Lynnhaven River, Eastern
			Branch Lynnhaven River, Long Creek, Broad Bay and Linkhorn
			Bay, Thalia Creek and its tributaries to the end of tidal waters.
			Great Neck Creek and Little Neck Creek from their confluence with
			Linkhorn Bay and their tidal tributaries. Rainey Gut and Crystal
			Lake from their confluence with Linkhorn Bay.
3c	III		Free flowing portions of streams in Section 3b, unless otherwise

designated in this chapter.

3d	Ш	PWS	The impoundments on the Little Creek watershed including Little
			Creek Reservoir, Lake Smith, Lake Whitehurst, Lake Lawson, and
			Lake Wright.
3e	Ш	NEW-20	London Bridge Creek from its confluence with the Eastern Branch
			of Lynnhaven River to the end of tidal waters. Wolfsnare Creek
			from its confluence with the Eastern Branch Lynnhaven River to
			the fall line.
3f	Ш		Free flowing portions of London Bridge Creek and Wolfsnare
			Creek and their free flowing tributaries.
3g	Ш		Lake Joyce and Lake Bradford.

Page 39 of 40

9 VAC 25-260-5 et seq

2b

3

9 VAC 25-260-530 York River Basin

SEC.	CLASS	SP. STDS	SECTION DESCRIPTION
1	II	a,[<u>y,]</u> NEW-17	York River and the tidal portions of its tributaries from Goodwin
			Neck and Sandy Point upstream to Thorofare Creek and Little
			Salem Creek near West Point; Mattaponi River and the tidal
			portions of its tributaries from Little Salem Creek to the end of tidal
			waters; Pamunkey River and the tidal portions of its tributaries
			from Thorofare Creek near West Point to the end of tidal waters.
2	III	[<u>+</u>]NEW-17	Free flowing tributaries of the York River, free flowing tributaries of
			the Mattaponi River to Clifton and the Pamunkey River to
			Romancoke, unless otherwise designated in this chapter.
2a	Ш	PWS,NEW-17	Waller Mill Reservoir and its drainage area above Waller Mill dam
			which serves as a raw water supply for the City of Williamsburg.

		which serves as a raw water supply for the City of Williamsburg.
III	PWS,NEW-17	Jones Pond (a tributary of Queen Creek near Williamsburg which
		serves as the raw water supply for Cheatham Annex Naval
		Station) and its tributaries to a point 5 miles upstream.
III	[X]	Free flowing portions of the Mattaponi and Pamunkey Rivers, free
		flowing tributaries of the Mattaponi above Clifton, and free flowing
		tributaries of the Pamunkey above Romancoke, unless otherwise
		designated in this chapter.

За	III	PWS	South Anna River from Ashland's raw water intake to a point 5
			miles upstream.
3b	III	PWS	Northeast Creek from the Louisa County Water Authority's
			impoundment dam (approximately 1/8 mile upstream of Route 33)
			to its headwaters.

3c	Ш		South Anna River from Route 15 upstream to a point 1.5 miles
			below the effluent from the Gordonsville Sewage Treatment Plant.
3d	Ш	PWS	Ni River and its tributaries from Spotsylvania's raw water intake
			near Route 627 to their headwaters.
3e	Ш	PWS	The North Anna River and its tributaries from Hanover County's
			raw water intake near Doswell (approximately $\frac{1}{2}$ mile upstream
			from State Route 30) to a point 5 miles upstream.
3f	Ш	PWS	Stevens Mill Run from the Lake Caroline water
			impoundment, and other tributaries into the impoundment
			upstream to their headwaters.